

**2020. Any learnings?
Welcome 2021**

FARO
BARCELONA

10

10





01/ INDOOR

32 — 37
Portables
Portátiles

38 — 83
Table&Floor
Mesa y suelo

84 — 127
Suspended
Suspensión

128 — 139
Ceiling
Techo

140 — 215
Surface
Superficie

216 — 223
Spotlights
Focos

224 — 241
Recessed
Empotrables

242 — 245
Track
Carril

Edition
A2021M

Art Director / Graphics
Faro Art

Printing
Jiménez Godoy

All Rights Reserved
Reproduction without written
permission from the publisher is
strictly prohibited.

Photographers
Guillem F-H
Andrés Fraga
Ricard Badia
Sergiy Kadulin
Stelios Kalisperis
Architectural Matter

Thanks to
Natalia Zubizarreta
Salto Proyectos
Vana Pernari Architecture
Estibaliz Martin Interiorismo
Colvin & Co.
Pía Capdevila
Erlantz Biderbost
Restaurant 3 Nusos
Pol&Grace Hotel
Elena Castells Poch
MIKMAX
Alfombras BSB
Bubes&Grabavska Design
Meritxell Ribé - The Room Studio

Headquarters
Dinámica 1 / 08755 /
Castellbisbal

Showroom
Princesa 52 / 08003 / Barcelona
+34 902 165 166 /
faro@lorefar.com / faro.es

02/ OUTDOOR

248 ____ 257
Saigon by Nahtrang
Saigon

258 ____ 263
Portables
Portátiles

264 ____ 317
Floor
Suelo

318 ____ 327
Spike&Projector
Estaca y Proyector

328 ____ 331
Suspended
Suspensión

332 ____ 333
Ceiling
Techo

334 ____ 369
Surface
Superficie

370 ____ 383
Recessed
Empotrables

03/ TECH

388 ____ 423
Track
Carril

424 ____ 463
Recessed
Empotrables

464 ____ 481
Surface
Superficie

488 ____ 491
Drivers
Equipos electrónicos



04/ FAN

502 ____ 525
Extra large
Extra grande

526 ____ 591
Large
Grande

587 ____ 611
Medium
Mediano

612 ____ 635
Small
Pequeño

636 ____ 637
Optional accessories
Accesorios opcionales

638 ____ 645
Bulbs
Bombillas



Our purpose goes beyond creating beautiful products, functional and quality. We design objects thinking about the happiness and well-being of the people who are going to be in contact with them. We believe in honest, close and accessible design. Design for everyone.

Nuestro propósito va más allá de crear productos bellos, funcionales y de calidad. Diseñamos objetos pensando en la felicidad y el bienestar de las personas que van a estar en contacto con ellos. Creemos en el diseño honesto, cercano y accesible. Diseño para todos.

designed for happiness.





Virtual reality / Realidad virtual

We apply virtual reality to improve our customers' experience.

Aplicamos la realidad virtual para mejorar la experiencia de nuestros clientes.



3D printing / Impresión 3D

Pioneers in the application of 3D printing to improve design processes.

Pioneros en la aplicación de la impresión 3D para mejorar los procesos de diseño.



Smart light / Control de la luz

We work with specialised technological partners to offer a complete selection of luminaires that can be controlled with 1-10V, DALI or Bluetooth systems, as well as with our own smart lamp.

Colaboramos con partners tecnológicos especializados para ofrecer una completa selección de luminarias que pueden ser controladas con los sistemas 1-10V, DALI o Bluetooth, así como con nuestra propia lámpara inteligente.



Smart Fan / Ventiladores inteligentes

As leaders in fan sector, we have a wide selection of intelligent fans that can be controlled comfortably and easily from any device, improving the user experience and adapting to the needs of each user at all times.

Como líderes en el sector de la ventilación, disponemos de una amplia selección de ventiladores inteligentes que permiten ser controlados de una forma cómoda y sencilla desde cualquier dispositivo, mejorando la experiencia de uso y adaptándonos a las necesidades de cada usuario en cada momento.

01/

PEOPLE PERSONAS



Promoting diversity.
Promovemos la diversidad.

Gender, age, origin, religion.
De género, edad, procedencia, religión.



Community support.
Apoyamos a la comunidad.

We support NGOs and social programmes with Caritas and our Hook luminaire.
Apoyamos a ONGs y programas sociales con Cáritas y nuestra luminaria Hook.



Honest and accessible design.
Diseño honesto y accesible.

We impact on the quality of life, well-being and comfort of people.
Impactamos en la calidad de vida, el bienestar y el confort de las personas.

02/

ENVIRONMENT ENTORNO



Sustainable business.
Comercio sostenible.

Collection and recycling of packaging with Nozama Green.
Recogida y reciclaje de embalaje con Nozama Green.



Go to green.
Hacia lo sostenible.

Green energy in our facilities.
Usamos energía verde en nuestras instalaciones.



Less environmental impact.
Menor impacto medioambiental.

New logistics centre in China to reduce transport impact.
Nuevo centro logístico en China para reducir el impacto en transporte.

03/

PRODUCT PRODUCTO



Ecodesign.
Ecodiseño.

Less material and more sustainable. Less polluting manufacturing processes.
Menos materiales y más sostenibles. Procesos de fabricación menos contaminantes.



Packaging optimization.
Optimización del embalaje.

Redesign with sustainable and/or recycled materials.
Rediseño con materiales sostenibles y/o reciclados.



Training in Circular Design.
Formación en Diseño circular.

Products designed to be more easily repaired or recycled.
Productos diseñados para ser más fácilmente reparados o reciclados.



We have started on the road to sustainability: a long journey with no return. These are some of our commitments to contribute to the creation of a more sustainable, happier, better world.

Hemos iniciado el camino hacia la sostenibilidad: un viaje largo y sin retorno. Estos son algunos de nuestros compromisos para contribuir a la creación de un mundo más sostenible, más feliz, un mundo mejor.



Pia Cappdevilla

Hospitality /01



Tarruella Trench Studio

Restaurant /02



Studioapart

Retail /03



Feberrostudio

Office /04

Studiotamat



Residential /05

Light transforms spaces as well as the mood of the people who live in them. We accompany you through all stages of the project.

La luz es capaz de transformar los espacios así como el estado de ánimo de las personas que habitan en ellos.

Te acompañamos en todas las etapas del proyecto.



IF Product Design Award **Winner**

LOTUS



German Design Award **Winner**

HOOK



IF Product Design Award **Winner**

INVITING



reddot award 2019
winner

Red Dot Design Award **Winner**

INVITING



German Design Award **Special**

INVITING



German Design Award **Special**

MUTE



reddot award 2018
winner

Red Dot Design Award **Winner**

HOOK



Green Product Award **Winner**

HOOK



Delta Awards **Selection**

HOOK



Bienal Iberoamericana de Diseño **Selection**

HOOK



Salone Satellite **Selection**

WHIZZ



German Design Award **Winner**

MINE



German Design Award **Special**

BU-OH!



Restaurant&Bar Product Design Award **Winner**

MINE



Design & Innovation Awards **Winner**

HAN






Christopher F. Wagner



Goula/Figuera



Xjer Studio



Nutcreatives



Marina Milà



Àlex & Manel Llusçà



Andreu Carulla



Alegre Design



Conillas



Jordi Llopis



Bohman&Folienius



Faro Lab



Oiko Design Office



Lucid



Isaac Piñeiro



Nahtrang



Jordi Busquets



Jordi Blasi



Pepe Llaudet



Estudi Ribaudí



Adolfo Abejón



Aldanondoyfdez



Yembarastudio

Designers, artists, creators. They make our world a better place thanks to their ingenuity, talent and creativity.

Diseñadores, artistas, creadores. Ellos hacen de nuestro mundo un lugar mejor gracias a su ingenio, talento y creatividad.

INDOOR

Portable/Portátil



FUJI

32

HOSHI

35

JELLYFISH

34

TAKE AWAY

36

Table/Mesa



AKANE

41

ANOUK

46

ARTIS

70

BANKER

47

BAOBAB

46

BERNI

76

BLISS

45

CONGA

62

DRUM

59

ETERNA

45

GRU

46

GUADALUPE

38

HOSHI

40

HOTEL

78

ITO

47

JELLYFISH

49

LAO

56

LENA

46

LE VITA

51

LINDA

72

LINK

55

LOOP

52

LULA

44

LUPE

73

MAMBO

61

MINE

43

MITIC

82

MOMA

79

MONTREAL

64

NIDIA

45

NIKO

42

OTTO

46

REM

68

SABA

83

SAMBA

63

SAVOY

66

SNAP

47

STOOD

54

SWEET

75

TEN

40

THANA

82

TREE

74

VESPER

71

VOLTA

77

Floor/Suelo

| | | | | | | | | | | |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |
| ARTIS | BERNI | BLACK | CONGA | DRUM | GUADALUPE | GUEST | HOTEL | JELLYFISH | LAO | LE VITA |
| 70 | 76 | 80 | 62 | 59 | 38 | 48 | 78 | 49 | 56 | 51 |
|  |  |  |  |  |  |  |  |  |  |  |
| LINDA | LINK | LOOP | LUPE | MAMBO | MITIC | MOMA | MONTREAL | PAPUA | REM | SABA |
| 72 | 55 | 52 | 73 | 61 | 82 | 79 | 64 | 80 | 68 | 83 |
|  |  |  |  |  |  |  |  |  |  | |
| SAMBA | SAVOY | STAND-UP | STOOD | SWEET | THANA | TREE | VESPER | VOLTA | WHIZZ | |
| 63 | 66 | 58 | 54 | 75 | 82 | 74 | 71 | 77 | 57 | |

Bathroom/Baño

| | | | | | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  | | |
| BRUME | CLOE | FORO | KAO | LOGOS | TOLA | VUK | ZON | | |
| 139 | 138 | 138 | 139 | 139 | 138 | 139 | 139 | | |
|  |  |  |  |  |  |  |  |  |  |
| BIANCA | BRUME | DANUBIO | DOKA | EDGE | GALA | INDO | LAGO | LAOS | LASS |
| 208 | 209 | 213 | 210 | 215 | 209 | 215 | 210 | 210 | 211 |
|  |  |  |  |  |  | | | | |
| NILO | PERLA | RELAX | TERMA | VOLGA | BRUME | | | | |
| 214 | 208 | 210 | 211 | 212 | 103 | | | | |

Recessed/Empotrable

| | | | | | | | | | | |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |
| AIM 234 | ARGÓN 231 | BOW 238 | CLEAR 234 | CROC 238 | DOMINO 224 | EBBA 232 | FALCON 236 | FOX 233 | FRESH 235 | GAS 231 |
|  |  |  |  |  |  |  |  |  |  |  |
| GINGKO 236 | HYDE 228 | KOI 230 | LUAN 239 | MOIST 234 | MÓVIL 236 | NAIS 230 | NAVI 240 | NEÓN 231 | NEU 240 | NORD 240 |
|  |  |  |  |  |  |  |  |  |  | |
| PLAS 241 | RADÓN 230 | SIGNAL 240 | SON 239 | STAN 232 | TED 239 | TOD 239 | TROOP 226 | WABI 232 | WET 236 | |






















































Track/Carril

| | | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |
| LAO 244 | LINK 244 | ORLEANS 245 | PLOT 245 | RAM 245 | RING 244 | STAN 242 |























Ceiling/Techo


































| | | | | | | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |
| AMI 138 | BIC 137 | DOLME 130 | HARU 135 | IRIS 137 | JANET 135 | LINK 132 | MEGA 137 | NATSU 135 | ORLEANS 133 | POTE 135 |
|  |  |  |  |  |  |  | | | | |
| REL 135 | SEVEN 136 | SIDE 131 | STAN 136 | SVEN 134 | TECTO 134 | TENDER 128 | | | | |

Surface/Superficie

| | | | | | | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |
| BOARD 200 | CELIA 198 | CHERAS 204 | CONIK 203 | COTTON 192 | COVE 206 | DALLAS 203 | DIULA 207 | EACO 204 | ELSA 205 | ERES 191 |
|  |  |  |  |  |  |  |  |  |  |  |
| HAN 147 | HOMS 194 | HUDSON 197 | KAMEN 206 | KERA 194 | LE VITA 143 | LINDA 196 | LIRIA 207 | LISE 202 | LIST 198 | LOA 197 |
|  |  |  |  |  |  |  |  |  |  |  |
| LOOP 155 | LUNA 206 | MAGRITTE 207 | MARINA 197 | MARLIN 199 | MOY 142 | NASH 203 | NUDOS 198 | OLAF 205 | ORA 202 | OSLO 205 |
|  |  |  |  |  |  |  |  |  |  |  |
| OVO 191 | PETRA 199 | PURE 149 | RAS 199 | RETRO 196 | REMAKE 198 | RODA 176 | SABA 176 | SAC 196 | SERA 194 | SLIM 146 |
|  |  |  |  |  |  |  |  |  | | |
| SNAP 199 | SNOW 205 | STAN 202 | STOOD 154 | TEN 195 | TERA 206 | THANA 174 | TOU 201 | WHIZZ 145 | | |

Bed Surface/Lector de cama

| | | | | | | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |
| ARTIS 162 | AUREA 177 | BEL 180 | BERNI 173 | BLOME 168 | BOC 177 | BOKEN 180 | CONGA 160 | CORB 189 | ESSENTIAL 176 | ETERNA 163 |
|  |  |  |  |  |  |  |  |  |  |  |
| FLIN 178 | FOLD 169 | FRAME 164 | GUADALUPE 148 | GUEST 149 | HANDY 175 | HANNA 174 | HOTEL 171 | JOY 142 | JULIET 180 | KALE 181 |

| | | | | | | | | | | |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
|  N |  |  |  |  |  N |  N |  |  |  |  |
| KLEE 140 | LEAD 181 | LE PETIT 184 | LESER 180 | LUPE 166 | MAGOS 150 | MAMBO 159 | MITIC 176 | MOMA 174 | MONTREAL 156 | MOOD 153 |
|  |  N |  |  |  |  |  |  |  |  |  |
| NIKO 152 | NIT 185 | NOON 188 | PIXIE 178 | PRESS 183 | REM 165 | ROB 177 | RON 167 | ROOM 170 | SABANA 168 | SAHARA 176 |
|  N |  |  |  |  |  |  N |  |  |  |  N |
| SAMBA 161 | SAMI 180 | SAVOY 157 | SMILE 190 | SUAU 187 | SWEET 173 | TILA 182 | TIRA 174 | VESPER 172 | VOLTA 170 | WELL 189 |

Spotlight/Foco

| | | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |
| COCO 216 | LAO 220 | LINK 220 | ORLEANS 223 | RING 222 | STAN 218 | STONE 221 |

Clip/Pinza

| | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|  |  |  |
| LENA 180 | PEPPER 179 | STUDIO 179 |

TECH

| | | | | | | | | | | |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |
| COLIN 449 | CYLINDER 415 | DEEP 425 | FONOVIA 479 | FUGA 401 | NESO 389 | OPTIC 443 | SIGMA 409 | SYNCH 439 | TEKO 465 | VIA 473 |


OUTDOOR

Portable/Portátil



ARGUS 262 BROT 286 CADAQUÉS 282 CAT 285 CAGE 260 KASP 261 KERALA 262 TASK 260 TOC 258 VERSUS 284 VOILA 263

Post/Sobremuro



AGRA 304 BLOCK 289 BLUB'S 300 BU-OHI 303 DAS 305 DATNA 294 GIZA 296 MILA 301 MISTU 300 MOON 301 MUFFIN 300
MUGA 296 NALA 301 NAYA 304 NOBORU 306 RUSH 264 SCREEN 272 SETE 301 SHELBY 293 SURAT 301 TWIST 292 WILMA 299

Suspended/Suspensión



BLUB'S 330 ESTORIL 331 HONEY 331 MISTU 330 MOON 330 MUFFIN 330 NÁUTICA 331 SAIGON 256 SCUBA 328 WILMA 330

Pole/Farola



BERET 316 BLUB'S 315 BU-OHI 312 DATNA 312 GROF 316 MISTU 314 NÁUTICA 317 PLAZA 316 RUSH 264 SCREEN 272 TRAM 312

Bollard/Baliza

| | | | | | | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |
| AGRA 304 | ALP 305 | BAST 280 | BERET 297 | BLOCK 289 | BLUB'S 300 | BROT 286 | BU-OHI 303 | CAST 288 | CHANDRA 309 | DAS 305 |
|  |  |  |  |  |  |  |  |  |  |  |
| DATNA 294 | GINA 309 | GIZA 296 | GROP 297 | GROW 302 | KLAMP 309 | LOGAR 298 | LOTUS 290 | MAUREN 306 | MISTU 300 | MOON 301 |
|  |  |  |  |  |  |  |  |  |  |  |
| MUFFIN 300 | MUGA 296 | NANDA 298 | NAYA 304 | ONZE 296 | PLIM 295 | RUSH 264 | SAIGON 249 | SAURA 311 | SCREEN 272 | SHADOW 308 |
|  |  |  |  |  |  |  |  | | | |
| SHELBY 293 | SOLEIL 311 | SPY 307 | STICKER 291 | TRAM 291 | TWIST 292 | VERNO 299 | WILMA 299 | | | |














































































Recessed/Empotrable


| | | | | | | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |
| CROSBY 376 | CURTIS 377 | DANG 370 | DART 373 | EDEL 381 | ESCA 372 | FALLS 383 | FILTER 374 | FROL 372 | GALO 370 | GEISER 379 |
|  |  |  |  |  |  |  |  |  |  |  |
| GRON 372 | GRUND 376 | HORUS 375 | KANE 377 | LED 380 | LIO 381 | LISO 372 | MINI CARTER 374 | MINI RACING 374 | NASE 370 | NAT 375 |
|  |  |  |  |  |  |  |  |  |  |  |
| SALT 381 | SEDNA 375 | SOUN 374 | SPARK 373 | STORE 374 | STRIPE 372 | SURIA 380 | TARO 381 | TECNO 381 | TRAS 378 | UVE 370 |

Ceiling/Techo

| | | | | | | |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |
| DAKRON 332 | GOZ 332 | MAUREN 306 | OLOT 332 | TAMI 332 | TASA 332 | YEN 332 |

Surface/Superficie

| | | | | | | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |
| ADAY 359 | ALP 354 | ÂNCORA 354 | ARGOT 346 | AXEL 354 | BLIND 361 | BLOCK 338 | BLUB'S 344 | BONN 352 | BORDA 349 | BRACKET 354 |
|  |  |  |  |  |  |  |  |  |  |  |
| BRONX 364 | BROW 366 | BRUC 361 | BU-OHI 355 | CABO 349 | CANON 365 | CELA 353 | CERES 346 | CLAUSS 354 | COBO 362 | DADO 346 |
|  |  |  |  |  |  |  |  |  |  |  |
| DATNA 346 | DERBY 353 | DORO 358 | DRAGMA 357 | DRAK 366 | ELE 366 | ESTAY 353 | ESTORIL 347 | FEDON 353 | FRED 352 | FUTURE 354 |
|  |  |  |  |  |  |  |  |  |  |  |
| GINA 365 | GIZA 342 | GRADA 369 | GRANT 368 | GUIZA 364 | HALF 339 | HIKARI 350 | HONEY 345 | KALA 364 | KAULA 360 | KEENAN 367 |
|  |  |  |  |  |  |  |  |  |  |  |
| KERALA 342 | KLAMP 363 | KUBICK 350 | LACE 361 | LACRE 361 | LAKO 358 | LING 361 | LOG 361 | LOTH 367 | LOTUS 356 | LUR 350 |
|  |  |  |  |  |  |  |  |  |  |  |
| MASK 336 | MISTU 344 | MOL 351 | MOON 344 | MUFFIN 344 | MUST 369 | NAHIR 348 | NAIROBI 365 | NALA 351 | NATRON 352 | NÁUTICA 347 |
|  |  |  |  |  |  |  |  |  |  |  |
| NEGUS 352 | NORAY 349 | OLAN 362 | ORWELL 342 | OVAL 359 | PALS 334 | PATH 368 | PILL 366 | PIVOT 351 | PLIM 343 | POL 351 |



Projector/Proyector




Spike/Estaca




FAN

Extra Large/Extra Grande



Large/Grande



Medium/Mediano




Small/Pequeño



The objects that surround us must help us live a more fully and happily life. That is just what we pursue with each of our creations. We design objects thinking about the happiness and comfort of the people who will be in contact with them.

Los objetos que nos rodean deben ayudarnos a conseguir vivir la vida de una forma más plena y feliz. Eso es justo lo que perseguimos con cada una de nuestras creaciones. Diseñamos objetos pensando en la felicidad y el confort de las personas que van a estar en contacto con ellos.



INDOOR

NEW FUJI

— Isaac Piñeiro



● 74465 matt black/negro mate


LED SMD 1,5W 2700K 90lm 3.7VDC ✓

Body Aluminium/Aluminio


Diff Opal polycarbonate/Policarbonato opal

IP44 DC 3.7V Battery ✓

USB wire Type C 1.8mt cable 10h Worktime 10h Charge Hook ✓



25lm



45lm



90lm



USB
Charger



Portables
Portátiles

JELLYFISH

— Nahtrng 





- 24523 matt black/negro mate
- 24524 matt white/blanco mate

LED SMD 3W 2700K 220lm CRI>80 Driver ✓

Body Steel/Acero
Diff PMMA

⚡ DC5V-1A 🔋 Battery ✓ 📶 Micro USB

🕒 9h Worktime
⌚ 8h Charge



Touch Switch




Micro USB



P.49
TABLE&FLOOR



HOSHI

— Xjer Studio 



 **28386** gold+black/oro+negro


LED SMD 4W 3000K 480lm CRI>80 Driver 

Body Steel/Acero

Diff Opal polycarbonate/Policarbonato opal

  DC5V-1A  Battery 

 Micro USB  9h Worktime
4-6h Charge



INDOOR PORTABLES / PORTÁTILES



Dimmable
Intensity




Micro
USB

P.40
TABLE



TAKE AWAY

— Nahtrang 



 video



● 01015 matt white/blanco mate

● 01016 matt black/negro mate

LED 1,5W 3000K 100lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato

Diff Silicone/Silicona


Base Wood/Madera






DC5V-1A



Battery ✓

 Micro USB
2mt cable

 5h Worktime
 5h Charge



30lm



55lm




100lm



Wall accessory/Accesorio aplique

● 01017 wood/madera

Body Wood/Madera



Press
Lamp



Micro
USB



GUADALUPE

— Faro Lab



video

● 20033-80 black+beige/negro+beige

● 20033-81 black+green/negro+green


E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Steel/Acero



1.5 MT



● 20034-80 black+beige/negro+beige

● 20034-81 black+green/negro+green


E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Steel/Acero



3.5 MT



P.148
WALL





Table & Floor
Mesa y Suelo

HOSHI

— Xjer Studio





● 28387 gold+black

● 28388 black+copper/negro+cobre

LED SMD 12W 3000K 930lm CRI>80 Driver ✓

Body Steel/Acero

Diff Opal polycarbonate/Policarbonato opal



P.35
PORTABLE



● 62156 shiny copper/cobre brillo

● 62157 satin gold/oro satinado

● 62168 NEW matt white/blanco mate


● 62169 NEW matt black/negro mate

E27 MAX 15W LED [17429 or 17464]

Body Steel/Acero




P.195
WALL



TEN

— Faro Lab






● 28370 black+beige/negro+beige

E27 MAX 15W LED [17463]


Body Steel/Acero
Shade Papyrus/Papiro



● 28371 black+beige/negro+beige

E27 MAX 15W LED [17464]

Body Steel/Acero
Shade Papyrus/Papiro



NIKO

— Nahtrng 



● **01007** white+wood/blanco+madera





Diff Opal glass/Cristal Opal

● **01025** white+wood/blanco+madera


Diff PMMA

LED SMD 7W 3000K 500lm CRI>80 Driver ✓

Body Aluminium+wood/Aluminio+madera

  100- 50/ 240V 60Hz   USB charger

5VDDc/2A Wireless charger



Wireless
Charger



USB
Charger



Touch
Switch

P.152
WALL



MINE

— Nahrang 

○ 28378 matt white/blanco mate

● 28379 dark grey/gris oscuro

Diff Opal glass/Cristal Opal


○ 28211 matt white/blanco mate

● 28212 dark grey/gris oscuro

Diff PMMA

E27 MAX 15W LED  [17463/Smart 17498]

Body Aluminium+wood/Aluminio+madera



P.105
SUSPENDED



LULA

— Marina Milà




○ 28383 matt white/blanco mate

● 28385 black+white/negro+blanco

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil




○ 28380 matt white/blanco mate

● 28382 black+white/negro+blanco


E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil



ETERNA

— Lucid 



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

INDOOR TABLE & FLOOR / MESA Y SUELO




BLISS


 **28401** wood+white/madera+blanco

E27 MAX 15W LED  [17463/Smart 17498]

Body Beech wood/Madera haya
Shade Textile/Téxtil




NIDIA

 **68423** nickel+white/níquel+blanco

E27 MAX 15W LED  [17463]

Body Steel/Acero
Shade Textile/Téxtil




 **24008-13** chrome+white/cromo+blanco

 **24008-14** chrome+beige/cromo+beige

 **24008-15** chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil



P.163
WALL





ANOUK


- 53414 matt white/blanco mate
- 53415 matt black/negro mate

LED SMD 8W 4000K 530lm CRI>80 Driver ✓

Body ABS

220-240V 50/60Hz

 1.5 MT
 USB charger



OTTO

- 52064 matt black/negro mate
- 52065 matt white/blanco mate


LED SMD 6W 4000K 500lm CRI>80 Driver ✓

Body Aluminium+ABS+Silicone/
Aluminio+ABS+Silicona
Diff Opal PMMA/PMMA Opal

100-240V 50/60Hz

 1.8 MT

Electronic Adapteur
11V 500mA ✓



LENA

- 52057 matt white/blanco mate
- 52058 matt black/negro mate


LED SMD 3W 4000K 300lm CRI>80 Driver ✓

Body Aluminium+ABS+Silicone/
Aluminio+ABS+Silicona
Diff Glass/Cristal

100-240V 50/60Hz

 1.8 MT

Electronic Adapteur
11V 350mA ✓




GRU

- 51916 matt white/blanco mate
- 51917 matt black/negro mate

E27 MAX 15W LED ✗ [17463/Smart 17498]

Body Steel/Acero

1.7 MT




BAOBAB

- 51908 matt white/blanco mate
- 51909 matt black/negro mate
- 51910 grey/gris

E14 MAX 8W LED ✗ [17461]

Body Steel/Acero

1.7 MT





ITO

● 52071 matt black/negro mate

LED SMD 5W 3000K 390lm CRI>80 Driver ✓

Body ABS+Aluminium/ABS+Aluminio

Diff Opal PMMA/PMMA Opal



BANKER

● 68334 old gold+green/oro viejo+verde

E27 MAX 15W LED ✗ [17463/Smart 17498]

Body Steel/Acero

Diff Glass/Cristal






SNAP

● 57400 off white+grey/blanco roto+gris

● 57401 dark grey/gris oscuro

E27 MAX 15W LED ✗ [17463/Smart 17498]

Body Steel/Acero



P.199 WALL



GUEST

— Andreu Carulla




video



● 01046 matt black/negro mate

E27 MAX 15W LED [17429]

Body Steel/Acero



Switch



Cork included

P.149
WALL



JELLYFISH





— Nahtrang 


24521 black+gold/negro+oro

LED SMD 6W 3000K 500lm CRI>80 Driver ✓

Body Steel/Acero

Diff Opal PMMA/PMMA Opal

 220-240V  50/60Hz   4.3 MT








24522 black+gold/negro+oro

LED SMD 6W 3000K 500lm CRI>80 Driver ✓

Body Steel/Acero

Diff Opal PMMA/PMMA Opal

 220-240V  50/60Hz   1.8 MT



P.34
PORTABLE





video



● 29692D shiny gold/oro brillo

● 29697 matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver ✓

Body Steel/Acero

Diff Opal glass/Cristal Opal



1W 95lm



4W 380lm



6W 570lm



Touch dimmer

LE VITA

— Nahtrang


- 29693D shiny gold/oro brillo
- 29698 matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal glass/Cristal Opal

100- 50/
240V 60Hz

 2 MT



INDOOR TABLE & FLOOR / MESA Y SUELO



Touch dimmer

P.87
SUSPENDED

P.143
WALL



LOOP

— Estudi Ribaudí



● 29569 black+wood/negro+madera



Shade Cherry Tree Wood/Madera Cerezo

● 29399 **NEW** black+wood/negro+madera

Shade Ash Tree Wood/Madera Fresno

LED SMD 7W 3000K 500lm CRI>80 Driver ✓

Body Steel/Acero



1W 100lm




3W 300lm



6W 600lm



Cherry tree
Wood shade



Ash tree
Wood shade

● 29568 black+wood/negro+madera

Shade Cherry Tree Wood/Madera Cerezo

● 29398 **NEW** black+wood/negro+madera


Shade Ash Tree Wood/Madera Fresno

LED SMD 6W 2700K 600lm CRI>80 Driver ✓

Body Steel/Acero

DIM 100- 50/ 240V 60Hz 350° 2 MT

clip ✓ max.55mm



INDOOR TABLE & FLOOR / MESA Y SUELO



Clip Included




Touch Switch

P.107 SUSPENDED

P.155 WALL



STOOD

— Lucid 




 **29846** black+wood/negro+madera

E27 MAX 15W LED  [17464]

Body Steel/Acero

Shade Cherry Tree Wood/Madera Cerezo



 **29847** black+wood/negro+madera



E27 MAX 15W LED  [17464]

Body Steel/Acero

Shade Cherry Tree Wood/Madera Cerezo





Cherry tree
Wood shade



P.106
SUSPENDED

P.154
WALL



LINK


— Estudi Ribaudí



- 29883 matt white/blanco mate
- 29884 matt black/negro mate
- 29899 bronze/bronce

GU10 MAX 8W LED [97685327]


Body Steel/Acero



- 29881 matt white/blanco mate
- 29882 matt black/negro mate
- 29898 bronze/bronce

GU10 MAX 8W LED [97685327]

Body Steel/Acero



P.132
CEILING



P.220
SPOT



P.244
TRACK



LAO

— Nahträng




● 29049 matt black/negro mate

○ 29050 matt white/blanco mate

LED SMD 4W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS

Diff PMMA




● 29047 matt black/negro mate

○ 29048 matt white/blanco mate

LED SMD 4W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS

Diff PMMA



P.220
SPOT



P.244
TRACK





WHIZZ

— Christoph F. Wagner




● 20164-95 black+gold/negro+oro

● 20164-96 gold+black/oro+negro

E27 MAX 15W LED [17426/17496]

Body Steel/Acero



Adjustable
Shade

P.89
SUSPENDED

P.145
WALL





STAND-UP — Estudi Ribaudí

- 57210 matt silver+white/plata mate+blanco
- 57211 black+white/negro+blanco
- 57212 matt silver+black/plata mate+negro
- 57213 black+black/negro+negro
- 57214 matt silver+grey/plata mate+gris
- 57215 black+grey/negro+gris

E27 MAX 15W LED  [17463/Smart 17498]

Body Aluminium/Aluminio

Shade Textilene/Textileno



57210



57211




57212




57213



57214



57215



Switch



Adjustable shade

DRUM

— Nahtrang 

● 24023-33 black+beige/negro+beige

● 24023-34 black+grey/negro+gris

E27 MAX 15W LED  [17464]


Body Steel/Acero

Shade Textile/Téxtil

Diff Opal Polycarbonate/Policarbonato Opal



2.1 MT



INDOOR TABLE & FLOOR / MESA Y SUELO

● 24020-31 black+beige/negro+beige

● 24020-32 black+grey/negro+gris

E27 MAX 15W LED  [17463/Smart 17498]


Body Steel/Acero

Shade Textile/Téxtil

Diff Opal Polycarbonate/Policarbonato Opal



1.8 MT






64317-47 black+rattan/negro+rattan

E27 MAX 15W LED [17463]

Body Steel/Acero

Shade Rattan




64311-48 black+rattan/negro+rattan

E27 MAX 15W LED [17463]

Body Steel/Acero

Shade Rattan



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



video



MAMBO

— Faro Lab 


INDOOR TABLE & FLOOR / MESA Y SUELO

 **64313-49** black+rattan/negro+rattan

E27 MAX 15W LED  [17464]

Body Steel/Acero

Shade Rattan




Switch

P.110
SUSPENDED




P.159
WALL






NEW CONGA

— Faro Lab 

- 64316-01 white+white/blanco+blanco
- 64316-02 white+beige/blanco+beige
- 64317-03 black+black/negro+negro

E27 MAX 15W LED  [17463]

Body Steel/Acero
Shade Textile/Téxtil




*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



- 64312-07 white+white/blanco+blanco
- 64312-08 white+beige/blanco+beige
- 64313-09 black+black/negro+negro

E27 MAX 15W LED  [17464]


Body Steel/Acero
Shade Textile/Téxtil



- 64310-04 white+white/blanco+blanco
- 64310-05 white+beige/blanco+beige
- 64311-06 black+black/negro+negro

E27 MAX 15W LED  [17463]

Body Steel/Acero
Shade Textile/Téxtil



P.113 SUSPENDED **P.160** WALL




NEW **SAMBA**
— Faro Lab 



- 64316-35 white+beige/blanco+beige
- 64316-36 white+yellow/blanco+amarillo
- 64316-37 white+green/blanco+verde
- 64317-35 black+beige/negro+beige
- 64317-36 black+yellow/negro+amarillo
- 64317-37 black+green/negro+verde

E27 MAX 15W LED  [17463]

Body Steel/Acero
Shade Textile/Téxtil




*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



- 64312-41 white+beige/blanco+beige
- 64312-42 white+yellow/blanco+amarillo
- 64312-43 white+green/blanco+verde
- 64313-41 black+beige/negro+beige
- 64313-42 black+yellow/negro+amarillo
- 64313-43 black+green/negro+verde

E27 MAX 15W LED  [17464]


Body Steel/Acero
Shade Textile/Téxtil



- 64310-38 white+beige/blanco+beige
- 64310-39 white+yellow/blanco+amarillo
- 64310-40 white+green/blanco+verde
- 64311-38 black+beige/negro+beige
- 64311-39 black+yellow/negro+amarillo
- 64311-40 black+green/negro+verde

E27 MAX 15W LED  [17463]

Body Steel/Acero
Shade Textile/Téxtil



P.112 SUSPENDED **P.161** WALL



MONTREAL


— Nahtrng 



- 24034-04 white+white/blanco+blanco
- 24034-05 white+beige/blanco+beige
- 24035-04 chrome+white/cromo+blanco
- 24035-05 chrome+beige/cromo+beige
- 24035-06 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650




INDOOR TABLE & FLOOR / MESA Y SUELO

- 24036-07 white+white/blanco+blanco
- 24036-08 white+beige/blanco+beige
- 24037-07 chrome+white/cromo+blanco
- 24037-08 chrome+beige/cromo+beige
- 24037-09 chrome+black/cromo+negro

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil



P.156
WALL



SAVOY

— Isaac Piñeiro



● 20304-82 white+white/blanco+blanco

● 20305-83 black+black/negro+negro


● 20305-84 black+green/negro+verde

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil

Diff Steel/Acero





video



- 20306-85 white+white/blanco+blanco
- 20307-86 black+black/negro+negro
- 20307-87 black+green/negro+verde

E27 MAX 15W LED [17464]

Body Steel/Acero

Shade Textile/Téxtil


Diff Steel/Acero



P.109
SUSPENDED



P.157
WALL



REM


— Àlex & Manel Lluscà 



- 29684-04 matt nickel+white/níquel mate+blanco
- 29684-05 matt nickel+beige/níquel mate+beige
- 29684-06 matt nickel+black/níquel mate+negro
- 29685-04 bronze+white/bronce+blanco
- 29685-05 bronze+beige/bronce+beige
- 29685-06 bronze+black/bronce+negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero **Shade** Textile/Téxtil



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650




- 29686-07 matt nickel+white/níquel mate+blanco
- 29686-08 matt nickel+beige/níquel mate+beige
- 29686-09 matt nickel+black/níquel mate+negro
- 29687-07 bronze+white/bronce+blanco
- 29687-08 bronze+beige/bronce+beige
- 29687-09 bronze+black/bronce+negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero **Shade** Textile/Téxtil



1.9 MT



P.165
WALL





ARTIS


— Àlex & Manel Llusca 

● 68489 old bronze/bronce envejecido

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil




Adjustable
Shade

● 68488 old bronze/bronce envejecido

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil



P.162
WALL





VESPER

— Nahrang

● 29978 white+beige/blanco+beige


● 29979 brown+beige/marrón+beige

2 E27 MAX 15W LED [17463]

Body Steel/Acero

Shade Textile/Téxtil

Diff Textile/Téxtil



● 29984 white+beige/blanco+beige


● 29985 brown+beige/marrón+beige

2 E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil


Diff Textile/Téxtil



P.122
SUSPENDED



P.172
WALL






LINDA

— Estudi Ribaudí 

● 29312 black+beige/negro+beige

E27 MAX 15W LED  [17464]

Body Steel/Acero
Shade Textile/Téxtil




○ 29307 white+beige/blanco+beige

● 29311 black+beige/negro+beige

E27 MAX 15W LED  [17463]


Body Steel/Acero
Shade Textile/Téxtil



P.120
SUSPENDED



P.196
WALL





LUPE

— Jordi Busquets




29918 chrome+beige/cromo+beige

20004-88 black+beige/negro+beige

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil




29997 chrome+beige/cromo+beige

E27 MAX 15W LED [17463]

Body Steel/Acero

Shade Textile/Téxtil



P.166
WALL





TREE


— Estudi Ribaudí 



- 29866 matt black/negro mate
- 29867 matt white/blanco mate

E27 MAX 15W LED  [17464]


Body Steel/Acero
Shade Textile/Téxtil



- 29868 matt black/negro mate
- 29869 matt white/blanco mate

E27 MAX 15W LED  [17464]

Body Steel/Acero
Shade Textile/Téxtil




P.120
SUSPENDED







SWEET

— Estudi Ribaudí 



 **29938** nickel+white/níquel+blanco

 **29958** matt white/blanco mate

 **29959** matt black/negro mate

E27 MAX 15W LED  [17464]


Body Steel/Acero


Shade Textile/Téxtil


Top Diff Textile/Téxtil



1.7 MT



 **29937** nickel+white/níquel+blanco

 **29954** matt white/blanco mate

 **29955** matt black/negro mate

E27 MAX 15W LED  [17463/Smart 17498]


Body Steel/Acero

Shade Textile/Téxtil

Top Diff Textile/Téxtil



1.9 MT



P.173
WALL





BERNI

— Nahträng




● 29332 matt white/blanco mate

● 29333 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Steel/Acero




● 29335 matt white/blanco mate


● 29336 matt black/negro mate

E27 MAX 15W LED ☒ [17464]

Body Steel/Acero
Shade Textile/Téxtil



P.173
WALL



VOLTA



— Estudi Ribaudi



- 20025 nickel+white/níquel+blanco
- 20026 nickel+black/níquel+negro

E27 MAX 15W LED [17463]

Body Steel/Acero
Shade Textile/Téxtil




INDOOR TABLE & FLOOR / MESA Y SUELO

- 20029 nickel+white/níquel+blanco
- 20030 nickel+black/níquel+negro

E27 MAX 15W LED [17463]

Body Steel/Acero
Shade Textile/Téxtil



P.170
WALL






HOTEL

— Àlex & Manel Llusca 

- 29942 chrome+white/cromo+blanco
- 29947 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]


Body Steel/Acero
Shade Textile/Téxtil
Top Diff Textile/Téxtil



- 29943 chrome+white/cromo+blanco
- 29948 chrome+black/cromo+negro

E27 MAX 15W LED  [17464]

Body Steel/Acero
Shade Textile/Téxtil



P.121
SUSPENDED




P.171
WALL





INDOOR TABLE & FLOOR / MESA Y SUELO



MOMA

68502 chrome+white/cromo+blanco


68503 chrome+black/cromo+negro

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil

Diff Opal Polycarbonate/Policarbonato Opal



MOMA

68500 chrome+white/cromo+blanco


68501 chrome+black/cromo+negro

E27 MAX 15W LED [17463]

Body Steel/Acero

Shade Textile/Téxtil

Diff Opal Polycarbonate/Policarbonato Opal



P.174 WALL







BLACK

● 29764 matt black/negro mate

E27 MAX 15W LED [17464]

Body Steel/Acero
Shade Textile/Téxtil




PAPUA

○ 68462 matt white/blanco mate

● 68463 matt black/negro mate

E27 MAX 15W LED [17464]

Body Steel/Acero
Shade Textile/Téxtil






THANA

● 68531 nickel+white/níquel+blanco

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil




THANA

● 68530 nickel+white/níquel+blanco

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil



P.123
SUSPENDED



P.174
WALL




MITIC

● 68418 nickel+beige/níquel+beige

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil




MITIC

● 68417 nickel+beige/níquel+beige

E14 MAX 8W LED [17461]

Body Steel/Acero
Shade Textile/Téxtil



P.176
WALL






SABA

● 68546 nickel+black/níquel+negro

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade (double) Textile/Téxtil




SABA

● 68545 nickel+black/níquel+negro

E27 MAX 15W LED [17463]

Body Steel/Acero
Shade (double) Textile/Téxtil




SABA

● 68547 nickel+black/níquel+negro

E27 MAX 15W LED [17464]


Body Steel/Acero
Shade (double) Textile/Téxtil



P.123
SUSPENDED



P.176
WALL






KOMBO — Nutcreatives 



- 68591-1L grey+black/gris+negro
- 68592-1L beige+black/beige+negro

E27 MAX 15W LED ☒ [17463/Smart 17498]


Body Steel/Acero



- 68593-1L grey+black/gris+negro
- 68594-1L beige+black/beige+negro

E27 MAX 15W LED ☒ [17463/Smart 17498]


Body Steel/Acero



- 68595-1L grey+black/gris+negro
- 68596-1L beige+black/beige+negro
- 68597-1L terracotta+black/terracota+negro

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero



▶ video



Suspended
Suspensión




● 29691 shiny gold/oro brillo

● 29696 matt black/negro mate

LED 13W 2700K 570lm CRI>80 Driver ✓

Body Steel/Acero

Diff Opal Glass/Cristal Opal



LE VITA

— Nahtrang 






 video


- 29694 shiny gold/oro brillo
- 29699 matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver ✓

Body Steel/Acero

Diff Opal Glass/Cristal Opal

 100- 50/
240V 60HZ   1.5 MT



*Max. ceiling height: 3m (9,84ft) max. ceiling height 9,84m



P.51
TABLE&FLOOR

P.143
WALL





SLIM

— Àlex & Manel Lluscà




- 24500 matt white/blanco mate
 - 24501 black+matt gold/negro+oro mate
- LED 20W 3000K 1150lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Glass/Cristal Opal




Pendant & Wall



- 24504 matt white/blanco mate
 - 24505 black+gold/negro+oro
- LED 2 x 20W 3000K 1150lm CRI>80 Driver ✓


Body Steel/Acero
Diff Opal Glass/Cristal Opal



Articulated



P.146
WALL





WHIZZ

— Christoph F. Wagner




● 20160 black+satin gold/negro+oro

● 20161 satin gold+black/oro+negro

E27 MAX 15W LED ⊗ [● 17426 ● 17496]

Body Steel/Acero




● 20166-95 black+satin gold/negro+oro

● 20166-96 satin gold+black/oro+negro

E27 MAX 15W LED ⊗ [● 17426 ● 17496]

Body Steel/Acero



P.57
TABLE&FLOOR



P.144
WALL



DOLME

— Xjer Studio



● 64098 matt black/negro mate


● 64099 matt white/blanco mate

LED SMD 24W 3000K 1260lm CRI>80 Driver ✓

Body Steel/Acero

Diff Opal Polycarbonate/Policarbonato Opal

⚡ 220- 50/
240V 60HZ Ⓢ 1,6 MT



P.130
CEILING



COCOTTE

— Jordi Llopis



● 64182 shiny white/blanco brillo


● 64183 shiny matt black/negro brillo

LED SMD 38W 3000K 1700lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

100- 50/
240V 60HZ



● 64250 shiny white/blanco brillo


● 64251 shiny matt black/negro brillo

LED SMD 30W 3000K 1300lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

100- 50/
240V 60HZ




INDOOR SUSPENDED / SUSPENSIÓN

ø430 Suspended Kit

● 64184 matt white/blanco mate


● 64185 matt black/negro mate



ø550 Suspended Kit

● 64186 matt white/blanco mate

● 64187 matt black/negro mate



NAOS

— Alex & Menel Luaccà 




● 64500 matt white/blanco mate

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero

Diff Opal Glass/Cristal Opal



2 rings incl.




● 64501 matt white/blanco mate

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero

Diff Opal Glass/Cristal Opal



2 rings incl.





PLUMA — Nahrang 


○ 64170 matt white/blanco mate

● 64172 black+gold/negro+oro

LED SMD 6W 3000K 450lm CRI>80 Driver 

Body Aluminium/Aluminio

 100- 50/ 240V 60HZ  1.5 MT



SIDE — Àlex & Manel Llusca 

○ 62136 matt white/blanco mate

○ 62137 white+nickel/blanco+níquel

● 62138 black+gold/negro+oro

● 62139 black+copper/negro+cobre

G9 MAX 6W LED  [17443]

Body Steel/Acero

Diff Opal Glass/Cristal Opal


  1.5 MT



P.131
CEILING



RETRO


— Alex & Manel Lluscà 



- 20046 matt copper/cobre mate
- 20050 black+copper/negro+cobre

E14 MAX 8W LED ☒ [17461]


Body Steel/Acero



- 20047 matt copper/cobre mate
- 20048 black+copper/negro+cobre
- 20051 black+gold/negro+oro

12 E14 MAX 8W LED ☒ [17461]

Body Steel/Acero



P.196
WALL



20048



20051



CRÁTER


● 68461 black+gold/negro+oro

3 E27 MAX 15W LED [17463/Smart 17466]

Body Aluminium/Aluminio



1.5 MT



MAGMA

● 28398 white+silver/blanco+plata

● 28399 white+gold/blanco+oro


● 29468 black+shiny gold/negro+oro

3 E27 MAX 15W LED [17464]

Body Fiber Glass/Fibra de Vidrio



2 MT



Project Elena Castells Poch




ART

● 64137 old gold/oro envejecido

● 65134 matt black/negro mate

E27 MAX 15W LED ☒ [17425]

Body Steel/Acero




MARLIN

● 64133 gold+ black/oro+negro

E27 MAX 15W LED ☒ [17428]

Body Steel/Acero



P.199
WALL




LIZ

● 65080 old gold/oro envejecido

E27 MAX 15W LED ☒ [17428]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente




HALITA

● 65071 old gold/oro envejecido

E27 MAX 15W LED ☒ [17428]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente




CLARA

● 64128 matt black/negro mate

E27 MAX 15W LED ☒ [17428]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente




PLAT

● 68145 matt black/negro mate

○ 68146 matt white/blanco mate

E27 MAX 15W LED ☒ [17271/17464]

Body Steel/Acero





ROSE

● 65082 matt black/negro mate


E27 MAX 15W LED [17429]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente



1.5 MT




ROSE

● 65081 matt black/negro mate

4 E27 MAX 15W LED [17429]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente






LOU

- 62800 shiny black/negro brillo
- 62801 shiny green/verde brillo

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero




LANG

- 62804 shiny black/negro brillo
- 62805 shiny green/verde brillo

E27 MAX 15W LED ☒ [17426]

Body Steel/Acero




MOU

- 62806 shiny black/negro brillo

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero




CLAIRE

- 62802 shiny black/negro brillo
- 62803 shiny green/verde brillo

E27 MAX 15W LED ☒ [17426]

Body Steel/Acero



Project Upper Interiorismo



COSMOS

● 64224 bronze/bronce

LED 5W 3000K 360lm CRI>80 Driver ✓

Body Aluminium+Steel/Aluminio+Acero
Diff Opal Glass/Cristal Opal





PAM

● 64162 black+gold/negro+oro

LED SMD 24W 3000K 1875lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA





PAM

○ 64159 matt white/blanco mate

● 64160 black+gold/negro+oro

LED SMD 11W 3000K 900lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA





DANKA

● 64222 nickel+black/níquel+negro

● 64223 gold+black/oro+negro

LED COB 6W 3000K 530lm CRI>80 Driver ✓

Body Aluminium/Aluminio



P.136
CEILING



P.232
RECESSED



P.218
SPOT



P.242
TRACK



P.202
WALL



STAN

○ 43754 matt white/blanco mate

● 43755 matt black/negro mate

● 43756 NEW gold/oro


GU10 MAX 8W LED [97685327]

Body Aluminium/Aluminio



*Accessories page 219 (except ring)
Accesorios en página 219 (excepto aro)

ø60/2.3"



ORA

○ 29894 matt white/blanco mate

● 29895 matt black/negro mate

LED SMD 4W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA





LISE

○ 29886 matt white/blanco mate

● 29887 matt black/negro mate

LED COB 6W 2700K 370lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Optical Glass/Cristal óptico



P.202
WALL



P.202
WALL



SABI

○ 64320 matt white/blanco mate

● 64321 matt black/negro mate

LED SMD 3W 2700K 280lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Optical Glass/Cristal óptico








NUDOS

● **68139** dark brown/marrón oscuro

E27 MAX 15W LED ☒ [17462]

Body Steel+Jute/Acero+Yute
Diff Transparent Glass/Cristal Transparente




LIANA

● **68569** brown/marrón

E27 MAX 15W LED ☒ [17464]

Body Steel+Hemp/Acero+Cáñamo




NIDO

● **68153** brown/marrón

E27 MAX 15W LED ☒ [17464]

Body Cane+Steel/Caña+Acero




MARINA

● **60004** matt black/negro mate

E27 MAX 15W LED ☒ [17428]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente




CHARLOTTE

● **68562** dark grey/gris oscuro

● **68563** matt white/blanco mate

E27 MAX 15W LED ☒ [17464]

Body Steel/Acero
Diff Opal Polycarbonate/Policarbonato Opal




MARGOT

● **68561** matt black/negro mate

● **68564** matt white/blanco mate

E27 MAX 15W LED ☒ [17464]

Body Aluminium+Wood/Aluminio+Madera





WINCH — Àlex & Manel Llusçà 

● 66204 brown/marrón

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



WINCH — Àlex & Manel Llusçà 

● 66205 brown/marrón

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente







BRUME — Àlex & Manel Llusçà 

● 40078 old steel/Acero envejecido

LED SMD 3W 2700K 200lm CRI>80 Driver 

Body Steel/Acero
Diff Transparent+Opal Glass/
Cristal Transparente+Opal



P.209
WALL





○ 28375 matt white/blanco mate

● 28376 dark grey/gris oscuro

Diff Opal Glass/Cristal Opal


○ 28209 matt white/blanco mate

● 28210 dark grey/gris oscuro

Diff PMMA

E27 MAX 15W LED [17463/Smart 17498]

Body Aluminium+Wood/Aluminio+Madera




Thanks to DOS architects / Tavis Wright Photo by Tomeu Canyellas



Thanks to Lafincaroja Photo by Jorge Peiro



MINE — Nahrang 



- 28375-1L matt white/blanco mate
- 28376-1L dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

- 28209-1L matt white/blanco mate
- 28210-1L dark grey/gris oscuro

Diff PMMA

E27 MAX 15W LED  [17463/Smart 17498]



- 28375-2L matt white/blanco mate
- 28376-2L dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

- 28209-2L matt white/blanco mate
- 28210-2L dark grey/gris oscuro

Diff PMMA

2 E27 MAX 15W LED  [17463/Smart 17498]



- 28375-3L matt white/blanco mate
- 28376-3L dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

- 28209-3L matt white/blanco mate
- 28210-3L dark grey/gris oscuro

Diff PMMA

3 E27 MAX 15W LED  [17463/Smart 17498]



- 28375-4L matt white/blanco mate
- 28376-4L dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

- 28209-4L matt white/blanco mate
- 28210-4L dark grey/gris oscuro

Diff PMMA

4 E27 MAX 15W LED  [17463/Smart 17498]



- 28375-5L matt white/blanco mate
- 28376-5L dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

- 28209-5L matt white/blanco mate
- 28210-5L dark grey/gris oscuro

Diff PMMA

5 E27 MAX 15W LED  [17463/Smart 17498]



Hook accessory/Accesorio gancho

- 28373 matt white/blanco mate
- 28374 grey/gris

INDOOR SUSPENDED / SUSPENSIÓN

CUSTOMIZE YOUR MINE

Nº of lights/nº de luces
Mts of cable/mts de cable
Nº of hooks/nº de ganchos


Send your demand on/envíanos tu petición a customize@faro.es

P.43
TABLE





STOOD


— Lucid 

● 29849 black+wood/negro+madera

5 E27 MAX 15W LED ☒ [17464]

Body Steel/Acero

Shade Cherry Tree Wood/Madera Cerezo




Cherry tree
Wood shade

● 29848 black+wood/negro+madera

E27 MAX 15W LED ☒ [17464]


Body Steel/Acero

Shade Cherry Tree Wood/Madera Cerezo




P.54
TABLE&FLOOR

P.154
WALL



LOOP

— Estudi Ribaudí 



● 29567 black+wood/negro+madera



Shade Cherry Tree Wood/Madera Cerezo

● 29397 **NEW** black+wood/negro+madera


Shade Ash Tree Wood/Madera Fresno

LED SMD 3 x 6W 2700K 500lm CRI>80 Driver ✓

Body Steel



Cherry tree
Wood shade



Ash tree
Wood shade

INDOOR SUSPENDED / SUSPENSIÓN

P.52
TABLE&FLOOR

P.155
WALL



PAULINE


— Nahtrang 

● 20100 wood/wood

LED SMD 24W 2700K 2000lm CRI>80
Driver ✓

Body Steel+Wood/Acero+Madera
Diff Opal Polycarbonate/Policarbonato Opal

   220- 50/
240V 60HZ 1.5 MT



PHILL


— Nahtrang 

● 20099 black+wood/negro+madera

LED SMD 24W 3000K 1700lm CRI>80 Driver ✓

Body Steel+Wood/Acero+Madera
Diff Opal Polycarbonate/Policarbonato Opal

   200- 50/
240V 60HZ 1.2 MT



SAVOY

— Isaac Piñeiro



video

109




- 20308-89 matt white/blanco mate
- 20309-90 matt black/matt black
- 20309-91 black+green/negro+verde

E27 MAX 15W LED [17464]

Body Steel/Acero
Shade Textile/Téxtil
Diff Papyrus/Papiro



0.8 MT



INDOOR SUSPENDED / SUSPENSIÓN

P.67
TABLE&FLOOR

P.157
WALL





*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



video

MAMBO

— Faro Lab 



P.60
TABLE&FLOOR

P.159
WALL






64314-47 black+rattan/negro+rattan

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Rattan



64314-48 black+rattan/negro+rattan

E27 MAX 15W LED [17463/Smart 17498]




Body Steel/Acero
Shade Rattan



64314-49 black+rattan/negro+rattan

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Rattan



64315-47 black+rattan/negro+rattan

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Rattan



64315-48 black+rattan/negro+rattan

E27 MAX 15W LED [17463/Smart 17498]




Body Steel/Acero
Shade Rattan




64315-49 black+rattan/negro+rattan

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Rattan



NEW SAMBA


— Faro Lab 



- 64315-44 black+beige/negro+beige
- 64315-45 black+yellow/negro+amarillo
- 64315-46 black+green/negro+verde

E27 MAX 15W LED  [17463/Smart 17498]


Body Steel/Acero
Shade Textile/Téxtil
Diff Opal PMMA/PMMA opal



- 64314-44 black+beige/negro+beige
- 64314-45 black+yellow/negro+amarillo
- 64314-46 black+green/negro+verde

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal PMMA/PMMA opal



P.63 TABLE&FLOOR
P.161 WALL

*Structures and shades also sold separately 648-650/
 Estructuras y pantallas también se venden por separado 648-650



NEW CONGA


— Faro Lab 



- 64315-54 black+white/negro+blanco
- 64315-55 black+beige/negro+beige
- 64315-56 black/negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal PMMA/PMMA opal




INDOOR SUSPENDED / SUSPENSIÓN



- 64314-54 black+white/negro+blanco
- 64314-55 black+beige/negro+beige
- 64314-56 black/negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal PMMA/PMMA opal



P.62 TABLE&FLOOR
P.160 WALL

*Structures and shades also sold separately 648-650/
 Estructuras y pantallas también se venden por separado 648-650



SAIGON-IN

— Nahrang 



 video



-  20124 white ivory/blanco marfil
-  20125 matt white/blanco mate
-  20126 terracotta/terracota
-  20127 matt black/negro mate
-  20128 yellow/amarillo
-  20129 burgundy/granate
-  20130 olive green/verde oliva
-  20131 brown/marrón

4 E27 MAX 15W LED  [17464]

Body Steel/Acero

Shade Beige Ribbon Shade/Tela encintada

Diff Papyrus/Papiro



1.6 MT

-  20116 white ivory/blanco marfil
-  20117 matt white/blanco mate
-  20118 terracotta/terracota
-  20119 matt black/negro mate
-  20120 yellow/amarillo
-  20121 burgundy/granate
-  20122 olive green/verde oliva
-  20123 brown/marrón

3 E27 MAX 15W LED  [17463]



Body Steel/Acero

Shade Beige Ribbon Shade/Tela encintada

Diff Papyrus/Papiro



1.6 MT



20124/20116

20125/20117

20126/20118

20127/20119

20128/20120

20129/20121

20130/20122

20131/20123





video



FONOVIA

— Faro Lab 



● **20110** grey+grey/gris+gris


LED SMD 25W 3000K 1800lm CRI>80 Driver ✓

● **20109 NEW** grey+grey/gris+gris

LED SMD 25W 4000K 1900lm CRI>80 Driver ✓

Body Steel/Acero
Shade Recycled PET+Textile Fiber/
 PET Reciclado+Fibra Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

 220- 50/ 240V 60HZ  α=0.4
 2MT





● **20107 NEW** grey+grey/gris+gris


LED SMD 50W 3000K 3600lm CRI>80 Driver ✓

● **20108 NEW** grey+grey/gris+gris

LED SMD 50W 4000K 3800lm CRI>80 Driver ✓

Body Steel/Acero
Shade Recycled PET+Textile Fiber/
 PET Reciclado+Fibra Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

 220- 50/ 240V 60HZ  α=0.4
 2MT



Recycled PET



Sound Absorbing α=0.4

*Modular option available on page 479/Ver opción modular en página 479





Thanks to BE_DE_O

MUTE

— Nahtrang



video

- 20101 dark grey+grey/gris oscuro+gris
- 20102 dark grey+brown/gris oscuro+marrón


LED SMD 24W 3000K 2500lm CRI>80 Driver ✓

- 20103 dark grey+grey/gris oscuro+gris
- 20104 dark grey+brown/gris oscuro+marrón

LED SMD 24W 4000K 2650lm CRI>80 Driver ✓

Body Steel/Acero
Shade Recycled PET+Textile Fiber/
 PET Reciclado+Fibra Téxtil
Diff Opal Glass/Cristal Opal

100- 50/ 240V 60HZ 2MT $\alpha = 0.4$



References ending in DA are compatible with
 1/10V - Push - DALI

- 20101DA dark grey+grey/gris oscuro+gris
- 20102DA dark grey+brown/gris oscuro+marrón


LED SMD 24W 3000K 2500lm CRI>80 Driver ✓

- 20103DA dark grey+grey/gris oscuro+gris
- 20104DA dark grey+brown/gris oscuro+marrón

LED SMD 24W 4000K 2500lm CRI>80 Driver ✓

Body Steel/Acero
Shade Recycled PET+Textile Fiber/PET Reciclado+Fibra Téxtil
Diff Opal Glass/Cristal Opal


100- 50/ 240V 60HZ 2MT $\alpha = 0.4$



Sound Absorbing
 $\alpha = 0.4$



Pendant & Ceiling



Recycled PET



LINDA

— Estudi Ribaudí 



- 29309 matt white/blanco mate
- 29313 black+white/negro+blanco

E27 MAX 15W LED  [17464]

Body Steel/Acero
Shade Textile/Téxtil

  1.2 MT

100/3.9"



P.72
TABLE&FLOOR

P.196
WALL




- 29864 matt black/negro mate
- 29865 matt white/blanco mate

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil

  1.3 MT



P.74
TABLE&FLOOR



TREE

— Estudi Ribaudí 



HOTEL

— Àlex & Manel Llusca 




● 29944 chrome+white/cromo+blanco

3 E27 MAX 15W LED ☒ [17462]

Body Steel/Acero

Shade Textile/Téxtil

Bottom Diff Textile/Téxtil



P.78
TABLE&FLOOR

P.171
WALL



FUSTA

— Àlex & Manel Llusca 




● 28393 black+wood/negro+madera

● 28394 white+wood/blanco+madera


E27 MAX 15W LED ☒ [17464]

Body Steel+Wood/Acero+Madera


Shade Textile/Téxtil




VESPER


— Nahtrang 




- 29986 white+beige/blanco+beige
 - 29987 brown+beige/marrón+beige
- 2 E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal




- 29988 white+beige/blanco+beige
 - 29989 brown+beige/marrón+beige
- 3 E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal



P.71 TABLE&FLOOR
P.172 WALL





THANA

68533 nickel+white/níquel+blanco

3 E27 MAX 15W LED [17463/Smart 17498]


Body Steel/Acero
Shade Textile/Téxtil



P.82
TABLE&FLOOR



P.174
WALL



SABA

68548 nickel+black/níquel+negro

E27 MAX 15W LED [17464]

Body Steel/Acero
Shade (double) Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal





1.2 MT

P.83
TABLE&FLOOR



P.176
WALL



SABA

68549 nickel+black/níquel+negro

3 E27 MAX 15W LED [17464]

Body Steel/Acero
Shade (double) Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal




1.2 MT

P.83
TABLE&FLOOR



P.176
WALL




AINA

64174 matt white/blanco mate

LED SMD 40W 2700K 3000lm CRI>80 Driver

Body Opal Polycarbonate/Policarbonato Opal
Shade Textile/Téxtil



SEVEN

68283 matt white/blanco mate


2 E27 MAX 15W LED [17463/Smart 17498]

Body Steel+PVC/Acero+PVC
Shade Textile/Téxtil
Diff Textile/Téxtil



0.9 MT

P.136
CEILING



SEVEN

68284 matt white/blanco mate


3 E27 MAX 15W LED [17463/Smart 17498]

Body Steel+PVC/Acero+PVC
Shade Textile/Téxtil
Diff Textile/Téxtil



0.9 MT

P.136
CEILING



Standard combination multiple canopy / *Combinaciones con florón múltiple*

| | 3 lights/luces | 5 lights/luces | 7 lights/luces |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <p>Hébre</p> <ul style="list-style-type: none"> ● 20046-3L matt copper/cobre mate ● 20050-3L black+copper/negro+cobre | <ul style="list-style-type: none"> ● 20046-5L matt copper/cobre mate ● 20050-5L black+copper/negro+cobre | <ul style="list-style-type: none"> ● 20046-7L matt copper/cobre mate ● 20050-7L black+copper/negro+cobre |
|  | <p>Piet</p> <ul style="list-style-type: none"> ● 68145-3L matt black/negro mate ○ 68146-3L matt white/blanco mate | <ul style="list-style-type: none"> ● 68145-5L matt black/negro mate ○ 68146-5L matt white/blanco mate | <ul style="list-style-type: none"> ● 68145-7L matt black/negro mate ○ 68146-7L matt white/blanco mate |
|  | <p>Whizz</p> <ul style="list-style-type: none"> ● 20160-3L black+gold/negro+oro ● 20161-3L gold+black/oro+negro | <ul style="list-style-type: none"> ● 20160-5L black+gold/negro+oro ● 20161-5L gold+black/oro+negro | <ul style="list-style-type: none"> ● 20160-7L black+gold/negro+oro ● 20161-7L gold+black/oro+negro |
|  | <p>Art</p> <ul style="list-style-type: none"> ● 64137-3L old gold/oro envejecido ● 64135-3L matt black/negro mate | <ul style="list-style-type: none"> ● 64137-5L old gold/oro envejecido ● 64135-5L matt black/negro mate | <ul style="list-style-type: none"> ● 64137-7L old gold/oro envejecido ● 64135-7L matt black/negro mate |
|  | <p>Liz</p> <ul style="list-style-type: none"> ● 65080-3L old gold/oro envejecido | <ul style="list-style-type: none"> ● 65080-5L old gold/oro envejecido | <ul style="list-style-type: none"> ● 65080-7L old gold/oro envejecido |
|  | <p>Marlin</p> <ul style="list-style-type: none"> ● 64133-3L gold+ black/oro+negro | <ul style="list-style-type: none"> ● 64133-5L gold+ black/oro+negro | <ul style="list-style-type: none"> ● 64133-7L gold+ black/oro+negro |
|  | <p>Clara</p> <ul style="list-style-type: none"> ● 64128-3L matt black/negro mate | <ul style="list-style-type: none"> ● 64128-5L matt black/negro mate | <ul style="list-style-type: none"> ● 64128-7L matt black/negro mate |
|  | <p>Claire</p> <ul style="list-style-type: none"> ● 62802-3L matt black/negro mate ● 62803-3L green/verde | <ul style="list-style-type: none"> ● 62802-5L matt black/negro mate ● 62803-5L green/verde | <ul style="list-style-type: none"> ● 62802-7L matt black/negro mate ● 62803-7L green/verde |
|  | <p>Lana</p> <ul style="list-style-type: none"> ● 62804-3L matt black/negro mate ● 62805-3L green/verde | <ul style="list-style-type: none"> ● 62804-5L matt black/negro mate ● 62805-5L green/verde | <ul style="list-style-type: none"> ● 62804-7L matt black/negro mate ● 62805-7L green/verde |
|  | <p>Samba</p> <ul style="list-style-type: none"> ● 64314-44-3L beige/beige ● 64314-45-3L yellow/amarillo ● 64314-46-3L green/verde | <ul style="list-style-type: none"> ● 64314-44-5L beige/beige ● 64314-45-5L yellow/amarillo ● 64314-46-5L green/verde | <ul style="list-style-type: none"> ● 64314-44-7L beige/beige ● 64314-45-7L yellow/amarillo ● 64314-46-7L green/verde |
|  | <p>Congo</p> <ul style="list-style-type: none"> ● 64314-54-3L matt white/blanco mate ● 64314-55-3L beige/beige ● 64314-56-3L matt black/negro mate | <ul style="list-style-type: none"> ● 64314-54-5L matt white/blanco mate ● 64314-55-5L beige/beige ● 64314-56-5L matt black/negro mate | <ul style="list-style-type: none"> ● 64314-54-7L matt white/blanco mate ● 64314-55-7L beige/beige ● 64314-56-7L matt black/negro mate |
|  | <p>Kombo</p> <ul style="list-style-type: none"> ● 68591-3L grey/gris ● 68592-3L beige/beige | <ul style="list-style-type: none"> ● 68591-5L grey/gris ● 68592-5L beige/beige | <ul style="list-style-type: none"> ● 68591-7L grey/gris ● 68592-7L beige/beige |
|  | <p>Kombo</p> <ul style="list-style-type: none"> ● 68593-3L grey/gris ● 68594-3L beige/beige | <ul style="list-style-type: none"> ● 68593-5L grey/gris ● 68594-5L beige/beige | <ul style="list-style-type: none"> ● 68593-7L grey/gris ● 68594-7L beige/beige |
|  | <p>Kombo</p> <ul style="list-style-type: none"> ● 68595-3L grey/gris ● 68596-3L beige/beige ● 68597-3L terracotta/terracota | <ul style="list-style-type: none"> ● 68595-5L grey/gris ● 68596-5L beige/beige ● 68597-5L terracotta/terracota | <ul style="list-style-type: none"> ● 68595-7L grey/gris ● 68596-7L beige/beige ● 68597-7L terracotta/terracota |
|  | <p>Mambo</p> <ul style="list-style-type: none"> ● 64314-47-3L rattan/mimbre | <ul style="list-style-type: none"> ● 64314-47-5L rattan/mimbre | <ul style="list-style-type: none"> ● 64314-47-7L rattan/mimbre |
|  | <p>Mambo</p> <ul style="list-style-type: none"> ● 64314-48-3L rattan/mimbre | <ul style="list-style-type: none"> ● 64314-48-5L rattan/mimbre | <ul style="list-style-type: none"> ● 64314-48-7L rattan/mimbre |
|  | <p>Mambo</p> <ul style="list-style-type: none"> ● 64314-49-3L rattan/mimbre | <ul style="list-style-type: none"> ● 64314-49-5L rattan/mimbre | <ul style="list-style-type: none"> ● 64314-49-7L rattan/mimbre |

Solutions

Multiple canopy
Florón múltiple



STANDARD REQUESTS

See standard combination / *ver tabla combinaciones*



SPECIAL REQUESTS

Send your demand on *envíanos tu petición a* customize@faro.es


Canopy recessed
Florón empotrable



with frame / con marco

● 64231 matt white/blanco mate


135X85



trimless / sin marco

● 64232 matt white/blanco mate

135X85



*Compatible in these situations.
Compatibles en estas situaciones.

✓ Electrical wire+Turnbuckle
Cable eléctrico+ Tensor independiente



✓ Canopy with lamp holder
Florón con portalámparas E14 / E27



✗ Canopy with turnbuckle
Florón con tensor



✗ Canopy with driver
Florón con driver



Hook accessory for displaced light output.
Accesorio gancho para punto de luz desplazado.




● 68602 matt black/negro mate

Track connector for suspension
Conector carril para suspensión



● 01997001 white/blanc





● 01997002 matt black/negro mate



*Accessories compatible with all pendants with bulb and without turnbuckle.
Accesorios compatibles con todos los colgantes con bombilla y sin tensor/es




INDOOR SUSPENDED / SUSPENSIÓN

-  68604-44 beige/beige
-  68604-45 yellow/amarillo
-  68604-46 green/verd
-  68604-54 white/blanco
-  68604-55 beige/beige
-  68604-56 black/negro

-  68604-62 grey/gris
-  68604-63 beige/beige
-  68604-64 grey/gris
-  68604-65 beige/beige
-  68604-66 grey/gris
-  68604-67 beige/beige
-  68604-68 terracotta/terracota

-  68604-47 rattan/mimbre
-  68604-48 rattan/mimbre
-  68604-49 rattan/mimbre

TENDER

— Nahtrang 

● 20094 black+wood/negro+madera


● 20095 white+wood/blanco+madera


LED SMD 24W 3000K 1369lm CRI>80 Driver ✓

Body Steel+Wood/Acero+Madera

Diff Opal PMMA/PMMA Opal

 100- 50/
240V 60HZ


82/3.2"
Ø450/17.7"





Ceiling
Techo

DOLME

— Xjer Studio



● 64096 matt black/negro mate



● 64097 matt white/blanco mate

LED SMD 24W 3000K 1260lm CRI>80 Driver ✓

Body Steel/Acero

Diff Opal Polycarbonate/Policarbonato Opal

⊕ 220- 50/
⊖ 240V 60HZ



P.90
SUSPENDED





SIDE — Àlex & Manel Llusca 

- 62132 matt white/blanco mate
- 62133 white+nickel/blanco+níquel
- 62134 black+gold/negro+oro
- 62135 black+copper/negro+cobre

G9 MAX 6W LED  [17443]

Body Steel/Acero
Diff Opal Glass/Cristal Opal



SIDE — Àlex & Manel Llusca 

- 62140 matt white/blanco mate
- 62141 white+nickel/blanco+níquel
- 62142 black+gold/negro+oro
- 62143 black+copper/negro+cobre


LED SMD 15W 3000K 860lm CRI>80 Driver 

Body Steel/Acero
Diff Opal Glass/Cristal Opal




SIDE — Àlex & Manel Llusca 





- 62144 matt white/blanco mate
- 62145 white+nickel/blanco+níquel
- 62146 black+gold/negro+oro
- 62147 black+copper/negro+cobre

LED SMD 17W 3000K 1000lm CRI>80 Driver 


Body Steel/Acero
Diff Opal Glass/Cristal Opal



P.93
SUSPENDED




LINK

— Estudi Ribaudí 




- 29877 matt white/blanco mate
 - 29878 matt black/negro mate
- GU10 MAX 8W LED ⊗ [97685327]



Body Steel/Acero




- 29879 matt white/blanco mate
 - 29880 matt black/negro mate
- 4 GU10 MAX 8W LED ⊗ [97685327]

Body Steel/Acero



| P.220 SPOT | P.55 TABLE&FLOOR | P.244 TRACK |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |


ORLEANS

— Nahrang 




- 43532 matt white/blanco mate
 - 43533 matt black/negro mate
 - ◐ 43534 chrome+black/cromo+negro
- 2 GU10 MAX 8W LED ⊗ [97685327]

Body Steel/Acero



- 43529 matt white/blanco mate
 - 43530 matt black/negro mate
 - ◐ 43531 chrome+black/cromo+negro
- GU10 MAX 8W LED ⊗ [97685327]

Body Steel/Acero



INDOOR CEILING / TECHO

P.223
SPOT

P.245
TRACK





TECTO

- 63270 matt white/blanco mate
- 63271 matt black/negro mate

GU10 MAX 8W LED ⊗ [○ 17316 / ● 17324]

Body Aluminium/Aluminio



TECTO

- 63272 matt white/blanco mate
- 63273 matt black/negro mate

2 GU10 MAX 8W LED ⊗ [○ 17316 / ● 17324]

Body Aluminium/Aluminio






TECTO QR111

- 63276 matt white/blanco mate
- 63277 matt black/negro mate

2 QR111 MAX 15W LED ⊗ [97411]
LED transformer ⊗ [2 x 98111020]

Body Aluminium/Aluminio



TECTO QR111

- 63274 matt white/blanco mate
- 63275 matt black/negro mate

QR111 MAX 15W LED ⊗ [97684227]
LED transformer ⊗ [98111020]

Body Aluminium/Aluminio



SVEN

- 63268 matt white/blanco mate

GU10 MAX 8W LED ⊗ [97685327]

Body Plaster/Yeso






SVEN

- 63269 matt white/blanco mate

GU10 MAX 8W LED ⊗ [97685327]

Body Plaster/Yeso






REL

- 64200 matt white/blanco mate
- 64201 matt black/negro mate

LED COB 25W 2700K 2230lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




REL

- 64198 matt white/blanco mate
- 64199 matt black/negro mate

LED COB 15W 2700K 1340lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente






JANET

- 65137 white+gold/blanco+oro

E27 MAX 15W LED ✗ [17462]

Body Steel/Acero





HARU

- 64206 matt white/blanco mate
- 64207 matt black/negro mate

LED SMD 6W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal





NATSU

- 64204 matt white/blanco mate
- 64205 matt black/negro mate

LED 30W 3000K 1275lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




POTE

- 63124 matt white/blanco mate
- 63125 matt black/negro mate

E27 MAX 15W LED ✗ [17463/Smart 17498]

Body Aluminium/Aluminio





STAN


- 43746 matt white/blanco mate
- 43747 matt black/negro mate
- 43758 **NEW** gold/oro

GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio



*Accessories page 219/Accesorios en página 219



P.232
RECESSED



P.218
SPOT




P.100
SUSPENDED



P.242
TRACK



P.202
WALL




SEVEN

- 68323 matt white/blanco mate

LED SMD 20W CRI>80 Driver ✓
3000K 1313lm 4000K 1274lm 6000K 1234lm

Body Textile/Téxtil
Diff Opal Acrylic/Acrílico Opal




SEVEN

- 68298 matt white/blanco mate

2 E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Textile/Téxtil
Diff Opal Acrylic/Acrílico Opal




SEVEN

- 68317 matt white/blanco mate

3 E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Textile/Téxtil
Diff Opal Acrylic/Acrílico Opal



P.127
SUSPENDED





IRIS

● 63393 grey/gris

LED SMD 15W 3000K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal




IRIS

● 63394 grey/gris

LED SMD 20W 3000K 1600lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal







IRIS

● 63395 grey/gris

LED SMD 30W 3000K 2400lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal




BIC

○ 63408 matt white/blanco mate

LED SMD 60W 3000K 4000lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal




MEGA— Jordi Llopis

○ 63410 matt white/blanco mate

LED SMD 52W 2700K 0-3600lm CRI>80 Driver ✓

Body Steel/Acero

Diff Opal Polycarbonate/Policarbonato Opal





AMI

○ 63397 matt white/blanco mate


● 63398 aluminium/aluminio

LED SMD 15W 2700K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

⏚ 220- 50/
240V 60HZ



CLOE


● 63403 shiny chrome/cromo brillo

LED SMD 24W 2700K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

IP44 □ 100- 50/
240V 60HZ



FORO

○ 63404 matt white/blanco mate


● 63405 aluminium/aluminio

LED SMD 24W 3000K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff PMMA

IP44 □ 100- 50/
240V 60HZ



TOLA

○ 62968 matt white/blanco mate


● 62983 aluminium/aluminio

E27 MAX 15W LED ✗ [17437]

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP44 □



TOLA


○ 62969 matt white/blanco mate

2 E27 MAX 15W LED ✗ [17437]

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP44 □





LOGOS

- 62966 matt white/blanco mate
- 62981 aluminium/aluminio

2 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal




LOGOS

- 62965 matt white/blanco mate
- 62980 aluminium/aluminio

E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal






BRUME — Àlex & Manel Llusca

- 40077 anthracite/antracita

LED SMD 3W 2700K 200lm CRI>80 Driver ✓

Body Steel/Acero
Diff Transparent+Opal Glass/
Cristal Transparente+Opal



P.209
WALL



INDOOR CEILING / TECHO



VUK

- 64188 matt white/blanco mate

LED SMD 40W 2700K 3000lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Polycarbonate/Policarbonato Opal



KAO

- 63399 shiny chrome/cromo brillo

LED SMD 35W 3000K 2800lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal PMMA/PMMA Opal







ZON

- 63291 matt white/blanco mate

LED 18W 3000K 1600lm Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal PMMA/PMMA Opal



NEW KLEE

— Isaac Piñeiro





Right reader/Lector derecho

● 20065 grey textured/gris texturizado

LED SMD 10W 3000K 221lm CRI>80 Driver ✓
Reader LED COB 3W 2700K 85lm CRI>80
 Driver ✓

Body Steel+Melamine/Acero+Melamina
Diff Opal PMMA/PMMA opal





Left reader/Lector izquierdo

● 20066 grey textured/gris texturizado

LED SMD 10W 3000K 221lm CRI>80 Driver ✓
Reader LED COB 3W 2700K 85lm CRI>80
 Driver ✓

Body Steel+Melamine/Acero+Melamina
Diff Opal PMMA/PMMA opal




Dimmable Intensity



Surface
Superficie



MOY



— Nahtrang 





- 40090 satin gold/oro satinado
- 40091 satin aluminium/aluminio satin.
- 40092 bronze/bronce

LED 4W 3000K 300lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Glass/Cristal Opal

IP44  100- 50/
240V 60Hz 





JOY — Nahtrang 




- 64027 matt black/negro mate
- 64028 matt white/blanco mate

LED 3W 3000K 360lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Glass/Cristal Opal

 100- 50/
240V 60Hz 



LE VITA

— Nahtrang 





 video

- 29690 shiny gold/oro brillo
- 29695 matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Glass/Cristal Opal



INDOOR SURFACE / SUPERFICIE



P.50
TABLE&FLOOR



P.87
SUSPENDED




● 20167 black+satin gold/negro+oro sat.

● 20168 satin gold+black/oro sat.+negro

E27 MAX 15W LED [17426/17496]

Body Steel/Acero



P.57
TABLE&FLOOR




P.89
SUSPENDED



Adjustable

WHIZZ


— Christoph F. Wagner 

● 20165-95 black+satin gold/negro+oro

● 20165-96 satin gold+black/oro+negro

E27 MAX 15W LED  [17426/17496]

Body Steel/Acero



INDOOR SURFACE / SUPERFICIE




Adjustable Shade






SLIM

— Àlex & Manel Lluscà 

2 Installation Modes/2 Modos de instalación



- 24502 matt white/blanco mate
 - 24503 black+gold/negro+oro
 - LED 20W 3000K 1150lm CRI>80 Driver ✓
 - Body Steel/Acero
 - Diff Opal Glass/Cristal Opal
-  220- 50/ 180°
 240V 60Hz 1.9MT 





P.88
SUSPENDED




HAN


— Goula/Figuera 



- 01000 matt white/blanco mate
- 01001 matt black/negro mate
- LED SMD 6W 2700K 500lm CRI>80 Driver ✓
- Body Steel/Acero
- Diff Opal PMMA/PMMA Opal
-  100- 50/
240V 60Hz 



INDOOR SURFACE / SUPERFICIE



Hanger

Thanks to MIKMAX



Thanks to Studio Tamat Photo by Seven'ZArt





GUADALUPE

— Faro Lab 



 video





-  20031-80 black+beige/negro+beige
-  20031-81 black+green/negro+green

E27 MAX 15W LED  [17463]

Body Steel/Acero
Shade Steel/Acero






-  20032-80 black+beige/negro+beige
-  20032-81 black+green/negro+green

E27 MAX 15W LED  [17463]

Reader LED HIGH POWER 1W 3000K 100lm
CRI>80 Driver 

Body Steel/Acero
Shade Steel/Acero



P.38
TABLE&FLOOR



GUEST

— Andreu Carulla




video

● 01045 matt black/negro mate

E27 MAX 15W LED [17429]

Body Aluminium/Aluminio



P.48
FLOOR



INDOOR SURFACE / SUPERFICIE

PURE

— Nahrang





● 24527 matt white/blanco mate

● 24528 matt black/negro mate

LED SMD 6W 3000K 1150lm CRI>80 Driver ✓

Body Steel/Acero

Diff Transparent PMMA/PMMA Transparente



NEW **MAGOS**

— Faro Lab



● 20330 matt black/negro mate

● 20331 black+maple/negro+arce

● 20332 black+walnut/negro+nogal

LED SMD 6W 2700K 600lm CRI>80

Reader LED 3W 2700K 160lm CRI90

Driver ✓

Body Aluminium+ABS+Wood/Aluminio+ABS+Madera

Diff Opal Polycarbonate/Polycarbonato Opal




100-
240V



50/
60Hz



Wireless charger





NIKO

— Nahtrang 



Right reader/*Lector derecho*

01009 white+wood/blanco+madera


Diff Opal Glass/Cristal Opal

01027 white+wood/blanco+madera


Diff Opal Polycarbonate/Policarbonato Opal

LED SMD 7W 3000K 500lm CRI>80 Driver ✓

Body Aluminium+wood/Aluminio+madera



USB charger Wireless charger



Left reader/*Lector izquierdo*

01014 white+wood/blanco+madera


Diff Opal Glass/Cristal Opal

01026 white+wood/blanco+madera


Diff PMMA

LED SMD 7W 3000K 500lm CRI>80 Driver ✓

Body Aluminium+wood/Aluminio+madera



USB charger Wireless charger



P.42
TABLE



Wireless
Charger




USB
Charger





Touch
Switch




MOOD — Nantrang 





● **20061** black+wood/negro+madera
LED 2 x 3W 3000K 67lm CRI>80 Driver ✓
Body Steel+wood/Acero+madera



● **20062** black+wood/negro+madera
LED 2 x 3W 3000K 67lm CRI>80
Reader LED 2W 3000K 105lm CRI>80
Driver ✓
Body Steel+wood/Acero+madera




● **20060** black+wood/negro+madera
LED 2W 3000K 105lm CRI>80 Driver ✓
Body Steel+wood/Acero+madera





STOOD



— Luce 

● 29844 black+wood/negro+madera

E27 MAX 15W LED  [17462]

Body Steel/Acero

Shade Cherry Tree Wood/Madera Cerezo



P.106
SUSPENDED



P.54
TABLE&FLOOR




● 29845 black+wood/negro+madera

E27 MAX 15W LED  [17462]

Body Steel/Acero

Shade Cherry Tree Wood/Madera Cerezo



LOOP

— Estudi Ribaudi



● 29566 black+wood/negro+madera



Shade Cherry Tree Wood/Madera Cerezo

● 29396 **NEW** black+wood/negro+madera

Shade Ash Tree Wood/Madera Fresno

LED SMD 6W 2700K 500lm CRI>80 Driver ✓

Body Steel/Acero



INDOOR SURFACE / SUPERFICIE



P.107
SUSPENDED



P.52
TABLE&FLOOR



● 29565 black+wood/negro+madera



Shade Cherry Tree Wood/Madera Cerezo

● 29395 **NEW** black+wood/negro+madera

Shade Ash Tree Wood/Madera Fresno

LED SMD 6W 2700K 500lm CRI>80 Driver ✓

Body Steel/Acero



MONTREAL

— Nahtrang 



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650


P.64
TABLE&FLOOR



- 24030-01 matt white/blanco mate
- 24030-02 white+beige/blanco+beige
- 24031-01 chrome+white/cromo+blanco
- 24031-02 chrome+beige/cromo+beige
- 24031-03 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]



Body Steel/Acero
Shade Textile/Téxtil



- 24032-01 matt white/blanco mate
- 24032-02 white+beige/blanco+beige
- 24033-01 chrome+white/cromo+blanco
- 24033-02 chrome+beige/cromo+beige
- 24033-03 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]
LED SMD 3W 2700K 150lm CRI>80 Driver 

Body Steel/Acero
Shade Textile/Téxtil





video

SAVOY


— Isaac Piñeiro



- 20300-92 matt white/blanco mate
- 20301-93 matt black/negro mate
- 20301-94 black+green/negro+verde

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero



P.109
SUSPENDED




P.67
TABLE&FLOOR



- 20302-92 matt white/blanco mate
- 20303-93 matt black/negro mate
- 20303-94 black+green/negro+verde

E27 MAX 15W LED [17463/Smart 17498]
 LED SMD 3W 3000K 160lm CRI>80 Driver

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero





*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650




64307-47 black+rattan/negro+rattan

E27 MAX 15W LED [17463]

Body Steel/Acero

Shade Rattan





64309-47 black+rattan/negro+rattan

E27 MAX 15W LED [17463]

LED SMD 3W 3000K 280lm CRI>80 Driver

Body Steel/Acero

Shade Rattan



P.61 TABLE&FLOOR P.110 SUSPENDED



NEW MAMBO


— Faro Lab 

64307-61 black+rattan/negro+rattan

E27 MAX 15W LED  [17463]

Body Steel/Acero

Shade Rattan



 video





64309-61 black+rattan/negro+rattan

E27 MAX 15W LED  [17463]

LED SMD 3W 3000K 280lm CRI>80 Driver 

Body Steel/Acero

Shade Rattan



NEW CONGA


— Faro Lab 



- 64306-01 matt white/blanco mate
- 64306-02 matt white+beige/blanco+beige
- 64307-03 matt black/negro mate

E27 MAX 15W LED  [17463]


Body Steel/Acero
Shade Textile/Téxtil



- 64308-01 matt white/blanco mate
- 64308-02 matt white+beige/blanco+beige
- 64309-03 matt black/negro mate

E27 MAX 15W LED  [17463]
LED SMD 3W 3000K 280lm CRI>80 Driver 

Body Steel/Acero
Shade Textile/Téxtil



P.62 TABLE&FLOOR **P.113** SUSPENDED

*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



NEW SAMBA


— Faro Lab 



- 64306-35 white+beige/blanco+beige
- 64306-36 white+yellow/blanco+amarillo
- 64306-37 white+green/blanco+verde
- 64307-35 black+beige/negro+beige
- 64307-36 black+yellow/negro+amarillo
- 64307-37 black+green/negro+verde

E27 MAX 15W LED  [17463]


Body Steel/Acero
Shade Textile/Téxtil



- 64308-35 white+beige/blanco+beige
- 64308-36 white+yellow/blanco+amarillo
- 64308-37 white+green/blanco+verde
- 64309-35 black+beige/negro+beige
- 64309-36 black+yellow/negro+amarillo
- 64309-37 black+green/negro+verde

E27 MAX 15W LED  [17463]
LED SMD 3W 3000K 280lm CRI>80 Driver 

Body Steel/Acero
Shade Textile/Téxtil



INDOOR SURFACE / SUPERFICIE

P.63 TABLE&FLOOR **P.112** SUSPENDED



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

ARTIS

— Àlex & Manel Lluscà 




*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



- 68490-01 bronze+white/bronce+blanco
- 68490-02 bronze+beige/bronce+beige
- 68490-03 bronze+black/bronce+black
- 68491-01 chrome+white/cromo+blanco
- 68491-02 chrome+beige/cromo+beige
- 68491-03 chrome+black/cromo+black

E27 MAX 15W LED ☒ [17463/Smart 17498]



Body Steel/Acero
Shade Textile/Téxtil



- 68492-01 bronze+white/bronce+blanco
- 68492-02 bronze+beige/bronce+beige
- 68492-03 bronze+black/bronce+black
- 68493-01 chrome+white/cromo+blanco
- 68493-02 chrome+beige/cromo+beige
- 68493-03 chrome+black/cromo+black

E27 MAX 15W LED ☒ [17463/Smart 17498]
LED 1W 3000K 140lm CRI>80 Driver ✓


Body Steel/Acero
Shade Textile/Téxtil



- 68494-01 bronze+white/bronce+blanco
- 68494-02 bronze+beige/bronce+beige
- 68494-03 bronze+black/bronce+black
- 68495-01 chrome+white/cromo+blanco
- 68495-02 chrome+beige/cromo+beige
- 68495-03 chrome+black/cromo+black

E27 MAX 15W LED ☒ [17463/Smart 17498]


Body Steel/Acero
Shade Textile/Téxtil



P.70
TABLE&FLOOR



ETERNA

— Lucid 





*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

INDOOR SURFACE / SUPERFICIE



- 24007-10 chrome+white/cromo+blanco
- 24007-11 chrome+beige/cromo+beige
- 24007-12 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]
LED HIGH POWER 1W 2700K 90 lm CRI>80
Driver 

Body Steel/Acero
Shade Textile/Téxtil



- 24006-10 chrome+white/cromo+blanco
- 24006-11 chrome+beige/cromo+beige
- 24006-12 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]
LED HIGH POWER 1W 2700K 90 lm CRI>80
Driver 




Body Steel/Acero
Shade Textile/Téxtil



- 24005-10 chrome+white/cromo+blanco
- 24005-11 chrome+beige/cromo+beige
- 24005-12 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil




P.45
TABLE



FRAME

— Nahrang 




- 20170-01 matt nickel+white/níquel mate+blanco
- 20170-02 matt nickel+beige/níquel mate+beige
- 20170-03 matt nickel+black/níquel mate+negro
- 20171-01 old gold+white/oro viejo+blanco
- 20171-02 old gold+beige/oro viejo+beige
- 20171-03 old gold+black/oro viejo+negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Aluminium/Aluminio




Shade Textile/Téxtil



- 20172-01 matt nickel+white/níquel mate+blanco
- 20172-02 matt nickel+beige/níquel mate+beige
- 20172-03 matt nickel+black/níquel mate+negro
- 20173-01 old gold+white/oro viejo+blanco
- 20173-02 old gold+beige/oro viejo+beige
- 20173-03 old gold+black/oro viejo+negro

E27 MAX 15W LED  [17463/Smart 17498]
LED SMD 3W 3000K 100lm CRI>80 Driver 

Body Aluminium/Aluminio
Shade Textile/Téxtil



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

REM

— Àlex & Manel Llusca 



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650


INDOOR SURFACE / SUPERFICIE



- 29680-19 matt nickel+white/níquel mate+blanco
- 29680-20 matt nickel+beige/níquel mate+beige
- 29680-21 matt nickel+black/níquel mate+negro
- 29681-19 old gold+white/oro viejo+blanco
- 29681-20 old gold+beige/oro viejo+beige
- 29681-21 old gold+black/oro viejo+negro

E27 MAX 15W LED  [17463/Smart 17498]



Body Steel/Acero Shade Textile/Téxtil



- 29682-19 matt nickel+white/níquel mate+blanco
- 29682-20 matt nickel+beige/níquel mate+beige
- 29682-21 matt nickel+black/níquel mate+negro
- 29683-19 old gold+white/oro viejo+blanco
- 29683-20 old gold+beige/oro viejo+beige
- 29683-21 old gold+black/oro viejo+negro

E27 MAX 15W LED  [17463/Smart 17498]
LED HIGH POWER 4W 3000K 120lm CRI>80
Driver 

Body Steel/Acero Shade Textile/Téxtil



P.69
TABLE&FLOOR





LUPE

— Jordi Busquets




29995 chrome+beige/cromo+beige

20031-88 black+beige/negro+beige

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil



Thanks to MKMAX



29996 chrome+beige/cromo+beige

20032-88 black+beige/negro+beige



E27 MAX 15W LED [17463/Smart 17498]

LED HIGH POWER 1W 3000K 100lm CRI>80

Driver

Body Steel/Acero

Shade Textile/Téxtil



P.73
TABLE&FLOOR



RON


— Pepe Llaudet



- 64400-10 dark grey+white/gris oscuro+blanco
- 64400-11 dark grey+beige/gris oscuro+beige
- 64400-12 dark grey+black/gris oscuro+negro

E27 MAX 15W LED [17463/Smart 17498]

Body Steel+Bamboo/Acero+Bambú
Shade Textile/Téxtil



*Structures and shades also sold separately 648-650/
 Estructuras y pantallas también se venden por separado 648-650





BLÔME — Estudi Hibaudí



○ 62099 matt white/blanco mate



● 62100 matt black/negro mate

LED SMD 3W 3000K 150lm CRI>90 Driver ✓

Body Steel+Silicone/Acero+Silicona

Shade Textile/Téxtil

Diff Opal Glass/Cristal Opal



SABANA — Pepe Llaudet




● 29993 nickel+beige/níquel+beige

E27 MAX 15W LED ✗ [17462]

Body Steel/Acero

Shade Textile/Téxtil



SABANA — Pepe Llaudet





● 29991 nickel+beige/níquel+beige

E27 MAX 15W LED ✗ [17462]

LED HIGH POWER 1W 4000K CRI>80 Driver ✓

Body Steel/Acero

Shade Textile/Téxtil



SABANA — Pepe Llaudet





● 29992 nickel+beige/níquel+beige

E27 MAX 15W LED ✗ [17462]

LED HIGH POWER 1W 4000K CRI>80 Driver ✓

Body Steel/Acero

Shade Textile/Téxtil





FOLD

— Nutcreatives



● 64302 matt white/blanco mate



● 64303 matt black/negro mate

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil

Diff Steel/Acero



● 64304 matt white/blanco mate



● 64305 matt black/negro mate

E27 MAX 15W LED [17463/Smart 17498]
 LED SMD 3W 3000K 200lm CRI>80 Driver


Body Steel/Acero

Shade Textile/Téxtil

Diff Steel/Acero





VOLTA — Estudi Ribaudí 

● 20021 nickel+white/níquel+blanco


● 20022 nickel+black/níquel+negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero


Shade Textile/Tèxtil




VOLTA — Estudi Ribaudí 

● 20023 nickel+white/níquel+blanco

● 20024 nickel+black/níquel+negro

E27 MAX 15W LED  [17463/Smart 17498]
LED HIGH POWER 3W 3000K 200lm CRI>80
Driver 

Body Steel/Acero
Shade Textile/Tèxtil



ROOM — Àlex & Manel Llusca 


● 29974 nickel+white/níquel+blanco

● 29975 nickel+black/níquel+negro



E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Tèxtil



P.77
TABLE&FLOOR



ROOM — Àlex & Manel Llusca 



● 29976 nickel+white/níquel+blanco

● 29977 nickel+black/níquel+negro

E27 MAX 15W LED  [17463/Smart 17498]
LED HIGH POWER 3W 3000K 200lm CRI>80
Driver 

Body Steel/Acero

Shade Textile/Tèxtil



HOTEL

— Àlex & Manel Llusca 




Thanks to Minúscula



- 29941 chrome+white/cromo+blanco
- 29946 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]
LED HIGH POWER 1W 3500K CRI>80 Driver 



Body Steel/Acero
Shade Textile/Tèxtil



- 29940 chrome+white/cromo+blanco
- 29945 chrome+black/cromo+negro

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Tèxtil




P.121
SUSPENDED

P.78
TABLE&FLOOR







VESPER — Nahrang 

- 29982 white+beige/blanco+beige
- 29983 brown+beige/marrón+beige

E14 MAX 8W LED  [17461]
LED HIGH POWER 1W 3000K 120lm CRI>80
Driver 

Body Steel/Acero
Shade Textile/Téxtil





VESPER — Nahrang 

- 29980 white+beige/blanco+beige
- 29981 brown+beige/marrón+beige

E14 MAX 8W LED  [17461]

Body Steel/Acero
Shade Textile/Téxtil



P.122 SUSPENDED **P.71** TABLE&FLOOR



Thanks to Elena Castells Poch





BERNI — Nahrang


- 29329 matt white/blanco mate
- 29330 matt black/negro mate
- 29331 satin nickel/níquel satinado

E27 MAX 15W LED [17463/Smart 17498]
LED HIGH POWER 3W 3000K 200lm CRI>80
Driver

Body Steel/Acero
Shade Textile/Tèxtil
Top Diff Steel/Acero



P.76
TABLE&FLOOR



INDOOR SURFACE / SUPERFICIE




BERNI — Nahrang

- 29326 matt white/blanco mate
- 29327 matt black/negro mate
- 29328 satin nickel/níquel satinado

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Tèxtil
Top Diff Steel/Acero




SWEET — Estudi Ribaudí

- 29936 nickel+white/níquel+blanco
- 29952 matt white/blanco mate
- 29953 matt black/negro mate

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Tèxtil
Top Diff Textile/Tèxtil





SWEET — Estudi Ribaudí

- 29935 nickel+white/níquel+blanco
- 29950 matt white/blanco mate
- 29951 matt black/negro mate

E27 MAX 15W LED [17463/Smart 17498]
LED HIGH POWER 1W 3000K 200lm CRI>80
Driver

Body Steel/Acero
Shade Textile/Tèxtil
Top Diff Textile/Tèxtil



P.75
TABLE&FLOOR






HANNA

● 64301 nickel+beige/níquel+beige

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil





HANNA

● 64300 nickel+beige/níquel+beige

E27 MAX 15W LED ☒ [17463/Smart 17498]
LED HIGH POWER 3W 3000K 250lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil




THANA

● 68532 nickel+white/níquel+blanco

E14 MAX 8W LED ☒ [17463]

Body Steel/Acero
Shade Textile/Téxtil



P.123
SUSPENDED



P.82
TABLE&FLOOR





MOMA

● 68506 chrome+white/cromo+blanco

● 68507 chrome+black/cromo+negro

E27 MAX 15W LED ☒ [17463]
LED HIGH POWER 1W 6000K 80lm
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil




MOMA

● 68504 chrome+white/cromo+blanco

● 68505 chrome+black/cromo+negro

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Shade Textile/Téxtil





TIRA

○ 64322 matt white/blanco mate

● 64323 matt black/negro mate

E27 MAX 15W LED ☒ [17463/Smart 17498]
LED HIGH POWER 3W 3000K 280lm
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil



P.79
TABLE&FLOOR



HANDY

— Jordi Blasi 



INDOOR SURFACE / SUPERFICIE



○ 28413 matt white/blanco mate

E27 MAX 15W LED  [17463/Smart 17498]


Body Steel/Acero
Shade Textile/Téxtil



○ 28415 matt white/blanco mate

E27 MAX 15W LED  [17463/Smart 17498]
LED HIGH POWER 3W 3000K 140lm CRI>80
Driver 





Body Steel/Acero
Shade Textile/Téxtil



○ 28414 matt white/blanco mate

E27 MAX 15W LED  [17463/Smart 17498]
LED HIGH POWER 3W 3000K 140lm CRI>80
Driver 

Body Steel/Acero
Shade Textile/Téxtil





SAHARA


62705 chrome+linen/cromo+lino

62706 chrome+white/cromo+blanco

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil



SABA

68544 nickel+black/níquel+negro

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero


Shade (double) Textile/Téxtil



P.123
SUSPENDED



P.83
TABLE&FLOOR




ESSENTIAL

29340 nickel+white/níquel+blanco

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil




MITIC

68420 nickel+brown/níquel+marrón

E14 MAX 8W LED [17461]

Body Steel/Acero

Shade Textile/Téxtil



P.82
TABLE&FLOOR





ESSENTIAL

29341 nickel+white/níquel+blanco

E27 MAX 15W LED [17463/Smart 17498]
LED HIGH POWER 3W 2700K 200lm CRI>80
Driver

Body Steel/Acero

Shade Textile/Téxtil




RODA

62988 nickel+white/níquel+blanco

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil







AUREA — Estudi Ribaudí 

○ 62115 matt white/blanco mate

LED SMD 8W 2700K 300lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal



BOC

○ 62707 matt white/blanco mate

● 62708 matt black/negro mate



● 62709 satin nickel/níquel satinado

● 62710 shiny chrome/cromo brillo

● 62711 bronze/bronce

LED HIGH POWER 3W 3000K 130lm CRI>80 Driver ✓

Body Aluminium/Aluminio





ROB

● 68497 bronze/bronce

● 68499 satin nickel/níquel satinado

LED HIGH POWER 3W 3000K 160lm CRI>80 Driver ✓

Body Aluminium+Steel/Aluminio+Acero





ROB

● 68496 bronze/bronce

● 68498 satin nickel/níquel satinado

E27 MAX 15W LED [17463/Smart 17498]
LED HIGH POWER 3W 3000K 160lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal





PIXIE

— Nahtrng





○ 24015 matt white/blanco mate

● 24016 matt black/negro mate

LED HIGH POWER 2W 2700K 90lm CRI>80
Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona




FLIN

○ 64318 matt white/blanco mate

● 64319 matt black/negro mate

LED HIGH POWER 3W 3000K 280lm CRI>80
Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona



LOKE



● 40994 shiny chrome/cromo brillo

○ 41019 matt white/blanco mate

● 41020 matt black/negro mate

LED HIGH POWER 3W 3000K 150lm CRI>80
Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona





LOKE

● 40996 shiny chrome/cromo brillo

LED HIGH POWER 3W 3000K 150lm CRI>80
Driver ✓

Body Aluminium/Aluminio






PEPPER

- 64168 beige/beige
- 64169 matt black/negro mate

E27 MAX 15W LED [17462]

Body Steel/Acero




STUDIO — Nahrang

- 51133 black+creme/negro+crema
- 51134 shiny chrome/cromo brillo
- 51135 shiny white/blanco brillo

E14 MAX 15W LED [17461]


Body Steel/Acero



Wall accessory/Acesorio aplique

- 51129 matt black/negro mate

Body Steel/Acero





JULIET

● **41025N** shiny chrome/cromo brillo

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓

Body Aluminium/Aluminio



BEL


● **41028** shiny chrome/cromo brillo

○ **41029** matt white/blanco mate

● **41030** matt black/negro mate

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona







BOKEN

○ **41031** matt white/blanco mate

● **41032** matt black/negro mate

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona




LESER

● **41026** satin nickel/níquel satinado

LED 5W 3000K 300lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona




SAMI

○ **41023** matt white/blanco mate

LED HIGH POWER 3W 2700K 120lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona



LENA

○ **52059** matt white/blanco mate




● **52061** matt black/negro mate

LED SMD 3W 4000K 300lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona



Electronic Adapteur 11V 300mA ✓







KALE

● 62703 matt black/negro mate

LED HIGH POWER 3W 3000K 180lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona




LEAD

● 62704 bronze+brown/bronce+marrón

LED 3W 3000K 180lm CRI>80 Driver ✓

Body Aluminium+Leather/Aluminio+Piel



NEW **TILA**

— Estudi Ribaudí




○ 62360 matt white/blanco mate

● 62361 matt black/negro mate

E27 MAX 15W LED ✕ [17462]


Body Steel/Acero



Thanks to MIKMAX



2 Installation Modes/2 Modos de instalación



PRESS


— Jordi Blasi 

- 62350 shiny white/blanco brillo
- 62351 shiny black/negro brillo
- 62352 shiny red/rojo brillo
- 62353 shiny yellow/amarillo brillo

LED SMD 3W 3000K 180lm CRI>80 Driver ✓

Body Aluminium/Aluminio

 **PRESS LAMP**  350°  90° 100-50/240V 60Hz



Thanks to MIKMAX





○ 62161 matt white/blanco mate


● 62162 matt black/negro mate

● 62163 satin gold/oro satinado

● 62164 bronze/bronce


LED SMD 4W 3000K 130lm CRI>80 Driver ✓

Body Aluminium+Steel/Aluminio+Acero



Thanks to MIKMAX

LE PETIT

— Àlex & Manel Llusca 



Thanks to DOS architects / Tavis Wright Photo by Tomeu Canyellas



Thanks to MIKMAX

NIT

— Goula/Figuera




Left/izquierdo **NEW**

○ 01003 matt white/blanco mate

● 01004 matt black/negro mate

E27 MAX 15W LED [17429/17464]

Body Steel/Acero



2 Installation Modes/2 Modos de instalación





Right/derecho

○ 01005 matt white/blanco mate

● 01006 matt black/negro mate

E27 MAX 15W LED [17429/17464]

Body Steel/Acero





Right reader/Lector derecho

- 62122 matt white/blanco mate
- 62123 silver/plata

LED HIGH POWER 3W 3000K 140lm CRI>80 Driver ✓

Body Aluminium+Steel/Aluminio+Acero



• USB charger



Left reader/Lector izquierdo

- 62124 matt white/blanco mate
- 62125 silver/plata

LED HIGH POWER 3W 3000K 140lm CRI>80 Driver ✓

Body Aluminium+Steel/Aluminio+Acero



• USB charger



● 62116 matt black/negro mate




○ 62117 matt white/blanco mate

LED HIGH POWER 3W 3000K 140lm CRI>80 Driver ✓

Body Aluminium+Steel/Aluminio+Acero



• USB charger



Thanks to Lafincaroja Photo by Jorge Peiro

Thanks to MIKMAX

SUAU


— Nahträng



- 62104 **NEW** bronze/bronce
- 62118 matt black/negro mate
- 62120 matt white/blanco mate
- 62121 silver/plata

LED HIGH POWER 3W 3000K 140lm CRI>80 Driver ✓




Body Aluminium+Steel/Aluminio+Acero



- 62126 satin nickel/niquel satinado
- 62128 matt black/negro mate
- 62129 matt white/blanco mate
- 62111 **NEW** bronze/bronce
- 62114 satin gold/oro satinado

LED HIGH POWER 3W 3000K 140lm CRI>80 Driver ✓

Body Aluminium+Steel/Aluminio+Acero



NOON

— Alegre Design




Thanks to MIKMAX



○ 62355 matt white/blanco mate

G45 E27 MAX 15W LED ✕ [17462]

Body Steel/Acero



Thanks to MIKMAX



WELL **NEW**


● 64030 matt white/blanco mate

LED SMD 7W 2700K 340lm CRI90 Driver ✓

Body Aluminium+Polypropylene/
Aluminio+Polipropileno

Diff Opal PMMA/PMMA Opal

100- 50/
240V 60Hz USB charger &
Wireless charger



INDOOR SURFACE / SUPERFICIE

Thanks to MIKMAX



CORB **NEW**


● 40135 matt white/blanco mate

● 40136 matt black/negro mate

GU10 MAX 8W LED [● 17316 /○ 17324]

Body Steel/Acero

USB charger



USB
Charger



SMILE

— Jordi Busquets




● 62130 matt white/blanco mate

● 62131 matt black/negro mate

E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero





ERES

○ 64026 matt white/blanco mate
E27 MAX15W [17463/Smart 17498]
Body Steel/Acero







OVO — Estudi Ribaudí

● 62108 matt white/blanco mate
R7s 118mm MAX 15W LED [17497]
Body Steel/Acero



OVO — Estudi Ribaudí

● 62105 matt white/blanco mate
R7s 78mm MAX 8W LED [17499]
Body Steel/Acero





COTTON


● 66403 beige/beige

● 66404 matt black/negro mate

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil



COTTON


● 66405 beige/beige

● 66406 matt black/negro mate

2 E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil



COTTON


● 66407 beige/beige

● 66408 matt black/negro mate

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil



COTTON


● 66409 beige/beige

● 66410 matt black/negro mate

2 E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero

Shade Textile/Téxtil





COTTON

● 66411 beige/beige

● 66412 matt black/negro mate

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil



COTTON

● 66413 beige/beige

● 66414 matt black/negro mate

2 E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil






COTTON

● 66415 beige/beige

● 66416 matt black/negro mate

2 E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero
Shade Textile/Téxtil





HOMS

○ 63167 matt white/blanco mate

R7s 78mm MAX 8W LED ☒ [17499]

Body Steel/Acero



KERA

○ 62300 shiny white/blanco brillo

● 62301 shiny black/negro brillo

E27 MAX 15W LED ☒ [17462]

Body Ceramic/Cerámica






SERA

○ 62302 shiny white/blanco brillo

● 62303 shiny black/negro brillo

E27 MAX 15W LED ☒ [17462]

Body Ceramic/Cerámica



140mm NEW


○ 62170 matt white/blanco mate

● 62171 matt black/negro mate

● 62172 satin gold/oro satinado


E27 MAX 15W LED ☒ [17429/17464]

Body Aluminium/Aluminio





TEN

— Faro Lab 




70mm

- 62150 matt white/blanco mate
- 62151 matt black/negro mate
- 62152 satin gold/oro satinado
- 62153 satin gold/oro satinado
- 62154 shiny copper/cobre brillo
- 62155 satin nickel/niquel satinado

E27 MAX 15W LED  [17429/17464]

Body Aluminium/Aluminio



P.40
TABLE







RETRO — Àlex & Manel Lluscà 

- 20045 matt copper/cobre mate
- 20049 black+copper/negro+cobre

E14 MAX 8W LED  [17461]

Body Steel/Acero




LINDA — Estudi Ribaudí 

- 29306 matt white/blanco mate
- 29310 black+white/negro+blanco

2 E27 MAX 15W LED  [17463/Smart 17498]

Body Steel/Acero
Diff Textile/Téxtil



SAC — Àlex & Manel Lluscà 

- 66191 brown+beige/marrón+beige

2 E14 MAX 8W LED  [17461]


Body Steel/Acero
Shade Textile/Téxtil



P.120
SUSPENDED



P.72
TABLE&FLOOR





LOA

● 62809 matt black/negro mate

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero



HUDSON

● 62810 matt black/negro mate

E27 MAX 15W LED ☒ [17463/Smart 17498]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente






MARINA

● 60005 matt black/negro mate

E27 MAX 15W LED ☒ [17428]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente



P.102
SUSPENDED





CELIA

● 40070 matt black/negro mate

E14 MAX 8W LED [17461]

Body Steel/Acero




LIST

● 60000 matt black/negro mate

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero






NUDOS

● 68138 dark brown/marrón oscuro

E27 MAX 15W LED [17462]

Body Steel+Wood/Acero+Madera

Diff Transparent Glass/Cristal Transparente



P.100
SUSPENDED




REMAKE

● 50121 matt black/negro mate

● 50122 shiny chrome/cromo brillo

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero






MARLIN

● 65133 satin gold+black/oro sat.+negro

E27 MAX 15W LED [17428]

Body Steel/Acero



P.96
SUSPENDED



RAS

● 62807 matt black/negro mate

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero




PETRA

● 40062 shiny chrome/cromo brillo

E14 MAX 8W LED [17461]

Body Steel/Acero






SNAP NEW

● 57402 off white+grey/blanco roto+gris

● 57403 dark grey/gris oscuro

E27 MAX 15W LED [17463/Smart 17498]

Body Steel/Acero



P.47
TABLE





BOARD

● 01040 matt black/negro mate


LED SMD 7W 2700K 450lm CRI>80 Driver ✓

Body Steel+Board paint/Acero+Pintura pizarra
Diff Opal PMMA/PMMA Opal

BLACKBOARD
PIZARRA



100- 50/
240V 60Hz



BOARD

● 01041 matt black/negro mate


LED SMD 12W 2700K 700lm CRI>80 Driver ✓


Body Steel+Board paint/Acero+Pintura pizarra
Diff Opal PMMA/PMMA Opal

BLACKBOARD
PIZARRA



100- 50/
240V 60Hz



NEW **TOU** — Faro Lab 





- 01205 burgundy/burdeos
- 01207 grey/gris

LED SMD 7W 2700K 450lm CRI>80 Driver ✓

Body Aluminium+foam/Aluminio+espuma

Diff Opal PMMA/PMMA Opal

Shade Textile/Téxtil



INDOOR SURFACE / SUPERFICIE





- 01206 burgundy/burdeos
- 01208 grey/gris

LED SMD 12W 2700K 750lm CRI>80 Driver ✓

Body Aluminium+foam/Aluminio+espuma

Diff Opal PMMA/PMMA Opal

Shade Textile/Téxtil



P.136
CEILING



P.232
RECESSED



P.218
SPOT



P.100
SUSPENDED



P.242
TRACK



STAN


- 43750 matt white/blanco mate
- 43751 matt black/negro mate
- 43760 **NEW** satin gold/oro satinado

2 GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio



*Accessories page 219 (except ring)
Accesorios en página 219 (excepto aro)





ORA

- 29890 matt white/blanco mate
- 29891 matt black/negro mate

LED SMD 4W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio



P.100
SUSPENDED





LISE

- 29888 matt white/blanco mate
- 29889 matt black/negro mate

LED 2COB 6W 2700K 740lm CRI>80 Driver ✓

Body Aluminium/Aluminio



P.100
SUSPENDED



STAN


- 43748 matt white/blanco mate
- 43749 matt black/negro mate
- 43759 **NEW** satin gold/oro satinado

GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio



*Accessories page 219/Accesorios en página 219







CONIK — Àlex & Manel Llusca 

● 64219 matt white/blanco mate

LED SMD 8W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA





DALLAS

○ 63199 matt white/blanco mate

LED COB 5W 3000K 435lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal





NASH

○ 62819 matt white/blanco mate

● 62821 NEW matt black/negro mate

LED SMD 8W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal





NASH

○ 62820 matt white/blanco mate

● 62822 NEW matt black/negro mate

LED SMD 16W 3000K 990lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal






CHERAS

○ 63173 matt white/blanco mate

R7s JP78mm MAX 8W LED ✕ [17499]

Body Plaster/Yeso




CHERAS

○ 63174 matt white/blanco mate

G9 MAX 6W LED ✕ [17466]

Body Plaster/Yeso




CHERAS

○ 63175 matt white/blanco mate

R7s JP78mm MAX 8W LED ✕ [17499]

Body Plaster/Yeso




EACO

○ 63176 matt white/blanco mate

G9 MAX 6W LED ✕ [17466]

Body Plaster/Yeso




EACO

○ 63177 matt white/blanco mate

2 G9 MAX 6W LED ✕ [17466]

Body Plaster/Yeso




EACO

○ 63178 matt white/blanco mate

R7s JP78mm MAX 8W LED ✕ [17499]

Body Plaster/Yeso



Thanks to BAOBARQ



205


OSLO

○ 63284 matt white/blanco mate

G9 MAX 6W LED ☒ [17466]

Body Plaster/Yeso

PLASTER YESO  



OLAF


○ 63278 matt white/blanco mate

2 E14 MAX 8W LED ☒ [17461]

Body Plaster/Yeso

Diff Glass/Cristal

PLASTER YESO  




SNOW

○ 63285 matt white/blanco mate

E14 MAX 8W LED ☒ [17461]

Body Plaster/Yeso

PLASTER YESO  





ELSA


○ 63279 matt white/blanco mate

LED SMD 8W 3000K 300lm CRI>80 Driver ✓

Body Plaster/Yeso

Diff Translucent PMMA/PMMA Translúcido

PLASTER YESO  220- 50/ 240V 60Hz 



INDOOR SURFACE / SUPERFICIE




COVE NEW

○ 63480 matt white/blanco mate

LED SMD 4W 3000K 400lm CRI>80 Driver ✓

Body Plaster/Yeso

PLASTER YESO  230V 50Hz 




TERA

○ 63184 matt white/blanco mate

LED SMD 6W 2700K 530lm CRI>80 Driver ✓

Body Plaster/Yeso

PLASTER YESO  220- 50/ 240V 60Hz 




LUNA


○ 63225 matt white/blanco mate

LED SMD 5W 2700K 300lm CRI>80 Driver ✓

Body Plaster/Yeso

Diff Opal PMMA/PMMA Opal

PLASTER YESO  220- 50/ 240V 60Hz 



KAMEN


● 63311 beige/beige

● 63312 grey/gris

G9 MAX 6W LED ✕ [17466]

Body Concrete/Cemento

CONCRETE CEMENTO  






MAGRITTE

- 61080 satin nickel/níquel satinado
- 61083 satin gold/oro satinado
- 61086 NEW matt black/negro mate

LED SMD 6W 3000K 380lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio
Diff Opal PMMA/PMMA Opal




MAGRITTE

- 61081 satin nickel/níquel satinado
- 61084 satin gold/oro satinado
- 61087 NEW matt black/negro mate

LED SMD 8W 3000K 500lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio
Diff Opal PMMA/PMMA Opal







MAGRITTE

- 61082 satin nickel/níquel satinado
- 61085 satin gold/oro satinado
- 61088 NEW matt black/negro mate

LED SMD 12W 3000K 750lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio
Diff Opal PMMA/PMMA Opal



LIRIA

- 63156 satin nickel/níquel satinado

E27 MAX 15W LED ✗ [17463/Smart 17498]

Body Steel/Acero
Diff Opal Glass/Cristal Opal



DIULA

- 62986 satin nickel/níquel satinado

2 E27 MAX 15W LED ✗ [17463/Smart 17498]

Body Steel/Acero
Diff Opal Glass/Cristal Opal






DIULA

- 62987 satin nickel/níquel satinado

E27 MAX 15W LED ✗ [17463/Smart 17498]

Body Steel/Acero
Diff Opal Glass/Cristal Opal







PERLA — Àlex & Manel Llusca 

- 40085 old gold/oro envejecido
- 40086 shiny chrome/cromo brillo
- 40087 bronze/bronce

G9 MAX 6W LED  [17443]

Body Steel/Acero
Diff Opal Glass+Transparent Glass/
 Cristal Opal+Cristal Transparente

IP44  100- 50/
 240V 60Hz 




BIANCA — Àlex & Manel Llusca 

- 63510 shiny chrome/cromo brillo

G9 MAX 6W LED  [17443]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44  100- 50/
 240V 60Hz 








BRUME — Àlex & Manel Llusca

● **40076** anthracite/antracita

LED 3W 2700K 200lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio
Diff Opal Glass+Transparent Glass/
 Cristal Opal+Cristal Transparente

IP44  100- 50/
 240V 60Hz 



P.135
 CEILING



INDOOR SURFACE / SUPERFICIE



GALA



● **63504** shiny chrome/cromo brillo


● **63505** satin gold/oro satinado

G9 MAX 6W LED  [17495]

Body Steel/Acero

Diff Opal Glass/Cristal Opal

IP44  100- 50/
 240V 60Hz 






LAGO

● 63503 shiny chrome/cromo brillo

G9 MAX 6W LED ☒ [17495]

Body Steel/Acero
Diff Opal Glass/Cristal Opal



LAOS

● 63321 shiny chrome/cromo brillo

2 E14 MAX 8W LED ☒ [17461]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal






RELAX

● 63038 shiny chrome/cromo brillo

2 G9 MAX 6W LED ☒ [17466]

Body Steel/Acero
Diff Glass/Cristal



DOKA

● 63323 shiny chrome/cromo brillo

2 E14 MAX 8W LED ☒ [17461]

Body Steel/Acero
Diff Opal Glass/Cristal Opal



DOKA

● 63322 shiny chrome/cromo brillo

E14 MAX 8W LED ☒ [17461]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal






LAOS

● 63320 shiny chrome/cromo brillo

E14 MAX 8W LED ☒ [17461]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal






LASS

○ 63009 mirror/espejo

5 G9 MAX 6W LED [17466]

Body Steel+Mirror/Acero+Espejo
Diff Opal Glass/Cristal Opal




LASS

○ 63008 mirror/espejo

4 G9 MAX 6W LED [17466]

Body Steel+Mirror/Acero+Espejo
Diff Opal Glass/Cristal Opal




TERMA

● 63148 shiny chrome/cromo brillo

LED SMD 7W 4000K 500lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio
Diff Translucent PMMA/PMMA Translúcido






VOLGA

- 63507 shiny chrome/cromo brillo
- 63512 **NEW** matt black/negro mate

LED SMD 5W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal





VOLGA

- 63508 shiny chrome/cromo brillo
- 63513 **NEW** matt black/negro mate

LED SMD 12W 3000K 850lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




VOLGA

- 63509 shiny chrome/cromo brillo
- 63514 **NEW** matt black/negro mate

LED SMD 18W 3000K 1300lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal






DANUBIO

- 63600 shiny chrome/cromo brillo
- 63603 NEW bronze/bronce

LED SMD 9W 2700K 600Lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal




DANUBIO

- 63601 shiny chrome/cromo brillo
- 63604 NEW bronze/bronce

LED SMD 12W 2700K 800Lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal







DANUBIO

- 63602 shiny chrome/cromo brillo
- 63605 NEW bronze/bronce

LED SMD 18W 2700K 1080Lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal






NILO

- 63318 shiny chrome/cromo brillo
- 63316 **NEW** matt black/negro mate

LED SMD 12W 3000K 950 lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal






NILO

- 63319 shiny chrome/cromo brillo
- 63317 **NEW** matt black/negro mate

LED SMD 18W 3000K 1400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal







EDGE


● 63501 shiny chrome/cromo brillo

LED SMD 12W 4000K 870lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

IP44  100- 50/ 240V 60Hz 



INDOOR SURFACE / SUPERFICIE



EDGE

● 63500 shiny chrome/cromo brillo

LED SMD 8W 4000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

IP44  100- 50/ 240V 60Hz 





EDGE

● 63502 shiny chrome/cromo brillo

LED SMD 18W 4000K 1300lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

IP44  100- 50/ 240V 60Hz 



INDO


● 63146 shiny chrome/cromo brillo

LED SMD 9W 4000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

IP44  100- 50/ 240V 60Hz 





COCO — Faro Lab 



- 40660 matt white/blanco mate
- 40661 matt black/negro mate
- 40662 black+green/negro+verde
- 40663 black+terracotta/negro+terracota

GU10 MAX 8W LED [97685327]

Body Steel+ABS/Acero+ABS






- 40664 matt white/blanco mate
 - 40665 matt black/negro mate
- 2 GU10 MAX 8W LED [97685327]

Body Steel+ABS/Acero+ABS



- 40666 matt white/blanco mate
 - 40667 matt black/negro mate
- 3 GU10 MAX 8W LED [97685327]

Body Steel+ABS/Acero+ABS





Spotlights
Focos



STAN



○ 43726 matt white/blanco mate

● 43727 matt black/negro mate

LED 15W 2700K 1200lm CRI>90 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.



STAN


○ 43722 matt white/blanco mate

● 43723 matt black/negro mate

● 43762 **NEW** satin gold/oro satinado

GU10 MAX 8W LED ✗ [97685327]

Body Aluminium/Aluminio






STAN

○ 43740 matt white/blanco mate

● 43741 matt black/negro mate

GU10 MAX 8W LED [97685327]

Body Aluminium/Aluminio



P.136
CEILING



P.232
RECESSED



P.100
SUSPENDED



P.242
TRACK



P.202
WALL




STAN

○ 43742 matt white/blanco mate

● 43743 matt black/negro mate

2 GU10 MAX 8W LED [97685327]

Body Aluminium/Aluminio




STAN

○ 43744 matt white/blanco mate

● 43745 matt black/negro mate

3 GU10 MAX 8W LED [97685327]

Body Aluminium/Aluminio



Ring accessory

○ 43728 matt white/blanco mate

● 43729 matt gold/oro mate



Diff honey comb

○ 43730 matt black/negro mate



Linear spread lens

○ 43732 matt white/blanco mate



Spread lens

○ 43731 matt white/blanco mate






LAO — Nahtrang 

- 29039 matt black/negro mate
- 29040 matt white/blanco mate

LED SMD 4.5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal





LAO — Nahtrang 

- 29041 matt black/negro mate
- 29042 matt white/blanco mate

LED 2xSMD 4.5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal





LAO — Nahtrang 

- 29043 matt black/negro mate
- 29044 matt white/blanco mate

LED 3xSMD 4.5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal





LINK — Estudi Ribaudí 

- 29873 matt white/blanco mate
- 29874 matt black/negro mate
- 29897 bronze/bronce

GU10 MAX 8W LED ✗ [97685327]

Body Steel/Acero




LINK — Estudi Ribaudí 

- 29875 matt white/blanco mate
- 29876 matt black/negro mate

2 GU10 MAX 8W LED ✗ [97685327]

Body Steel/Acero



P.132
CEILING



P.55
TABLE&FLOOR



P.244
TRACK







INDOOR SPOTLIGHTS / FOCOS




STONE — Àlex & Manel Llusca 



● **43500** grey/gris
 GU10 MAX 8W LED  [97685327]
Body Steel+Concrete/Acero+Cemento


● **43501** grey/gris
 2 GU10 MAX 8W LED  [97685327]
Body Steel+Concrete/Acero+Cemento


● **43502** grey/gris
 3 GU10 MAX 8W LED  [97685327]
Body Steel+Concrete/Acero+Cemento

RING — Àlex & Manel Lluscà 



- 40553 matt white/blanco mate
 - 40554 dark grey/gris oscuro
 - 40555 satin nickel/níquel satinado
- 2 GU10 MAX 8W LED ☒ [97685327]

Body Steel/Acero






- 40556 matt white/blanco mate
 - 40557 dark grey/gris oscuro
- 3 GU10 MAX 8W LED ☒ [97685327]

Body Steel/Acero




- 40559 matt white/blanco mate
- 4 GU10 MAX 8W LED ☒ [97685327]

Body Steel/Acero



- 40550 matt white/blanco mate
 - 40551 dark grey/gris oscuro
 - 40552 satin nickel/níquel satinado
- GU10 MAX 8W LED ☒ [97685327]

Body Steel/Acero




P.244
TRACK







ORLEANS — Nait:reng



- 43520 matt white/blanco mate
 - 43521 matt black/negro mate
 - 43522 chrome+black/cromo+negro
- GU10 MAX 8W LED  [97685327]


Body Steel/Acero






- 43523 matt white/blanco mate
 - 43524 matt black/negro mate
 - 43525 chrome+black/cromo+negro
- 2 GU10 MAX 8W LED  [97685327]

Body Steel/Acero



- 43526 matt white/blanco mate
 - 43527 matt black/negro mate
 - 43528 chrome+black/cromo+negro
- 3 GU10 MAX 8W LED  [97685327]

Body Steel/Acero



NEW DOMINO

— Aldanondoyfdez



○ 63313 matt white/blanco mate


LED SMD 6W 2700K 200lm CRI90 Driver ✓


Body Plaster/Yeso


Diff Opal PMMA/PMMA Opal

PLASTER
YESO



100- 50/
240V 60HZ  265X160





Recessed
Empotrables



TROOP

● 43700 white+black/blanco+negro

LED 2W 3000K 210lm CRI>90

Driver 700mA ☒


Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible



TROOP

● 43701 white+black/blanco+negro

LED 3x2W 3000K 630lm CRI>90

Driver 700mA ☒


Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible



TROOP

● 43702 white+black/blanco+negro

LED 5x2W 3000K 1050lm CRI>90

Driver 700mA ☒


Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible



TROOP

● 43703 white+black/blanco+negro

LED 10x2W 3000K 2100lm CRI>90

Driver 700mA ☒


Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible



TROOP WALL WASHER

● 43710 white+black/blanco+negro

LED 5x2W 3000K 1250lm CRI>90

Driver 700mA ☒


Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible





TROOP TRIMLESS

● 43704 matt black/negro mate

LED 2W 3000K 210lm CRI>90 Driver 700mA ☒

Body Aluminium/Aluminio


Diff Transp. Polycarbonate/Polycarbonato Transp.



36X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible



TROOP TRIMLESS

● 43705 matt black/negro mate

LED 3x2W 3000K 630lm CRI>90 Driver 700mA ☒

Body Aluminium/Aluminio


Diff Transp. Polycarbonate/Polycarbonato Transp.



83X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible



TROOP TRIMLESS

● 43706 matt black/negro mate

LED 5x2W 3000K 1050lm CRI>90 Driver 700mA ☒

Body Aluminium/Aluminio


Diff Transp. Polycarbonate/Polycarbonato Transp.



130X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible



TROOP TRIMLESS

● 43707 matt black/negro mate

LED 10x2W 3000K 2100lm CRI>90 Driver 700mA ☒

Body Aluminium/Aluminio


Diff Transp. Polycarbonate/Polycarbonato Transp.



263X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible





HYDE


- 40118 matt white/blanco mate
- 40119 matt black/negro mate

GU10 MAX 8W LED [O 17316 ● 17324 or *LED MODULE] Socket GU10 [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



HYDE


- 40120 matt white/blanco mate
- 40121 matt black/negro mate

GU10 MAX 8W LED [O 17316 ● 17324 or *LED MODULE] Socket GU10 [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



HYDE


- 40114 matt white/blanco mate
- 40115 matt black/negro mate

GU10 MAX 8W LED [O 17316 ● 17324 or *LED MODULE] Socket GU10 [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



HYDE


- 40116 matt white/blanco mate
- 40117 matt black/negro mate

GU10 MAX 8W LED [O 17316 ● 17324 or *LED MODULE] Socket GU10 [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



HYDE TRIMLESS


- 40110 matt white/blanco mate
- 40111 matt black/negro mate

GU10 MAX 8W LED [O 17316 ● 17324 or *LED MODULE] Socket GU10 [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



HYDE TRIMLESS


- 40112 matt white/blanco mate
- 40113 matt black/negro mate

GU10 MAX 8W LED [O 17316 ● 17324 or *LED MODULE] Socket GU10 [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640





HYDE


- 40126 matt white/blanco mate
- 40127 matt black/negro mate

2 GU10 MAX 8W LED ⊗ [○ 17316 ● 17324 or *LED MODULE] Socket GU10 ⊗ [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



HYDE


- 40124 matt white/blanco mate
- 40125 matt black/negro mate

2 GU10 MAX 8W LED ⊗ [○ 17316 ● 17324 or *LED MODULE] Socket GU10 ⊗ [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



HYDE TRIMLESS


- 40122 matt white/blanco mate
- 40123 matt black/negro mate

2 GU10 MAX 8W LED ⊗ [○ 17316 ● 17324 or *LED MODULE] Socket GU10 ⊗ [43065]

Body Steel/Acero



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640





NAIS NEW

○ 02121001 matt white/blanco mate

● 02121002 matt black/negro mate

SMD COB 7W 2700K 625lm CRI>90 Driver ✕

Body Aluminium+steel/Aluminio+acero

Diff Transparent PMMA/PMMA transparente



*Drivers info pag. 646



NAIS ORIENTABLE NEW

○ 02111001 matt white/blanco mate

● 02111002 matt black/negro mate

SMD COB 7W 2700K 625lm CRI>90 Driver ✕

Body Aluminium+steel/Aluminio+acero

Diff Transparent PMMA/PMMA transparente



*Drivers info pag. 646






KOI

○ 42921 matt white/blanco mate

LED SMD 6W 3000K 400lm CRI>80 Driver ✓

Body Opal Polycarbonate/Polycarbonato Opal

Diff Opal Polycarbonate/Polycarbonato Opal



RADÓN

○ 43396 matt white/blanco mate

● 43406 matt black/negro mate

GU10 MAX 8W LED ✕

[○ 17316 ● 17324 or *LED MODULE]

Socket GU10 ✕ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /

Más información del MÓDULO LED en página 640



RADÓN

○ 43397 matt white/blanco mate

● 43407 matt black/negro mate

GU10 MAX 8W LED ✕

[○ 17316 ● 17324 or *LED MODULE]

Socket 2 x GU10 ✕ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /

Más información del MÓDULO LED en página 640



RADÓN

○ 43398 matt white/blanco mate

● 43408 matt black/negro mate

GU10 MAX 8W LED ✕

[○ 17316 ● 17324 or *LED MODULE]




Socket GU10 ✕ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /

Más información del MÓDULO LED en página 640





ARGÓN


- 43401 matt white/blanco mate
- 43411 matt black/negro mate

GU10 MAX 8W LED ☒
 [○ 17316 ● 17324 or *LED MODULE]
 Socket GU10 ☒ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



ARGÓN


- 43403 matt white/blanco mate
- 43413 matt black/negro mate

2 GU10 MAX 8W LED ☒
 [○ 17316 ● 17324 or *LED MODULE]
 Socket 2 x GU10 ☒ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



ARGÓN


- 43402 matt white/blanco mate
- 43412 matt black/negro mate

GU10 MAX 8W LED ☒
 [○ 17316 ● 17324 or *LED MODULE]
 Socket GU10 ☒ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



NEÓN


- 43399 matt white/blanco mate
- 43409 matt black/negro mate

GU10 MAX 8W LED ☒
 [○ 17316 ● 17324 or *LED MODULE]
 Socket GU10 ☒ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



NEÓN


- 43400 matt white/blanco mate
- 43410 matt black/negro mate

GU10 MAX 8W LED ☒
 [○ 17316 ● 17324 or *LED MODULE]
 Socket GU10 ☒ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640



GAS


- 43404 matt white/blanco mate
- 43405 matt black/negro mate

GU10 MAX 8W LED ☒
 [○ 17316 ● 17324 or *LED MODULE]
 Socket GU10 ☒ [43065]

Body Aluminium/Aluminio



LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640





P.136
CEILING



P.218
SPOT



P.100
SUSPENDED



P.242
TRACK



P.202
WALL




STAN

- 43752 matt white/blanco mate
- 43753 matt black/negro mate
- 43761 **NEW** satin gold/oro satinado

GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio



*Accessories page 219/Acesorios en página 219




EBBA

- 42919 silver/plata

LED SMD 4W 3000K 304lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




WABI DIM TO WARM




- 43900 matt white/blanco mate

LED 10W 1800-3200K max.600lm CRI>80
Driver 250mA ☒ [98310510C]

Body Aluminium/Aluminio



*Drivers info pag. 646





FOX

- 02101001 matt white/blanco mate
- 02101002 matt black/negro mate


LED COB 3-5W 2700K 500lm CRI 90
 3W Driver 350mA ✗
 5W Driver 500mA ✗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible



FOX TRIMLESS

- 02101101 matt white/blanco mate
- 02101102 matt black/negro mate


LED COB 3-5W 2700K 500lm CRI 90
 3W Driver 350mA ✗
 5W Driver 500mA ✗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible



FOX ORIENTABLE

- 02101301 matt white/blanco mate
- 02101302 matt black/negro mate


LED COB 3-5W 2700K 500lm CRI 90
 3W Driver 350mA ✗
 5W Driver 500mA ✗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



*Drivers info pag. 646

Remote driver to be installed in an accessible place
 Driver remoto para ser instalado en un lugar accesible



FOX

- 02101501 matt white/blanco mate

LED COB 7W 2700K 535lm CRI>80
 Driver 350mA ✗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





FOX

- 02101601 matt white/blanco mate

LED COB 10W 2700K 680lm CRI>80
 Driver 500mA ✗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





AIM

● **02100401** matt white/blanco mate


LED COB 3W 3000K 256lm CRI>80 350mA
Driver ☒

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente



*Drivers info pag. 646




MOIST

● **02100901** matt white/blanco mate

GU10 MAX 8W LED ☒ [17316]

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente



CLEAR

● **02100301** matt white/blanco mate


LED COB 7W 3000K 403lm CRI>80 350mA
Driver ☒

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente



*Drivers info pag. 646




FRESH E27 TRIMLESS NEW

● **02300101** matt white/blanco mate

E27 MAX 15W LED ☒ [17464]

Body Aluminium/Aluminio






FRESH WALL WASHER

- 02100601 matt white/blanco mate
- 02100602 matt black/negro mate
- 02100603 gold/oro

GU10 MAX 8W LED ⊗ [17316]

Body Aluminium/Aluminio




FRESH IP65

- 02101401 matt white/blanco mate
- 02101402 **NEW** matt black/negro mate

GU10 MAX 8W LED ⊗ [17316]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




FRESH IP65 TRIMLESS **NEW**

- 02400101 matt white/blanco mate
- 02400102 matt black/negro mate

GU10 MAX 8W LED ⊗ [17316]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



FRESH IP44


- 02200501 matt white/blanco mate
- 02200502 matt black/negro mate
- 02200503 gold/oro

GU10 MAX 8W LED ⊗ [17316 or *LED MODULE]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



FRESH


- 02100501 matt white/blanco mate
- 02100502 matt black/negro mate
- 02100503 gold/oro

GU10 MAX 8W LED ⊗ [17316 or *LED MODULE]

Body Aluminium/Aluminio



LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



FRESH TRIMLESS


- 02100701 matt white/blanco mate
- 02100702 matt black/negro mate


GU10 MAX 8W LED ⊗ [17316 or *LED MODULE]

Body Aluminium/Aluminio



LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640






MÓVIL

- 43056 matt white/blanco mate
- 43057 satin nickel/níquel satinado
- 43059 Aluminium/Aluminio

GU10 MAX 8W LED ✕
 Socket MR16 ✓
 Socket GU10 ✕ [43065]

Body Aluminium/Aluminio

ORIENTABLE 50° Ø74




FALCON

- 03020402 matt black/negro mate
- GU10 MAX 8W LED ✕ [17316]

Body Steel/Acero

ORIENTABLE 30° 30° 91X100



WET


- 02100801 matt white/blanco mate

LED GU10 MAX 8W LED ✕
 [17316 or *LED MODULE]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP44 100- 50/ 240V 60HZ Ø65

LED MODULE information on page 640 /
 Más información del MÓDULO LED en página 640




GINGKO QR111

- 03030201 matt white/blanco mate
- 03030202 matt black/negro mate

2 G53 MAX 15W LED ✕ [97411]
 Transformer ✕ [2x98111020]

Body Steel/Acero

ORIENTABLE 12V 30° 30° 313X169




GINGKO QR111

- 03030101 matt white/blanco mate
- 03030102 matt black/negro mate
- 03030103 grey/gris

G53 MAX 15W LED ✕ [97411]
 Transformer ✕ [98111020]

Body Steel/Acero

ORIENTABLE 12V 30° 30° 170X175







BOW


● **02150101** matt white/blanco mate

LED COB 7W 2700K 520lm CRI>90 350mA Driver ☒

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



*Drivers info pag. 646



BOW


● **02150201** matt white/blanco mate

LED COB 10W 2700K 655lm CRI>90 500mA Driver ☒

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



*Drivers info pag. 646



BOW


● **02150301** matt white/blanco mate

LED COB 18W 2700K 1575lm CRI>90 500mA Driver ☒

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



*Drivers info pag. 646



CROC NEW


● **43780** matt white/blanco mate

LED SMD 9W 2700K 1021lm CRI90 Driver ☒

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA opal



*Drivers info pag. 646



CROC NEW


● **43781** matt white/blanco mate

LED SMD 13W 2700K 856lm CRI90 Driver ☒

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA opal



*Drivers info pag. 646



CROC NEW


● **43782** matt white/blanco mate

LED SMD 19W 2700K 1958lm CRI90 Driver ☒

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA opal



*Drivers info pag. 646






NEU TRIMLESS

○ 63286 matt white/blanco mate

LED MR16 8W ✕ Gear ✕ 98101050
Socket MR16 ✓

Body Plaster/Yeso




NORD

○ 63290 matt white/blanco mate

LED SMD 18W 3000K 1100lm CRI>80
Driver DC 350mA ✕ [98310118LC]

Body Plaster/Yeso
Diff Opal PMMA/PMMA Opal



SIGNAL ASIMETRIC

● 02100101 grey/gris


LED COB 3W 3000K 102lm CRI>80 350mA
Driver ✕ [98310110]

Body Aluminium/Aluminio



Recessed box ✕ [02100101C]

*Drivers info pag. 646



NAVI NEW


○ 63481 matt white/blanco mate

LED SMD 10W 3000K 630lm CRI>80 Driver ✓

Body Plaster/Yeso



Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





PLAS

○ 63283 matt white/blanco mate

LED HIGH POWER 1W 3000K 112lm CRI>80
Driver 3W 350mA [46060]


Body Plaster/Yeso



155X110

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



PLAS **NEW**

○ 63490 matt white/blanco mate


LED HIGH POWER 3W 3000K 200lm CRI>80
Driver 3W 350mA [46060]

Body Plaster/Yeso



248X113

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



PLAS

○ 63281 matt white/blanco mate

LED HIGH POWER 1W 3000K 112lm CRI>80
Driver 3W 350mA [46060]


Body Plaster/Yeso



175X110

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



PLAS

○ 63282 matt white/blanco mate

LED HIGH POWER 1W 3000K 112lm CRI>80
Driver 3W 350mA [46060]



Body Plaster/Yeso



231X85

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





STAN


○ 43724 matt white/blanco mate

● 43725 matt black/negro mate


LED 15W 2700K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.



*Accessories page 219/Acesorios en página 219



STAN

○ 43720 matt white/blanco mate

● 43721 matt black/negro mate


● 43757 NEW satin gold/oro satinado

GU10 MAX 8W LED ⊗ [97685327]

Body Aluminium/Aluminio



*Accessories page 219/Acesorios en página 219



| P.136 CEILING | P.232 RECESSED | P.218 SPOT | P.100 SUSPENDED | P.202 WALL |
|------------------|-------------------|---------------|--------------------|---------------|
| | | | | |



Track
Carril




LAO — Nahrang 

● 29045 matt black/negro mate


LED SMD 4.5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS

Diff Opal PMMA/PMMA Opal



P.220
SPOT



LINK — Estudi Ribaudí 


○ 29871 matt white/blanco mate

● 29872 matt black/negro mate

● 29896 bronze/bronce

GU10 MAX 8W LED ✕ [97685327]

Body Steel/Acero



P.132
CEILING



P.220
SPOT



P.55
TABLE&FLOOR




RING — Àlex & Manel Llusçà 

○ 40562 matt white/blanco mate

● 40563 dark grey/gris oscuro

GU10 MAX 8W LED ✕ [97685327]

Body Steel/Acero



P.222
SPOT





ORLEANS — Nahrang

● 43535 matt white/blanco mate

● 43536 matt black/negro mate

GU10 MAX 8W LED ☒ [97685327]


Body Steel/Acero



P.133
CEILING



P.223
SPOT




PLOT

○ 64202 matt white/blanco mate

● 64203 matt black/negro mate

GU10 MAX 8W LED ☒ [○ 17316 ● 17324]

Body Steel/Acero




RAM

● 40101 matt black/negro mate

E27 MAX 15W LED ☒ [97687127]

Body Aluminium/Aluminio



Surface track kit 1mt/Kit carril de superficie 1mt

○ 64210 matt white/blanco mate

● 64212 matt black/negro mate

● 64214 grey/gris


Surface track kit 2mts/Kit carril de superficie 2mts

○ 64211 matt white/blanco mate

● 64213 matt black/negro mate

● 64215 grey/gris

Body Steel



The exteriors are true oases. Our designs are designed to conquer these wonderful spaces all year round.

The creative formats and the high resistance of the materials, conceived especially for the outdoors, promise long and happy days in the open air.

Los exteriores son verdaderos oasis. Nuestros diseños están pensados para conquistar estos maravillosos espacios durante todo el año. La creatividad en los formatos y la alta resistencia de los materiales concebidos especialmente para los exteriores, auguran largas y felices jornadas al aire libre.



OUTDOOR



floor/portable/spike/suspended

This outdoor collection designed by Nahtrang comes to offer an infinite number of combinations and functionalities. The high quality of its materials and the careful detail of its finishes, make it a premium collection ideal to enjoy in outdoor spaces.

Esta colección de exterior diseñada por Nahtrang llega para ofrecer infinidad de combinaciones y funcionalidades. La alta calidad de sus materiales y el cuidado detalle de sus acabados, la convierten en una colección premium ideal para disfrutar en los espacios exteriores.




Saigon
by Nahtrang




W100
1.95mt

1.95mt ● **71569-08** brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal




W70
1.2mt / 1.95mt

1.2mt ● **71575-07** brown/marrón
1.95mt ● **71569-07** brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal




T70
1.2mt / 1.95mt

1.2mt ● **71575-05** matt white/blanco mate
1.2mt ● **71575-06** brown/marrón
1.95mt ● **71569-05** matt white/blanco mate
1.95mt ● **71569-06** brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Textilene
Diff Opal PEMD/PEMD Opal




R45
0.6mt / 1.3mt / 2.1mt

0.6mt ● **71576-04** matt white/blanco mate
1.3mt ● **71575-04** matt white/blanco mate
2.1mt ● **71569-04** matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal



R55
0.5mt / 1.15mt / 2mt

0.5mt ● **71576-01** matt white/blanco mate
1.15mt ● **71575-01** matt white/blanco mate
2mt ● **71569-01** matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal





71569-08



71575-07



71575-05




71569-04




W100
Hole Cap

Hole ● **71584-08** brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal




W70
Hole Cap

Hole ● **71584-07** brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal




T70
Hole Cap

Hole ● **71584-05** matt white/blanco mate
Hole ● **71584-06** brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Textilene
Diff Opal PEMD/PEMD Opal




R45
Hole Cap

Hole ● **71584-04** matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal



R55
Hole Cap

Hole ● **71584-01** matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal



R17
Hole Cap

Hole ● **71584-03** matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal






SALON BY NAHTHANG




W70
1.37mt

1.37mt ● **71575P-07** brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal




T70
1.37mt

1.37mt ● **71575P-05** matt white/blanco mate
1.37mt ● **71575P-06** brown/marrón
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Textilene
Diff Opal PEMD/PEMD Opal




R45
0.87mt / 1.5mt

0.87mt ● **71576P-04** matt white/blanco mate
1.5mt ● **71575P-04** matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal




R55
1.35mt

1.35mt ● **71575P-01** matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal



R17
0.73mt / 1.37mt

0.73mt ● **71576P-03** matt white/blanco mate
1.37mt ● **71575P-03** matt white/blanco mate
Source E27 MAX 15W not incl [17463]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal









W100
Cone Cap/
Hole Cap

Cone ● **71579C-08** brown/marrón
Hole ● **71579H-08** brown/marrón
Source E27 MAX 15W not incl [**17463**]
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal




W70
Cone Cap/
Hole Cap

Cone ● **71579C-07** brown/marrón
Hole ● **71579H-07** brown/marrón
Source E27 MAX 15W not incl [**17463**]
Body Aluminium/Aluminio
Shade Synthetic wicker/Mimbre sintético
Diff Opal PEMD/PEMD Opal



T70
Cone Cap/
Hole Cap

Cone ● **71579C-05** matt white/blanco mate
Hole ● **71579H-05** matt white/blanco mate
Cone ● **71579C-06** brown/marrón
Hole ● **71579H-06** brown/marrón
Source E27 MAX 15W not incl [**17463**]
Body Aluminium/Aluminio
Shade Textilene
Diff Opal PEMD/PEMD Opal




R45
Cone Cap/
Hole Cap

Cone ● **71579C-04** matt white/blanco mate
Hole ● **71579H-04** matt white/blanco mate
Source E27 MAX 15W not incl [**17463**]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal




R55

Cap ● **71579-02** matt white/blanco mate
Source E27 MAX 15W not incl [**17463**]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal



R17
Cone Cap/
Hole Cap

Cone ● **71579C-03** matt white/blanco mate
Hole ● **71579H-03** matt white/blanco mate
Source E27 MAX 15W not incl [**17463**]
Body Aluminium/Aluminio
Shade Opal PEMD/PEMD Opal





71579C-07



71575-07



71579H-06



71579C-03



TOC

● 70775 matt white/blanco mate

● 70776 matt black/negro mate

● 70777 grey/gris


LED SMD 2W 3000K 180lm

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal



Micro USB 9h Worktime 5h Charge




TOC

● 70786 matt white/blanco mate


LED SMD 5W 3000K 468lm

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal



9h Worktime 9h Charge





Portables
Portátiles





CAGE

● 75608 dark grey/gris oscuro

LED SMD 12W 2700K 990lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PEMD/PEMD Opal



TASK

● 70914 matt white/blanco mate

LED SMD 2W 3000K 263lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP54 Battery ✓ USB Type C

6h Worktime
 5h Charge



16lm




103lm



263lm

ø200/7.9"



100/3.9"



KASP NEW


● 71912 matt black/negro mate

LED SMD 2W 2700K-3000K 150lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Polycarbonato Transp.

SOLAR **IP65** 9h Worktime 20h Charge **IK06**

USB Type C 1.5 MT



2700K



3000K

OUTDOOR PORTABLES / PORTÁTILES

KASP NEW


● 71913 matt black/negro mate

LED SMD 2W 2700K-3000K 150lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Polycarbonato Transp.

SOLAR **IP65** 9h Worktime 20h Charge **IK06**

USB Type C 1.5 MT



USB
Charger



Wall accessory/Accessorio aplique

● 71914 matt black/negro mate



ARGUS

● 70784 dark grey/gris oscuro


LED SMD 2W 3000K 220lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

TOUCH LAMP IP54 DC5V 1A Battery ✓

Micro USB 9h Worktime 5h Charge



KERALA

● 74454 dark grey/gris oscuro

LED SMD 5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

TOUCH LAMP DIM IP54 DC5V 1A Battery ✓

Micro USB 6h Worktime 8h Charge




100lm



250lm



400lm





BALDA

● **70498** matt white/blanco mate

E27 MAX 15W LED ✕ [17463]

Body Opal PEMD/PEMD Opal




BALDA

● **70499** matt white/blanco mate

E27 MAX 15W LED ✕ [17463]

Body Opal PEMD/PEMD Opal



VOILA

● **71565** dark grey/gris oscuro

LED RGB WHITE 2W 3000K Driver ✓

Body Opal Polycarbonate/Polycarbonato Opal



Micro USB 7h Worktime 10h Charge



NEW Rush

by Estudi Ribaudí

Electronics and optics by *VOSSLOH-SCHWABE*




Optional drivers by *TCI*




CASAMBI




Different optics to choose from



360° LENS
Optical efficiency 97%
Optimal installation ratio 2:1
 (Pole distance to pole height)



360° WIDE LENS
Optical efficiency 96%
Optimal installation ratio 4,5:1
 (Pole distance to pole height)



ASSYMETRICAL LENS
Optical efficiency 93%
Optimal installation ratio 4:1
 (Pole distance to pole height)



© CUL JOOP & OPR - SUFLIO


Rush

Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
 Policarbonato trasparente



COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional



| Rush <i>Beacon</i> 14W | CCT | FLUX | LENS |
|------------------------|-------|-------|-----------|
| 750000 | 2700K | 830lm | 360° |
| 750000D Dali | 2700K | 830lm | 360° |
| 750000C Casambi | 2700K | 830lm | 360° |
| 750001 | 2700K | 980lm | 360° Wide |
| 750001D Dali | 2700K | 980lm | 360° Wide |
| 750001C Casambi | 2700K | 980lm | 360° Wide |
| 750002 | 2700K | 795lm | 180° |
| 750002D Dali | 2700K | 795lm | 180° |
| 750002C Casambi | 2700K | 795lm | 180° |
| 750010 | 3000K | 830lm | 360° |
| 750010D Dali | 3000K | 830lm | 360° |
| 750010C Casambi | 3000K | 830lm | 360° |
| 750011 | 3000K | 980lm | 360° Wide |
| 750011D Dali | 3000K | 980lm | 360° Wide |
| 750011C Casambi | 3000K | 980lm | 360° Wide |
| 750012 | 3000K | 795lm | 180° |
| 750012D Dali | 3000K | 795lm | 180° |
| 750012C Casambi | 3000K | 795lm | 180° |
| 750020 | 4000K | 830lm | 360° |
| 750020D Dali | 4000K | 830lm | 360° |
| 750020C Casambi | 4000K | 830lm | 360° |
| 750021 | 4000K | 980lm | 360° Wide |
| 750021D Dali | 4000K | 980lm | 360° Wide |
| 750021C Casambi | 4000K | 980lm | 360° Wide |
| 750022 | 4000K | 795lm | 180° |
| 750022D Dali | 4000K | 795lm | 180° |
| 750022C Casambi | 4000K | 795lm | 180° |



| Rush <i>Bollard</i> 20W | CCT | FLUX | LENS |
|-------------------------|-------|--------|-----------|
| 750100 | 2700K | 1147lm | 360° |
| 750100D Dali | 2700K | 1147lm | 360° |
| 750100C Casambi | 2700K | 1147lm | 360° |
| 750101 | 2700K | 1355lm | 360° Wide |
| 750101D Dali | 2700K | 1355lm | 360° Wide |
| 750101C Casambi | 2700K | 1355lm | 360° Wide |
| 750102 | 2700K | 1103lm | 180° |
| 750102D Dali | 2700K | 1103lm | 180° |
| 750102C Casambi | 2700K | 1103lm | 180° |
| 750110 | 3000K | 1147lm | 360° |
| 750110D Dali | 3000K | 1147lm | 360° |
| 750110C Casambi | 3000K | 1147lm | 360° |
| 750111 | 3000K | 1355lm | 360° Wide |
| 750111D Dali | 3000K | 1355lm | 360° Wide |
| 750111C Casambi | 3000K | 1355lm | 360° Wide |
| 750112 | 3000K | 1103lm | 180° |
| 750112D Dali | 3000K | 1103lm | 180° |
| 750112C Casambi | 3000K | 1103lm | 180° |
| 750120 | 4000K | 1147lm | 360° |
| 750120D Dali | 4000K | 1147lm | 360° |
| 750120C Casambi | 4000K | 1147lm | 360° |
| 750121 | 4000K | 1355lm | 360° Wide |
| 750121D Dali | 4000K | 1355lm | 360° Wide |
| 750121C Casambi | 4000K | 1355lm | 360° Wide |
| 750122 | 4000K | 1103lm | 180° |
| 750122D Dali | 4000K | 1103lm | 180° |
| 750122C Casambi | 4000K | 1103lm | 180° |



STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

| | |
|---------------------|----------|
| Beacon mA | 350mA |
| Bollard mA | 500mA |
| V | 100-240V |
| Hz | 50-60Hz |
| Power factor | 0.90 |
| Low ripple | <30% |
| Lifetime | 50000h |

- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

TCI

| | |
|---------------------|----------|
| Beacon mA | 350mA |
| Bollard mA | 500mA |
| V | 220-240V |
| Hz | 50-60Hz |
| Power factor | 0.95 |
| Low ripple | <3% |
| Lifetime | 50000h |

- DALI-2 dimmable
- PUSH SWITCH compatible
- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

TCI

| | |
|---------------------|----------|
| Beacon mA | 350mA |
| Bollard mA | 500mA |
| V | 220-240V |
| Hz | 50-60Hz |
| Power factor | 0.95 |
| Low ripple | <3% |
| Lifetime | 50000h |

- DALI-2 dimmable
- PUSH SWITCH compatible
- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

Rush


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
 Policarbonato trasparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
 2
 1
 L90 B10 up to 89.000h
 Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional



| Rush Pole 3.1mt 38W | CCT | FLUX | LENS |
|---------------------|-------|--------|-----------|
| 750200 | 2700K | 3322lm | 360° |
| 750200D Dali | 2700K | 3322lm | 360° |
| 750200C Casambi | 2700K | 3322lm | 360° |
| 750201 | 2700K | 3079lm | 360° Wide |
| 750201D Dali | 2700K | 3079lm | 360° Wide |
| 750201C Casambi | 2700K | 3079lm | 360° Wide |
| 750202 | 2700K | 2397lm | 180° |
| 750202D Dali | 2700K | 2397lm | 180° |
| 750202C Casambi | 2700K | 2397lm | 180° |
| 750210 | 3000K | 3322lm | 360° |
| 750210D Dali | 3000K | 3322lm | 360° |
| 750210C Casambi | 3000K | 3322lm | 360° |
| 750211 | 3000K | 3079lm | 360° Wide |
| 750211D Dali | 3000K | 3079lm | 360° Wide |
| 750211C Casambi | 3000K | 3079lm | 360° Wide |
| 750212 | 3000K | 2397lm | 180° |
| 750212D Dali | 3000K | 2397lm | 180° |
| 750212C Casambi | 3000K | 2397lm | 180° |
| 750220 | 4000K | 3322lm | 360° |
| 750220D Dali | 4000K | 3322lm | 360° |
| 750220C Casambi | 4000K | 3322lm | 360° |
| 750221 | 4000K | 3079lm | 360° Wide |
| 750221D Dali | 4000K | 3079lm | 360° Wide |
| 750221C Casambi | 4000K | 3079lm | 360° Wide |
| 750222 | 4000K | 2397lm | 180° |
| 750222D Dali | 4000K | 2397lm | 180° |
| 750222C Casambi | 4000K | 2397lm | 180° |

| Rush Pole 3.7mt 38W | CCT | FLUX | LENS |
|---------------------|-------|--------|-----------|
| 750300 | 2700K | 2972lm | 360° |
| 750300D Dali | 2700K | 2972lm | 360° |
| 750300C Casambi | 2700K | 2972lm | 360° |
| 750301 | 2700K | 2921lm | 360° Wide |
| 750301D Dali | 2700K | 2921lm | 360° Wide |
| 750301C Casambi | 2700K | 2921lm | 360° Wide |
| 750302 | 2700K | 2576lm | 180° |
| 750302D Dali | 2700K | 2576lm | 180° |
| 750302C Casambi | 2700K | 2576lm | 180° |
| 750310 | 3000K | 2972lm | 360° |
| 750310D Dali | 3000K | 2972lm | 360° |
| 750310C Casambi | 3000K | 2972lm | 360° |
| 750311 | 3000K | 2921lm | 360° Wide |
| 750311D Dali | 3000K | 2921lm | 360° Wide |
| 750311C Casambi | 3000K | 2921lm | 360° Wide |
| 750312 | 3000K | 2576lm | 180° |
| 750312D Dali | 3000K | 2576lm | 180° |
| 750312C Casambi | 3000K | 2576lm | 180° |
| 750320 | 4000K | 2972lm | 360° |
| 750320D Dali | 4000K | 2972lm | 360° |
| 750320C Casambi | 4000K | 2972lm | 360° |
| 750321 | 4000K | 2921lm | 360° Wide |
| 750321D Dali | 4000K | 2921lm | 360° Wide |
| 750321C Casambi | 4000K | 2921lm | 360° Wide |
| 750322 | 4000K | 2576lm | 180° |
| 750322D Dali | 4000K | 2576lm | 180° |
| 750322C Casambi | 4000K | 2576lm | 180° |



OUTDOOR FLOOR / SUELO

STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

mA 1050mA
V 100-240V
Hz 50-60Hz
Power factor 0,90
Low ripple <30%
Lifetime 50000h
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0,95
Low ripple <3%
Lifetime 50000h
 DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0,95
Low ripple <3%
Lifetime 50000h
 DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)



H.3700 mm

Simulation performed with Rush/Simulación realizada con Rush

38W

3000K

Ref. 750210

Optics 360°

Luminaires interdistance/Interdistancia entre luminarias 10mt.



OUTDOOR FLOOR / SUELO

H.3100 mm

Simulation performed with Rush/Simulación realizada con Rush

38W

3000K

Ref. 750311

Optics 360° Wide

Luminaires interdistance/Interdistancia entre luminarias 12mt.

NEW Screen

by Estudi Ribaudí

Electronics and optics by *VOSSLOH-SCHWABE*




Optional drivers by *TCI*




CASAMBI




Different optics to choose from



360° LENS
Optical efficiency 97%
Optimal installation ratio 2:1
 (Pole distance to pole height)



360° WIDE LENS
Optical efficiency 96%
Optimal installation ratio 4,5:1
 (Pole distance to pole height)



ASSYMETRICAL LENS
Optical efficiency 93%
Optimal installation ratio 4:1
 (Pole distance to pole height)




Screen

Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
 Policarbonato trasparente



COB LED VOSSLOH-SCHWABE
MacAdam Steps 2
Risk Group 1
Lumen maintenance L90 B10 up to 89.000h
Heat dissipation Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional



| Screen <i>Beacon</i> 14W | CCT | FLUX | LENS |
|--------------------------|-------|-------|-----------|
| 751000 | 2700K | 712lm | 360° |
| 751000D Dali | 2700K | 712lm | 360° |
| 751000C Casambi | 2700K | 712lm | 360° |
| 751001 | 2700K | 856lm | 360° Wide |
| 751001D Dali | 2700K | 856lm | 360° Wide |
| 751001C Casambi | 2700K | 856lm | 360° Wide |
| 751002 | 2700K | 695lm | 180° |
| 751002D Dali | 2700K | 695lm | 180° |
| 751002C Casambi | 2700K | 695lm | 180° |
| 751010 | 3000K | 712lm | 360° |
| 751010D Dali | 3000K | 712lm | 360° |
| 751010C Casambi | 3000K | 712lm | 360° |
| 751011 | 3000K | 856lm | 360° Wide |
| 751011D Dali | 3000K | 856lm | 360° Wide |
| 751011C Casambi | 3000K | 856lm | 360° Wide |
| 751012 | 3000K | 695lm | 180° |
| 751012D Dali | 3000K | 695lm | 180° |
| 751012C Casambi | 3000K | 695lm | 180° |
| 751020 | 4000K | 712lm | 360° |
| 751020D Dali | 4000K | 712lm | 360° |
| 751020C Casambi | 4000K | 712lm | 360° |
| 751021 | 4000K | 856lm | 360° Wide |
| 751021D Dali | 4000K | 856lm | 360° Wide |
| 751021C Casambi | 4000K | 856lm | 360° Wide |
| 751022 | 4000K | 695lm | 180° |
| 751022D Dali | 4000K | 695lm | 180° |
| 751022C Casambi | 4000K | 695lm | 180° |



| Screen <i>Bollard</i> 20W | CCT | FLUX | LENS |
|---------------------------|-------|--------|-----------|
| 751100 | 2700K | 990lm | 360° |
| 751100D Dali | 2700K | 990lm | 360° |
| 751100C Casambi | 2700K | 990lm | 360° |
| 751101 | 2700K | 1225lm | 360° Wide |
| 751101D Dali | 2700K | 1225lm | 360° Wide |
| 751101C Casambi | 2700K | 1225lm | 360° Wide |
| 751102 | 2700K | 965lm | 180° |
| 751102D Dali | 2700K | 965lm | 180° |
| 751102C Casambi | 2700K | 965lm | 180° |
| 751110 | 3000K | 990lm | 360° |
| 751110D Dali | 3000K | 990lm | 360° |
| 751110C Casambi | 3000K | 990lm | 360° |
| 751111 | 3000K | 1225lm | 360° Wide |
| 751111D Dali | 3000K | 1225lm | 360° Wide |
| 751111C Casambi | 3000K | 1225lm | 360° Wide |
| 751112 | 3000K | 965lm | 180° |
| 751112D Dali | 3000K | 965lm | 180° |
| 751112C Casambi | 3000K | 965lm | 180° |
| 751120 | 4000K | 990lm | 360° |
| 751120D Dali | 4000K | 990lm | 360° |
| 751120C Casambi | 4000K | 990lm | 360° |
| 751121 | 4000K | 1225lm | 360° Wide |
| 751121D Dali | 4000K | 1225lm | 360° Wide |
| 751121C Casambi | 4000K | 1225lm | 360° Wide |
| 751122 | 4000K | 965lm | 180° |
| 751122D Dali | 4000K | 965lm | 180° |
| 751122C Casambi | 4000K | 965lm | 180° |



OUTDOOR FLOOR / SUELO

STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

Beacon mA 350mA
Bollard mA 500mA
V 100-240V
Hz 50-60Hz
Power factor 0.90
Low ripple <30%
Lifetime 50000h

Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

Beacon mA 350mA
Bollard mA 500mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h

DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

Beacon mA 350mA
Bollard mA 500mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h

DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

Screen


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
 Policarbonato trasparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
 2
 1
 L90 B10 up to 89.000h
 Tested at high ambient temperature

IP65 |
 CRI90 |
 IK10 |
 100-240V |
 50-60Hz |
 Driver incl. optional |
 optional



| Screen Pole 3.1mt 38W | CCT | FLUX | LENS |
|-----------------------|-------|--------|-----------|
| 751200 | 2700K | 2370lm | 360° |
| 751200D Dali | 2700K | 2370lm | 360° |
| 751200C Casambi | 2700K | 2370lm | 360° |
| 751201 | 2700K | 2692lm | 360° Wide |
| 751201D Dali | 2700K | 2692lm | 360° Wide |
| 751201C Casambi | 2700K | 2692lm | 360° Wide |
| 751202 | 2700K | 1819lm | 180° |
| 751202D Dali | 2700K | 1819lm | 180° |
| 751202C Casambi | 2700K | 1819lm | 180° |
| 751210 | 3000K | 2370lm | 360° |
| 751210D Dali | 3000K | 2370lm | 360° |
| 751210C Casambi | 3000K | 2370lm | 360° |
| 751211 | 3000K | 2692lm | 360° Wide |
| 751211D Dali | 3000K | 2692lm | 360° Wide |
| 751211C Casambi | 3000K | 2692lm | 360° Wide |
| 751212 | 3000K | 1819lm | 180° |
| 751212D Dali | 3000K | 1819lm | 180° |
| 751212C Casambi | 3000K | 1819lm | 180° |
| 751220 | 4000K | 2370lm | 360° |
| 751220D Dali | 4000K | 2370lm | 360° |
| 751220C Casambi | 4000K | 2370lm | 360° |
| 751221 | 4000K | 2692lm | 360° Wide |
| 751221D Dali | 4000K | 2692lm | 360° Wide |
| 751221C Casambi | 4000K | 2692lm | 360° Wide |
| 751222 | 4000K | 1819lm | 180° |
| 751222D Dali | 4000K | 1819lm | 180° |
| 751222C Casambi | 4000K | 1819lm | 180° |

| Screen Pole 3.7mt 38W | CCT | FLUX | LENS |
|-----------------------|-------|--------|-----------|
| 751300 | 2700K | 2661lm | 360° |
| 751300D Dali | 2700K | 2661lm | 360° |
| 751300C Casambi | 2700K | 2661lm | 360° |
| 751301 | 2700K | 2145lm | 360° Wide |
| 751301D Dali | 2700K | 2145lm | 360° Wide |
| 751301C Casambi | 2700K | 2145lm | 360° Wide |
| 751302 | 2700K | 1656lm | 180° |
| 751302D Dali | 2700K | 1656lm | 180° |
| 751302C Casambi | 2700K | 1656lm | 180° |
| 751310 | 3000K | 2661lm | 360° |
| 751310D Dali | 3000K | 2661lm | 360° |
| 751310C Casambi | 3000K | 2661lm | 360° |
| 751311 | 3000K | 2145lm | 360° Wide |
| 751311D Dali | 3000K | 2145lm | 360° Wide |
| 751311C Casambi | 3000K | 2145lm | 360° Wide |
| 751312 | 3000K | 1656lm | 180° |
| 751312D Dali | 3000K | 1656lm | 180° |
| 751312C Casambi | 3000K | 1656lm | 180° |
| 751320 | 4000K | 2661lm | 360° |
| 751320D Dali | 4000K | 2661lm | 360° |
| 751320C Casambi | 4000K | 2661lm | 360° |
| 751321 | 4000K | 2145lm | 360° Wide |
| 751321D Dali | 4000K | 2145lm | 360° Wide |
| 751321C Casambi | 4000K | 2145lm | 360° Wide |
| 751322 | 4000K | 1656lm | 180° |
| 751322D Dali | 4000K | 1656lm | 180° |
| 751322C Casambi | 4000K | 1656lm | 180° |



OUTDOOR FLOOR / SUELO

STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

mA 1050mA
V 100-240V
Hz 50-60Hz
Power factor 0,90
Low ripple <30%
Lifetime 50000h
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0,95
Low ripple <3%
Lifetime 50000h
 DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0,95
Low ripple <3%
Lifetime 50000h
 DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)



H.3700 mm

Simulation performed with Screen/Simulación realizada con Screen

38W

3000K

Ref. 751312

Optics 180°

Luminaires interdistance/Interdistancia entre luminarias 10mt.



OUTDOOR FLOOR / SUELO

H.3100 mm

Simulation performed with Screen/Simulación realizada con Screen

38W

3000K

Ref. 751311


Optics 360° Wide

Luminaires interdistance/Interdistancia entre luminarias 12mt.

NEW **Bast**

Body Aluminium/Aluminio
Diff Transparent Polycarbonate/Polycarbonato Transparente

⊕ IP65 | IK10 | CRI>80 | 220-240V | 50/60Hz | Driver incl. | ● | 



| Bast <i>Bollard</i> | | P | BEAM | CCT | FLUX |
|----------------------------|---|----------|-------------|------------|-------------|
| 70292 | ● | 25W | 360° | 3000K | 2100lm |

| <i>180° Accessory</i> | |
|-----------------------|---|
| 70293 | ● |



360°




180°






CADAQUÉS

— Faro Lab 



 video

● 71242 beige/beige



● 71243 blue/azul

LED SMD 18W 2700K 500lm CRI>80 Driver ✓

Body Aluminum/Aluminio

Shade Textylene/Textilene


Diff Opal Polycarbonate/Policarbonato Opal

IP65  100- 50/
240V 60Hz  3 MT

Extendible cable/Cable extensible

● 71244 matt black/negro mate

IP44  2.5 MT



IMO
Certificate



Ground fixing
included

vertisol
contemporary weather





Floor
Suelo

VERSUS

— Pepe Llaudet




○ 74423 matt white/blanco mate

E27 MAX 15W LED [17463]

Body Opal PEMD/PEMD Opal


IP44   3 MT




Thanks to DOS architects / Tavis Wright Photo by Tomeu Canyellas



Large accessory
● 74424 black/negro
Body Steel/Acero



Small accessory
● 74422 black/negro
Body Steel/Acero





- 71562 matt black/negro mate
- 71563 matt white/blanco mate
- 71564 red/rojo


E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal


IP54   5 MT

Wall accessory/Acesorio aplique

- 71556 matt black/negro mate
- Body Steel/Acero



3daysofdesign Copenhagen, Denmark

CAT — Nahtrang 



OUTDOOR FLOOR / SUELO




SAIGON — Nahtrang 

- 71584-02 dark grey/gris oscuro


E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal

IP65   3 MT



Portable/Portátil



NEW **BROT**
— Yembarastudio



Portable/Portátil 900mm

● **71256** matt black/negro mate

LED SMD 14W 2700K 620lm CRI>80 Driver ✓


Portable/Portátil 1800mm

● **71257** matt black/negro mate


LED SMD 21W 2700K 930lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 100- 50/
240V 60Hz 1.8 MT



Standard/Estándar



71253 71254

Standard/Estándar 900mm

● **71253** matt black/negro mate

LED SMD 14W 2700K 620lm CRI>80 Driver ✓


Standard/Estándar 1800mm

● **71254** matt black/negro mate

LED SMD 21W 2700K 930lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 100- 50/
240V 60Hz









CAST **NEW**


● 74155 dark grey/gris oscuro

LED SMD 10W 3000K 550lm CRI>80 Driver ✓

Body Concrete/Cemento

Diff Glass/Cristal

IP65  100- 50/
240V 60Hz 



CAST **NEW**


● 74156 dark grey/gris oscuro

LED SMD 10W 3000K 550lm CRI>80 Driver ✓

Body Concrete/Cemento

Diff Glass/Cristal

IP65  100- 50/
240V 60Hz 



BLOCK

— Àlex&Manel Llusçà



● 74141 grey/gris

E27 MAX 15W LED ☒ [17463]

Body Concrete/Cemento


Diff Opal Glass/Cristal Opal

SEA SIDE
SUITABLE

IP65



IK08



OUTDOOR FLOOR / SUELO



● 74142 grey/gris

E27 MAX 15W LED ☒ [17463]

Body Concrete/Cemento


Diff Opal Glass/Cristal Opal

SEA SIDE
SUITABLE

IP65



IK08



P.338
WALL





LOTUS

— Estudi Ribaudí 





 video



● 71224 dark grey/gris oscuro

LED COB 18W 3000K 1120lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP65  IK08 100- 50/
240V 60Hz 







● 71225 dark grey/gris oscuro

LED COB 18W 3000K 1120lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal


IP65  IK08 100- 50/
240V 60Hz 



P.356
WALL




STICKER


— Lucid 

● 75541 dark grey/gris oscuro

LED SMD 10W 3000K 623lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP55  100- 50/
240V 60Hz 




P.355
WALL



OUTDOOR FLOOR / SUELO

TRAM


— Estudi Ribaudí 

● 75531 dark grey/gris oscuro

E27 MAX 15W LED  [17463]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP65  




P.312
POLE

P.340
WALL





TWIST



— Estudi Ribaudí 



● 71286 dark grey/gris oscuro

LED SMD 10W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP65  100- 50/
240V 60Hz 







● 71287 dark grey/gris oscuro

LED SMD 10W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP65  100- 50/
240V 60Hz 





P.338
WALL




SHELBY
— Conillas 



● **75537** dark grey/gris oscuro
LED SMD 10W 3000K 600lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Policarbonato Opal+Transparente


IP65  220- 50/
240V 60Hz 



OUTDOOR FLOOR / SUELO


● **75538** dark grey/gris oscuro
LED SMD 10W 3000K 600lm CRI>80 Driver ✓
Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Policarbonato Opal+Transparente

IP65  220- 50/
240V 60Hz 



P.340
WALL





DATNA

— Àlex & Manel Llusca 


● 74441 dark grey/gris oscuro

E27 MAX 15W LED  [17463]

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP44  




● 74442 dark grey/gris oscuro

E27 MAX 15W LED  [17463]

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP44  



P.312
POLE



P.346
WALL







PLIM

● 71300 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP65  100-240V 50/60Hz IK08 





PLIM

● 71301 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/Polycarbonato Opal+Transparente

IP65  100-240V 50/60Hz IK08 






PLIM

● 71299 dark grey/gris oscuro



LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/Polycarbonato Opal+Transparente

IP65  100-240V 50/60Hz IK08 



P.343
WALL






MUGA

● 75604 dark grey/gris oscuro

LED SMD 11.3W 3000K 810lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




MUGA

● 75603 dark grey/gris oscuro

LED SMD 11.3W 3000K 810lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal






ONZE

● 70761 dark grey/gris oscuro

E27 MAX 15W LED ✗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal




GIZA

● 70767 dark grey/gris oscuro

LED COB 15W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Polycarbonato Trans.







GIZA

● 70768 dark grey/gris oscuro

LED COB 15W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Polycarbonato Trans.



P.342 WALL







BERET

● **75522** dark grey/gris oscuro

LED SMD 8W 4000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54  220-240V 50/60Hz 







BERET

● **75523** dark grey/gris oscuro

LED SMD 8W 4000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54  220-240V 50/60Hz 



P.316
POLE





OUTDOOR FLOOR / SUELO


GROP

● **75600** dark grey/gris oscuro

LED SMD 12.5W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54  100-240V 50/60Hz 



P.316
POLE





GROP

● **75601** dark grey/gris oscuro

LED SMD 18W 3000K 870lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54  100-240V 50/60Hz 




NANDA

● **71216** dark grey/gris oscuro

LED SMD 13W 3000K 500lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54  100- 50/
240V 60Hz 




NANDA

● **71217** dark grey/gris oscuro

LED SMD 13W 3000K 500lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54  100- 50/
240V 60Hz 





LOGAR

● **75605** dark grey/gris oscuro

LED SMD 12W 3000K 580lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54  100- 50/
240V 60Hz 




LOGAR

● **75606** dark grey/gris oscuro

LED SMD 23W 3000K 1340lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54  100- 50/
240V 60Hz 





WILMA


● 75001 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]


Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal



P.330
SUSPENDED



P.345
WALL




WILMA

● 74997 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




WILMA

● 75003 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal



VERNO

● 73450 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Polycarbonato Trans.




VERNO

● 73440 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Polycarbonato Trans.




VERNO

● 73460 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Polycarbonato Trans.





BLUB'S — Estudi Ribaudí 

● **74433S-03** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.330
SUSPENDED



P.344
WALL



MISTU — Faro Lab 

● **74433S-02** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.330
SUSPENDED



P.344
WALL



MUFFIN — Àlex & Manel Lluscà 

● **74433S-04** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




P.330
SUSPENDED



P.344
WALL



BLUB'S — Estudi Ribaudí 


● **74434B-03** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.315
POLE



MISTU — Faro Lab 


● **74434B-02** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.314
POLE



MUFFIN — Àlex & Manel Lluscà 


● **74434B-04** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.314
POLE





MOON — Faro Lab 

● 74433S-01 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.330
SUSPENDED



P.344
WALL




MOON — Faro Lab 

● 74434B-01 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



NALA


● 70772 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



P.351
WALL




SETE

● 75521 dark grey/gris oscuro

LED SMD 6W 3000K 155lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal





OUTDOOR FLOOR / SUELO

MILA

● 70771 dark grey/gris oscuro

LED SMD 18W 4000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




SURAT

● 72310 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



GROW

— Estudi Ribaudi






● 71206 dark grey/gris oscuro

LED SMD 9W 3000K 720lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Polycarbonate/Polycarbonato
Transparente

IP65  100- 50/
240V 60Hz 






● 71207 dark grey/gris oscuro

LED SMD 9W 3000K 720lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Polycarbonate/Polycarbonato
Transparente


IP65  100- 50/
240V 60Hz 




Flowerpot accessory

● 71208 dark grey/gris oscuro

Body Polycarbonate/Polycarbonato



BU-OH!

— Estudi Ribaudí 




● 71213 dark grey/gris oscuro

LED SMD 12W 3000K 310lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP65  100- 50/
240V 60Hz 






● 71214 dark grey/gris oscuro

LED SMD 12W 3000K 310lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP65  100- 50/
240V 60Hz 



OUTDOOR FLOOR / SUELO

P.312
POLE



P.355
WALL








NAYA


● 71199 dark grey/gris oscuro

LED SMD 8W 3000K 80lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP54  100- 50/ 240V 60Hz  



AGRA


● 70753 dark grey/gris oscuro


● 70754 rust brown/marrón óxido

LED COB 9W 3000K 420lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP55  100- 50/ 240V 60Hz 



AGRA



● 70755 dark grey/gris oscuro


● 70756 rust brown/marrón óxido

LED COB 9W 3000K 420lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP55  100- 50/ 240V 60Hz 






NAYA


● 71198 dark grey/gris oscuro

LED SMD 8W 3000K 80lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP54  100- 50/ 240V 60Hz  






ALP

● 74451 dark grey/gris oscuro

LED SMD 7W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal




ALP

● 74452 dark grey/gris oscuro

LED SMD 7W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal





DAS



● 75519 dark grey/gris oscuro

LED COB 8W 3000K 480lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



P.354
WALL





DAS

● 75520 dark grey/gris oscuro

LED COB 8W 3000K 480lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente







NOBORU



● 70576 dark grey/gris oscuro

LED COB 16W 3000K 690lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65  IK08 100-240V 50/60Hz 



MAUREN

● 70993 brass/latón

E27 MAX 15W LED ✗ [17463]

Body Brass/Latón

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE  MADE IN EU  IP44 







SPY-1



● 70782 dark grey/gris oscuro

LED COB 6W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65  220-240V 50Hz 





SPY-2



● 70783 dark grey/gris oscuro

LED COB 6W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65  220-240V 50Hz 





SHADOW



— Àlex&Manel Lluscà 


● 72312 dark grey/gris oscuro

LED SMD 11W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal glass/Cristal Opal

IP65  100- 50/
240V 60Hz 






● 72311 dark grey/gris oscuro

LED SMD 10W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal glass/Cristal Opal

IP65  100- 50/
240V 60Hz 





GINA

● **71352** dark grey/gris oscuro

GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



KLAMP — Àlex & Manel Llusca 

● **74411** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal






CHANDRA

● **72298** dark grey/gris oscuro

LED COB 7W 3000K 195lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal





SOLAR

Solar selection/Selección solar



SAURA

● 70774 dark grey/gris oscuro


LED SMD 2W 3000K 225lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal



2.5h Worktime
6/8h Charge lithium battery ✓




SOLEIL

● 70785 dark grey/gris oscuro

LED SMD 2W 3000K 140lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal





P.291
BOLLARD



P.340
WALL



TRAM — Estudi Ribaudí



● **75532** dark grey/gris oscuro

LED SMD 42W 3000K 3000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP55 100- 50/
240V 60Hz



P.294
BOLLARD



P.346
WALL



DATNA — Àlex & Manel Llusca



● **74444E** dark grey/gris oscuro

LED SMD 37W 3000K 2700lm CRI85 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 100- 50/
240V 60Hz



P.303
BOLLARD



P.355
WALL



BU-OH! — Estudi Ribaudí







● **71209** dark grey/gris oscuro

LED SMD 42W 3000K 2700lm CRI-80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP65 100- 50/
240V 60Hz







P.300
BOLLARD



P.330
SUSPENDED



P.344
WALL



MISTU — Faro Lab 

● **74435F2-02** dark grey/gris oscuro

2 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




MISTU — Faro Lab 

● **74436F3-02** dark grey/gris oscuro

3 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.330
SUSPENDED



P.344
WALL




MUFFIN — Àlex & Manel Llusca 

● **74435F2-04** dark grey/gris oscuro

2 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal







MUFFIN — Àlex & Manel Llusçà 

● 74436F3-04 dark grey/gris oscuro

3 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




BLUB'S — Estudi Ribaudí 

● 74435F2-03 dark grey/gris oscuro

2 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD




P.330
SUSPENDED



P.344
WALL




BLUB'S — Estudi Ribaudí 

● 74436F3-03 dark grey/gris oscuro

3 E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal





P.297
BOLLARD



BERET

● **75524** dark grey/gris oscuro

LED SMD 16W 4000K 625lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 100-240V 50/60Hz **IK06**



P.297
BOLLARD





GROP

● **75602** dark grey/gris oscuro

LED SMD 27W 3000K 1300lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz




PLAZA

● **75607** dark grey/gris oscuro

LED SMD 24W 3000K 1120lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 **IK08** 100-240V 50/60Hz





P.331
SUSPENDED



P.347
WALL




OUTDOOR FLOOR / SUELO

NÁUTICA

● 71116 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente




NÁUTICA

● 71117 rust brown/marrón óxido

2 E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente




NÁUTICA

● 71118 rust brown/marrón óxido

3 E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente





SLOT




— Lucid 





● **70038** matt black/negro mate

LED 13W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



IP65  100- 50/ 240V 60HZ IK08  1 MT 





● **70036** matt black/negro mate

LED 13W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




IP65  100- 50/ 240V 60HZ IK08 





● **70037** matt black/negro mate

LED 13W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



IP65  100- 50/ 240V 60HZ IK08  1 MT 





● **70035** matt black/negro mate

LED 13W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65  100- 50/ 240V 60HZ IK08 





Spike&Projector
Estaca y Proyector



FLOW

— Alegre Design 

Spike accessory/ *Accesorio estaca*

● 71548 matt black/negro mate

● 71549 beige/beige

Body Steel/Acero



● 71548 matt black/negro mate


● 71549 beige/beige

GU10 MAX 8W LED ⊗ [97685327]

Body Polycarbonate/Polycarbonato

Diff Opal PMMA/PMMA Opal

SEA SIDE SUITABLE WALL & SPIKE IP65 2.5 MT





TONI — Alegre Design 

● 71528 matt black/negro mate


GU10 MAX 8W LED  [97685327]

Body PMMA

Diff Polycarbonate/Polycarbonato

SEA SIDE SUITABLE **WALL & SPIKE** **IP65**   2.5 MT

  160°
 180°






ALFA — Àlex & Manel Llusca 



● 70025 dark grey/gris oscuro

LED COB 13W 3000K 900lm CRI>80 Driver 

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65  100- 50/ 240V 60HZ  160°
 180°



PROJECT — Àlex&Manel Llusca 

● 71383 grey/gris


● 71390 dark grey/gris oscuro

GU10 MAX 8W LED  [97685327]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65   90° 340°
 95° 



PROJECT — Àlex&Manel Llusca 


● 71389 dark grey/gris oscuro

E27 PAR 38 MAX 15W LED  [17398]

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65   95° 340°







OKI

● 70160 dark grey/gris oscuro

LED COB 2W 3000K 110lm CRI>80
Driver ⓧ [98324015] [IP67:98111031]
Spike ⓧ [70525]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





OKO

● 70161 dark grey/gris oscuro

LED COB 20W 3000K 1400lm CRI>80 Driver ✓
Spike ⓧ [70525]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





PLOM

● 70912 dark grey/gris oscuro

LED CREE 8.5W 3000K 635lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal





LIT

● 70260 dark grey/gris oscuro

GU10 MAX 8W LED ⓧ [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





SHOW

● 71095 dark grey/gris oscuro

LED 10W 3000K 500lm CRI>80 Driver ✓
Spike ⓧ [70525]

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal






FOC

● 70156 dark grey/gris oscuro

LED COB 16W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




VIC

● 70581 dark grey/gris oscuro

LED SMD 55.5W 3000K 2400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




FOC

● 70157 dark grey/gris oscuro

LED COB 16W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





KARL

● 70261 dark grey/gris oscuro

LED SMD 13.5W 3000K 1100lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




TORAN


● 70140 dark grey/gris oscuro

LED SMD 3.8W 4000K 345lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



2 MT



KEW

● 70407 grey/gris


LED 6W 4000K 420lm CRI>80
Transformer 12VDC ✗ [98111031]

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent PMMA/PMMA Transparente



Very important: to be used only underwater
Importante: uso exclusivo sólo bajo el agua

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.








SETH-60


● 70226 matt black/negro mate

LED SMD 6W 2700K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent PMMA/PMMA Transparente

IP44  220-240V 50/60HZ   2 MT






SETH-28


● 70227 matt black/negro mate

LED SMD 6W 2700K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent PMMA/PMMA Transparente

IP44  220-240V 50/60HZ   2 MT







PICCOLA



— Faro Lab 

- 70245 matt black/negro mate
- 70246 matt white/blanco mate

LED SMD 6W 2700K 360lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP65  100-240V 50/60HZ IK08  1.5 MT



FOC


● 70159 dark grey/gris oscuro

LED COB 16W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

DIM **IP65** 220-240V 50/60HZ 90° 180° 0.5 MT



FOC



● 70158 dark grey/gris oscuro

LED COB 16W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

DIM **IP65** 220-240V 50/60HZ 90° 180° 0.5 MT



SOBEK


● 70151 matt black/negro mate

LED COB 7W 3000K 550lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 100-240V 50/60HZ IK06 0.2 MT



BALDER


● 70469 matt black/negro mate

LED SMD 3W 3000K 110lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP67 100-240V 50/60HZ 2 MT



PLOM


● 70913 dark grey/gris oscuro

LED CREE 7W 3000K 636lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60HZ 111-1° 45° 45°





ANDY

● 71613 satin gold/oro satinado

GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



TONO

● 73150 matt black/negro mate

GU10 MAX 8W LED ☒ [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente







GARTEN-4

● 73111 matt black/negro mate

E27 PAR 38 MAX 15W LED ☒ [17400]


Body Heat-Resistant ABS/ABS Termoresistente



GARTEN-1

● 73100 matt black/negro mate

Body Heat-Resistant ABS/ABS Termoresistente



Connection box T

● 75801 matt black/negro mate


Body PVC



Connection box

● 75800 matt black/negro mate

Body PVC






SCUBA NEW

● **75753** chrome/cromo

LED SMD 20W 3000K 3200lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316

Diff Opal polycarbonate/Policarbonato opal




SCUBA NEW

● **75754** chrome/cromo

LED SMD 36W 3000K 5400lm CRI>80 Driver ✓


Body 316 Stainless Steel/Acero Inox 316

Diff Opal polycarbonate/Policarbonato opal




Canopy accessory for wall & suspension/
Accesorio florón para aplique y suspensión

75755 matt black/negro mate



P.341
WALL





Suspended
Suspensión



MUFFIN — Àlex&Manel Lluscà



● **74427C-04** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 1.5 MT

P.300
BOLLARD



P.344
WALL



WILMA

● **75002** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]


Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44 1.5 MT

P.299
BOLLARD



P.345
WALL



NÁUTICA

○ **71106** white+copper/blanco+cobre

● **71108** brown+copper/marrón+cobre


● **71138** rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP33 1 MT

P.317
POLE



MOON — Faro Lab



● **74427C-01** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 1.5 MT

P.301
BOLLARD



P.344
WALL



BLUB'S — Estudi Ribaudí



● **74427C-03** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 1.5 MT

P.300
BOLLARD



P.344
WALL



MISTU — Faro Lab



● **74427C-02** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 1.5 MT

P.300
BOLLARD



P.344
WALL





NÁUTICA

● 71139 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



HONEY

● 73696 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente






ESTORIL

● 71143 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente




ESTORIL

● 71142 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente







TAMI

● 70799 dark grey/gris oscuro

LED COB 9W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





GOZ

● 70575 dark grey/gris oscuro

LED COB 9W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




OLOT

○ 71372 matt white/blanco mate

● 71374 dark grey/gris oscuro

GU10 MAX 8W LED ✗ [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




DAKRON

○ 70722 matt white/blanco mate

E27 MAX 15W LED ✗ [17463]

Body ABS
Diff Opal Polycarbonate/Policarbonato Opal




YEN

● 70690 grey/gris

E27 MAX 15W LED ✗ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal




TASA

● 70806 dark grey/gris oscuro

○ 70821 matt white/blanco mate

E27 MAX 15W LED ✗ [97687127]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





Ceiling
Techo

NEW **PALS**
— Faro Lab 

○ 70290 matt white/blanco mate


● 70291 dark grey/gris oscuro

E27 MAX 15W LED  [17463]

Body Aluminium/Aluminio


Diff Opal Glass/Cristal Opal

IP65 IK06  





Surface
Superficie

MASK— Lucid 

Anti corrosion

MASK has been designed to withstand the most extreme weather and atmospheric conditions. Thanks to the high quality of the aluminum and the surface protection treatments applied to it, we offer a 15-year guarantee, ensuring during this time the maximum surface protection against corrosion.





video





- 71279 dark grey/gris oscuro
- 71282 matt white/blanco mate

LED SMD 24W 3000K 550lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP65 IK06 100-240V 50/60Hz 



OUTDOOR SURFACE / SUPERFICIE



TWIST — Estudi Ribaudí 


● 71285 dark grey/gris oscuro

LED 10W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP65  100- 50/
240V 60Hz 



P.292
BOLLARDS




BLOCK — Àlex&Manel Llusca 


● 74139 grey/gris

G45 E27 MAX 15W LED ✕ [17463]

Body Concrete/Cemento

Diff Opal Glass/Cristal Opal


IP65  IK06 **SEA SIDE SUITABLE** 



P.289
BOLLARDS








HALF — Nahtrang 

- 71536 matt white/blanco mate
- 71537 dark grey/gris oscuro

LED SMD 13W 3000K 1350lm CRI>80 Driver ✓


Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65  100- 50/
 240V 60Hz 



OUTDOOR SURFACE / SUPERFICIE






SHELBY — Conillas 

● 75536 dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
 Policarbonato Opal+Transparente

IP44  100- 50/
 240V 60Hz 



P.293
 BOLLARD



TRAM — Estudi Ribaudí 

● 75529 dark grey/gris oscuro

○ 75533 matt white/blanco mate

E27 MAX 15W LED ✕ [17463]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44  

P.291
 BOLLARD



P.312
 POLE






SCUBA **NEW**

● 75751 chrome/cromo

LED SMD 36W 3000K 5400lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316

Diff Opal polycarbonate/Policarbonato opal





SCUBA **NEW**

● 75750 chrome/cromo

LED SMD 20W 3000K 3200lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316

Diff Opal polycarbonate/Policarbonato opal



Canopy accessory for wall & suspension/
Accesorio florón para aplique y suspensión

75755 matt black/negro mate

IP44



P.328
SUSPENDED







GIZA


● 70766 dark grey/gris oscuro

LED COB 15W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Trans. Polycarbonate/Polycarbonato Trans.

IP54  100- 50/ 240V 60Hz 



P.296 BOLLARD



KERALA


● 74453 dark grey/gris oscuro

LED SMD 13W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54  100- 50/ 240V 60Hz 



P.262 PORTABLE





ORWELL



● 75700 dark grey/gris oscuro

LED SMD 8W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54  220- 50/ 240V 60Hz 



ORWELL WIFI



● 75701 dark grey/gris oscuro

LED SMD 4-13W 3000K-6500K 95-480lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

 IP54   220- 50/ 240V 60Hz 





PLIM

● 71295 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Policarbonato Opal+Transparente

IP65 100- 50/
240V 60Hz IK08



PLIM

● 71296 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100- 50/
240V 60Hz





PLIM

● 71297 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Policarbonato Opal+Transparente

IP65 100- 50/
240V 60Hz IK08





MISTU — Faro Lab 

● 74432A-02 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.330
SUSPENDED



MOON — Faro Lab 

● 74432A-01 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.301
BOLLARD



P.330
SUSPENDED



MUFFIN — Àlex&Manel Llusca 

● 74432A-04 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




P.300
BOLLARD



P.330
SUSPENDED



BLUB'S — Estudi Ribaudí 

● 74432A-03 dark grey/gris oscuro

E27 MAX 15W LED ☒ [17437]


Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



P.300
BOLLARD



P.330
SUSPENDED






TOC

- 70780 matt white/blanco mate
- 70781 matt black/negro mate

LED SMD 8W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal



P.258
PORTABLES



OUTDOOR SURFACE / SUPERFICIE




WILMA

- 74998 dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal



P.299
BOLLARD




WILMA


- 75000 dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal



P.330
SUSPENDED




HONEY

- 73695 matt black/negro mate

E27 MAX 15W LED ✕ [17463]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



P.331
SUSPENDED






CERES — Àlex&Manel Llusca 

● 71607 matt black/negro mate

E27 MAX 15W LED ☒ [17437]

Body Aluminium/Aluminio
Out Diff Polycarbonate/Policarbonato
In Diff Opal Glass/Cristal Opal




ARGOT

● 71424 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente




DADO

● 71606 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



DATNA — Àlex&Manel Llusca 

● 74440 dark grey/gris oscuro

1xE27 MAX 15W LED ☒ [17463]


Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal



P.294
BOLLARD



P.312
POLE





NÁUTICA

● 71110 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



NÁUTICA

● 71128 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente





NÁUTICA



● 71129 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



P.330
SUSPENDED



P.317
POLE



ESTORIL

● 71140 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



ESTORIL

● 71141 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente




WALLY



● 74261 rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



P.331
SUSPENDED





NAHIR


● 70992 brass/latón

E27 MAX 15W LED ☒ [17463]

Body Brass/Latón

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE MADE IN EU IP44



TIMON


● 70996 brass/latón

E27 MAX 15W LED ☒ [17463]

Body Brass/Latón

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE MADE IN EU IP44





NORAY

● 70999 brass/latón

E27 MAX 15W LED ☒ [17463]

Body Brass/Latón
Diff Transparent Glass/Cristal Transparente



BORDA

● 70997 brass/latón

E27 MAX 15W LED ☒ [17463]

Body Brass/Latón
Diff Transparent Glass/Cristal Transparente






CABO

● 70998 brass/latón

E27 MAX 15W LED ☒ [17463]

Body Brass/Latón
Diff Transparent Glass/Cristal Transparente






HIKARI

● **71274** dark grey/gris oscuro

LED SMD 10W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100- 50/ 240V 60Hz



KUBICK


● **70689** dark grey/gris oscuro

● **70715** grey/gris

E27 MAX 15W LED ✗ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44




LUR

● **70827** dark grey/gris oscuro

LED SMD 12W 3000K 950lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 100- 50/ 240V 60Hz




SUN

● **70823** dark grey/gris oscuro

LED SMD 4.4W 3000K 275lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100- 50/ 240V 60Hz



TOM

○ **70665** matt white/blanco mate

● **70666** dark grey/gris oscuro

LED SMD 7W 3000K 400lm CRI>80 Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100- 50/ 240V 60Hz



TOM XL


● **70682** dark grey/gris oscuro

○ **70683** matt white/blanco mate

LED SMD 11W 3000K 600lm CRI>80 Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100- 50/ 240V 60Hz





NALA

● **70773** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



POMO

● **71306** dark grey/gris oscuro

2 E27 MAX 15W LED ☒ [17426]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




TAMASHI



● **71303** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17428]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



P.301 BOLLARD




PIVOT

○ **71304** matt white/blanco mate

● **71305** dark grey/gris oscuro

LED SMD 10W 3000K 500lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal








POL

● **70829** dark grey/gris oscuro

LED SMD 8W 3000K 550lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




MOL

● **70720** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]


Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal








TEJO

● 70573 dark grey/gris oscuro
 ○ 70573B matt white/blanco mate
 E27 MAX 15W LED ☒ [17463]
Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal
IP54 IK06  






NEGUS

● 70696 grey/gris
 E27 MAX 15W LED ☒ [17463]
Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal
IP54 IK10  







BONN

● 70697 dark grey/gris oscuro
 E27 MAX 15W LED ☒ [17463]
Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal
IP44  







FRED

● 70663 dark grey/gris oscuro
 ○ 70664 matt white/blanco mate
 LED SMD 7W 3000K 400lm Driver ✓
Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal
IP65 IK10  100- 50/ 240V 60Hz 






FRED XL

● 70667 dark grey/gris oscuro
 ○ 70668 matt white/blanco mate
 LED SMD 11W 3000K 600lm CRI>80 Driver ✓
Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal
IP65 IK10  100- 50/ 240V 60Hz 



NATRON

● 70887 dark grey/gris oscuro
 E27 MAX 15W LED ☒ [17437]
Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal
IP54 IK06  





CELA

● 72280 satin inox/inox satinado

E27 MAX 15W LED ☒ [17463]

Body 304 Stainless Steel/Acero Inox 304
Diff Opal Polycarbonate/Policarbonato Opal



CELA

● 72281 satin inox/inox satinado

E27 MAX 15W LED ☒ [17463]

Body 304 Stainless Steel/Acero Inox 304
Diff Opal Polycarbonate/Policarbonato Opal






FEDON

● 70714 satin inox/inox satinado

E27 MAX 15W LED ☒ [17463]

Body 304 Stainless Steel/Acero Inox 304
Diff Opal Polycarbonate/Policarbonato Opal



ESTAY

○ 72010 matt white/blanco mate

● 72011 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal



DERBY

○ 72002 matt white/blanco mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal






DERBY

○ 72000 matt white/blanco mate

● 72001 matt black/negro mate

E27 MAX 15W LED ☒ [17463]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal






ALP

● 74450 dark grey/gris oscuro

LED SMD 8W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal




AXEL

● 71272 matt white/blanco mate

● 71273 dark grey/gris oscuro

LED 6W 3000K 360lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





BRACKET


● 72272 dark grey/gris oscuro

LED SMD 6W 3000K 270lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal



P.305
BOLLARDS




FUTURE — Estudi Ribaudí

○ 71516 matt white/blanco mate

● 71517 dark grey/gris oscuro

E27 MAX 15W LED ✗ [17437]

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal



ÁNCORA—Àlex&Manel Llusçà

● 74401 dark grey/gris oscuro

E27 MAX 15W LED ✗ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal










CLAUSS

○ 70262 matt white/blanco mate

● 70263 dark grey/gris oscuro

LED SMD 7W 3000K 480lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal





BU-OH! — Estudi Ribaudi




- 71212 dark grey/gris oscuro
- 71215 matt white/blanco mate

LED SMD 12W 3000K 310lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100- 50/
 240V 60Hz



P.303
BOLLARD



P.312
POLE



OUTDOOR SURFACE / SUPERFICIE



P.291
BOLLARD



STICKER — Lucid





- 75540 dark grey/gris oscuro

LED SMD 13W 3000K 770lm CRI>80
 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP55 100- 50/
 240V 60Hz



LOTUS

— Estudi Ribaudí



video



○ 71222 matt white/blanco mate




● 71223 dark grey/gris oscuro

LED 18W 3000K 1120lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal


IP65  IK08 100- 50/
240V 60Hz 



P.290
BOLLARDS





VIEW — Estudi Ribaudí 

● 71519 dark grey/gris oscuro

E27 MAX 15W LED  [17463]

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal




QUART

● 70579 dark grey/gris oscuro

LED SMD 30W 3000K 1200lm CRI>80 Driver 

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal







DRAGMA — Àlex&Manel Llusçà 

● 71362L dark grey/gris oscuro

LED SMD 15W 3000K 500lm CRI>80 Driver 

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal






LAKO NEW

- 71909 matt white/blanco mate
- 71910 dark grey/gris oscuro
- 71911 brown/marrón

LED SMD 8W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




DORO NEW

- 71903 matt white/blanco mate
- 71904 dark grey/gris oscuro
- 71905 brown/marrón

LED SMD 20W 3000K 1800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente







DORO NEW

- 71906 matt white/blanco mate
- 71907 dark grey/gris oscuro
- 71908 brown/marrón

LED SMD 28W 3000K 2350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





DORO NEW

- 71900 matt white/blanco mate
- 71901 dark grey/gris oscuro
- 71902 brown/marrón

LED SMD 13W 3000K 1000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





TAKUA

- **71277** dark grey/gris oscuro
- **71308 NEW** matt white/blanco mate
- **71309 NEW** brown/marrón

LED SMD 10W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 IK06 100-240V 50/60Hz



OVAL

- **71276** dark grey/gris oscuro

LED COB 10W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 IK06 100-240V 50/60Hz






TANE

- **72269** dark grey/gris oscuro

LED SMD 7W 3000K 110lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 220-240V 50/60Hz



ADAY

- **70644** matt white/blanco mate
- **70645** dark grey/gris oscuro

LED SMD 6W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 IK08 100-240V 50/60Hz



ADAY

- **70646** matt white/blanco mate
- **70647** dark grey/gris oscuro

LED SMD 13W 3000K 787lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 IK08 220-240V 50/60Hz







WEST

- **70899** dark grey/gris oscuro

E27 MAX 15W LED ✗ [17437]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP54






WEST

● **70888** dark grey/gris oscuro

E27 MAX 15W LED [17437]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal




KAULA

● **70405** satin inox/inox satinado

LED SMD 9W 3000K 400lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal PMMA/PMMA Opal



KAULA

● **70406** satin inox/inox satinado

LED SMD 16W 3000K 650lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal PMMA/PMMA Opal




TOLUCA

● **71052** satin alum./aluminio satinado

LED SMD 16W 3000K 900lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




TACANA

● **71049** satin alum./aluminio satinado

LED SMD 24W 3000K 1700lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





TACOS

● **71064** satin alum./aluminio satinado

LED SMD 30W 3000K 2300lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente






LACE

● **70811** dark grey/gris oscuro

LED HIGH POWER 6W 4000K 315lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



BRUC

● **70828** dark grey/gris oscuro

LED 2 SMD 7W 3000K 830lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal







LING

● **70812** dark grey/gris oscuro

○ **70813** matt white/blanco mate

LED HIGH POWER 6W 4000K 315lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



LACRE

● **70802** dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




LOG

● **70264** dark grey/gris oscuro

LED SMD 9W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal



BLIND






○ **70267** matt white/blanco mate

● **70268** brown/marrón

● **70634** dark grey/gris oscuro

LED 6W 3000K 2x90lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





OLAN

- 70269 matt white/blanco mate
- 70270 rust brown/marrón óxido
- 70637 dark grey/gris oscuro

2 LED 6W 3000K 100lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 100- 50/
240V 60Hz



SUNSET

- 70686 matt white/blanco mate
- 70687 dark grey/gris oscuro

LED 2 SMD 3W 3000K 250lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP54 100- 50/
240V 60Hz






COBO

- 70404 dark grey/gris oscuro

LED COB 10W 4000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 220- 50/
240V 60Hz



THON

- 70283 matt black/negro mate

LED COB 15W 3000K 825lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP55 220- 50/
240V 60Hz



THON

- 70284 matt black/negro mate

LED COB 30W 3000K 1538lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP55 220- 50/
240V 60Hz







PROA — Àlex&Manel Llusà

- 74400 dark grey/gris oscuro

GU10 MAX 8W LED ✗ [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44





STEPS — Estudi Ribaudí




- 75502 matt white/blanco mate
- 75503 dark grey/gris oscuro

4 GU10 MAX 8W LED [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44 2 Blind Caps
 2 Tapas Ciegas



STEPS — Estudi Ribaudí




- 75500 matt white/blanco mate
- 75501 dark grey/gris oscuro

2 GU10 MAX 8W LED [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44 1 Blind Cap
 1 Tapa Ciega



KLAMP — Àlex&Manel Llusca




- 74407 dark grey/gris oscuro

GU10 MAX 8W LED [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44



KLAMP — Àlex&Manel Llusca




- 74408 dark grey/gris oscuro

2 GU10 MAX 8W LED [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44



P.309
 BOLLARDS






BRONX — Àlex&Manel Llusçà 

- 71194 brown/marrón
- 71195 matt white/blanco mate
- 71196 dark grey/gris oscuro

GU10 MAX 8W LED  [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente





KALA

- 70582 matt white/blanco mate
- 70583 dark grey/gris oscuro

LED SMD 16W 2700K 1200lm CRI>80 Driver 

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal





GUIZA

- 71278 dark grey/gris oscuro

LED SMD 8W 3000K 400lm CRI>80 Driver 

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente




SUMA

- 70749 dark grey/gris oscuro

2 E27 MAX 15W LED  [17463]

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal





CANON

- 70566N dark grey/gris oscuro
- 70567N matt white/blanco mate

LED HIGH POWER 4W 3000K 130lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP44 100- 50/ 240V 60Hz



NAIROBI

- 70830 matt white/blanco mate
- 70831 dark grey/gris oscuro
- 70832 rust brown/marrón óxido

LED 2 SMD 6W 3000K 190lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 100- 50/ 240V 60Hz






TINIA

- 71353 dark grey/gris oscuro

E27 MAX 15W LED ✗ [17063]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44



GINA

- 71363 dark grey/gris oscuro
- 71366 matt white/blanco mate
- 71367 matt black/negro mate

GU10 MAX 8W LED ✗ [97685327]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44



TAIMA

- 71388 dark grey/gris oscuro

LED SMD 6W 3000K 310lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 220- 50/ 240V 60Hz






WOOD

- 74455 dark grey/gris oscuro

LED SMD 11W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100- 50/ 240V 60Hz





ELE


● **74419** dark grey/gris oscuro

LED SMD 6W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54 100- 50/ 240V 60Hz



PILL

○ **70824** matt white/blanco mate

● **70825** dark grey/gris oscuro


● **70826** rust brown/marrón óxido

LED CREE 4W 3000K 110lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54 100- 50/ 240V 60Hz



DRAK


● **72330** Brass/latón

LED 6W 3000K 160lm CRI>80 Driver ✓

Body Brass/latón

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **IP44** 100- 50/ 240V 60Hz



BROW

○ **70408** matt white/blanco mate


● **70409** dark grey/gris oscuro


LED COB 3W 3000K 100lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato

Diff Opal PMMA/PMMA Opal

IP44 220- 50Hz 240V





KEENAN

● **70564** nickel/níquel

LED SMD 1W 6500K 80lm CRI>80

Gear **98101050**

Magnetic Transformer **⊗**

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **IP67** IK08 **III** 12V



KEENAN

● **70546** nickel/níquel

LED SMD 0,5W 6500K 20lm CRI>80

Gear **98101050**

Magnetic Transformer **⊗**

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **IP67** IK08 **III** 12V



KEENAN

● **70547** nickel/níquel

LED SMD 0,8W 6500K 40lm CRI>80




Gear **98101050**

Magnetic Transformer **⊗**

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **IP67** IK08 **III** 12V



LOTH

● **70285** matt black/negro mate

LED COB 6W 3000K 165lm CRI>80 Driver **✓**

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP67 IK10 100-240V 50/60Hz 2000Kg. 4409Lb.



LOTH


● **70286** matt black/negro mate

LED 2 COB 6W 3000K 235lm CRI>80 Driver **✓**

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP67 IK10 100-240V 50/60Hz 2000Kg. 4409Lb.



LOTH




● **70287** matt black/negro mate

LED 4 COB 3W 3000K 255lm CRI>80 Driver **✓**

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Policarbonato Opal

IP67 IK10 100-240V 50/60Hz 2000Kg. 4409Lb.





GRANT

● **70655** dark grey/gris oscuro

LED SMD 1W 3000K 65lm CRI>80 Driver ✓

Body ABS

Diff Transp. Polycarbonate/Policarbonato Transp.

SEA SIDE SUITABLE IP65 IK10 100-240V 50/60Hz



GRANT

● **70656** dark grey/gris oscuro

LED SMD 1W 3000K 65lm CRI>80 Driver ✓

Body ABS

Diff Transp. Polycarbonate/Policarbonato Transp.

SEA SIDE SUITABLE IP65 100-240V 50/60Hz



PATH

● **70508** dark grey/gris oscuro






○ **70501** matt white/blanco mate

LED SMD 9W 3000K 390lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Policarbonato Transp.

IP44 100-240V 50/60Hz





MUST

● **70657** dark grey/gris oscuro

LED SMD 2W 3000K 80lm CRI>80 Driver ✓

Body ABS

Diff Transp. Polycarbonate/Polycarbonato Transp.

SEA SIDE SUITABLE IP65 IK10



MUST

● **70658** dark grey/gris oscuro

LED SMD 3W 3000K 220lm CRI>80 Driver ✓

Body ABS

Diff Transp. Polycarbonate/Polycarbonato Transp.

SEA SIDE SUITABLE IP65 IK10



MUST




● **70659** dark grey/gris oscuro

LED SMD 4W 3000K 240lm CRI>80 Driver ✓

Body ABS

Diff Transp. Polycarbonate/Polycarbonato Transp.

SEA SIDE SUITABLE IP65 IK10



GRADA

● **70906** dark grey/gris oscuro

● **70907** rust brown/marrón óxido

LED SMD 3W 3000K 86lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54



GRADA

● **70908** dark grey/gris oscuro

● **70909** rust brown/marrón óxido

LED SMD 6W 3000K 208lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54



GRADA

● **70910** dark grey/gris oscuro




● **70911** rust brown/marrón óxido

LED SMD 12W 3000K 443lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP54






GALO

○ 70265 matt white/blanco mate

LED CREE 3W 3000K 200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 IK05 100-240V 50/60Hz 73x73




GALO

○ 70266 matt white/blanco mate

LED CREE 3W 3000K 200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 IK05 100-240V 50/60Hz 73x73



DANG


● 70446 matt black/negro mate

LED CREE 3W 3000K 80lm CRI>80 Driver ✗ [98324015]

Body Aluminium+316 Stainless Steel+Glass/
Aluminio+Acero Inox 316+Cristal
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK05 24Vdc

*Drivers info pag. 647



NASE

○ 70395 matt white/blanco mate


● 70398 dark grey/gris oscuro

LED SMD 2.9W 3000K 49lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Polycarbonato Transp.

IP44 220-240V 50/60Hz

92x87x80



NASE

○ 70396 matt white/blanco mate


● 70399 dark grey/gris oscuro

LED SMD 3W 3000K 49lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Polycarbonato Transp.

IP44 220-240V 50/60Hz

132x90x80



UVE


● 70397 dark grey/gris oscuro

LED SMD 2W 3000K 70lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Polycarbonato Transp.

IP44 IK08 220-240V 50/60Hz

ø78





OUTDOOR RECESSED / EMPOTRABLES

Recessed
Empotrables



FROL


● **70135** satin inox/inox satinado

LED SMD 0,8W 3000K 55lm CRI>80 Driver ✓

Body 304 Stainless Steel/Acero Inox 304

Diff Opal Polycarbonate/Polycarbonato Opal

IP65 220-240V 50/60Hz 92x92x50



GRON


● **70134** satin inox/inox satinado

LED SMD 1W 3000K 70lm CRI>80 Driver ✓

Body 304 Stainless Steel/Acero Inox 304

Diff Opal Polycarbonate/Polycarbonato Opal

IP65 220-240V 50/60Hz 105x66x50



STRIPE

● **72092** dark grey/gris oscuro


○ **72093** matt white/blanco mate

LED SMD 5W 3000K 50lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54 IK07 100-240V 50/60Hz 230x89



LISO

○ **71490** matt white/blanco mate


● **71491** matt black/negro mate

E27 MAX 15W LED [17463]

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP44 71482 230x89



Recessed box/Caja de empotrar

71482 ●



STRIPE

○ **72094** matt white/blanco mate


● **72095** dark grey/gris oscuro

LED SMD 5W 3000K 70lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP54 IK07 100-240V 50/60Hz 230x89



ESCA

○ **71480** matt white/blanco mate


● **71481** matt black/negro mate

E27 MAX 15W LED [17463]

Body Aluminium/Aluminio

Diff Opal Polycarbonate/Polycarbonato Opal

IP44 71482 230x89



Recessed box/Caja de empotrar

71482 ●




DART

- 70272 matt white/blanco mate
- 70273 matt black/negro mate

LED COB 2W 2700K 70lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato
Diff Transparent Glass/Cristal Transparente





Recessed box/Caja de empotrar

70276 black/negro

Surface box/Caja de superficie

70274 white/blanco

70275 black/negro




SPARK

- 70162 dark grey/gris oscuro
- 70163 matt white/blanco mate

LED SMD 5W 3000K 230lm CRI>80 Driver ✓



Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal



Recessed box/Caja de empotrar

70164 dark grey/gris oscuro

70165 matt white/blanco mate



SPARK

- 70164 dark grey/gris oscuro
- 70165 matt white/blanco mate

LED SMD 5W 3000K 100lm CRI>80 Driver ✓



Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal



Surface box/Caja de superficie

70164 dark grey/gris oscuro

70165 matt white/blanco mate




DART

- 70277 matt white/blanco mate
- 70278 matt black/negro mate

LED COB 5W 2700K 275lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato
Diff Transparent Glass/Cristal Transparente





Recessed box/Caja de empotrar

70281 black/negro

Surface box/Caja de superficie

70279 white/blanco

70280 black/negro





MINI RACING

● **70403** dark grey/gris oscuro


LED SMD 1W 4000K 30lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.

IP44 IK08 220-240V 50/60Hz

$\varnothing 76$



MINI CARTER

● **70402** dark grey/gris oscuro



LED SMD 1W 4000K 30lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transp. Polycarbonate/Polycarbonato Transp.

IP44 IK08 220-240V 50/60Hz

$\varnothing 76$



SOUN

● **70833** dark grey/gris oscuro

● **70834** matt white/blanco mate



LED SMD 5W 3000K 280lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 IK06 100-240V 50/60Hz

220x950655



SOUN

● **70900** dark grey/gris oscuro

● **70901** matt white/blanco mate



LED SMD 8W 3000K 630lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 IK06 100-240V 50/60Hz

183x225x70



STORE

● **70451** dark grey/gris oscuro


LED SMD 2W 2700K 90lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 IK10 100-240V 50/60Hz

98x160x85



FILTER

● **70450** dark grey/gris oscuro


LED 2W 2700K 75lm CRI>80 Driver ✓

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

IP65 IK10 100-240V 50/60Hz

98x160x85





SEDNA


● 70146 dark grey/gris oscuro

LED SMD 1W 3000K 30lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK08 100-240V 50/60Hz

80x75



SEDNA


● 70147 dark grey/gris oscuro

LED SMD 3W 3000K 90lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK08 100-240V 50/60Hz

125x58



SEDNA


● 70148 dark grey/gris oscuro

LED SMD 3W 3000K 90lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK08 100-240V 50Hz

128x112



NAT

● 70638 dark grey/gris oscuro



○ 70271 matt white/blanco mate

LED SMD 8W 3000K 330lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

IP65 IK08 100-240V 50/60Hz

215x65x70



HORUS



● 70155 grey/gris

LED SMD 4W 3000K 60lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

IP65 100-240V 50/60Hz

62x98



HORUS



● 70154 grey/gris

LED SMD 4W 3000K 60lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

IP65 IK08 100-240V 50/60Hz

62x98





GRUND

● 70726 satin inox/inox satinado

● 70730 anodized black/negro anodizado

LED HIGH POWER 2W 3000K 152lm CRI>90


Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316

Diff Transparent Glass/Cristal Transparente

*Drivers info pag. 647

SEA SIDE SUITABLE ANTI-GLARE IP67 IK08 III

700 mA
1000Kg. 2204Lb. $\varnothing 32$



GRUND

● 70728 satin inox/inox satinado

● 70731 anodized black/negro anodizado

LED COB 7W 3000K 420lm CRI>90


Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316

Diff Transparent Glass/Cristal Transparente

*Drivers info pag. 647

SEA SIDE SUITABLE ANTI-GLARE IP67 IK08 III

350 mA
1000Kg. 2204Lb. $\varnothing 60$



GRUND

● 70729 satin inox/inox satinado

● 70732 anodized black/negro anodizado

LED COB 13W 3000K 846lm CRI>90


Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316

Diff Transparent Glass/Cristal Transparente

*Drivers info pag. 647

SEA SIDE SUITABLE ANTI-GLARE IP67 IK08 III

350 mA
1000Kg. 2204Lb. $\varnothing 68$



CROSBY


● 70458N satin inox/inox satinado

LED HIGH POWER 2W 6000K 85lm CRI>80
Driver

Body 316 Stainless Steel/Acero Inox 316

Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08 120-240V 50/60Hz



CROSBY


● 70459N satin inox/inox satinado

LED HIGH POWER 2W 3000K 77lm CRI>80
Driver

Body 316 Stainless Steel/Acero Inox 316

Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08 120-240V 50/60Hz



CROSBY


● 70453 satin inox/inox satinado

LED HIGH POWER 2W 3000K 77lm CRI>80
Driver [98324015]

Body 316 Stainless Steel/Acero Inox 316

Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08 120-240V 50/60Hz



*Drivers info pag. 647




GRUND NEW

● **70733** satin inox/inox satinado
 ● **70735** anodized black/negro anodizado
 LED HIGH POWER 2W 2700K 100lm CRI>90
Body Aluminium+Stainless Steel 316/
 Aluminio+Acero Inoxidable 316
Diff Transparent Glass/Cristal Transparente
 *Drivers info pag. 647

SEA SIDE SUITABLE **ANTI-GLARE** **IP67** IK08

700 mA 1000Kg. 2204Lb. $\varnothing 32$




GRUND NEW

● **70734** satin inox/inox satinado
 ● **70736** anodized black/negro anodizado
 LED COB 7W 2700K 400lm CRI>90
Body Aluminium+Stainless Steel 316/
 Aluminio+Acero Inoxidable 316
Diff Transparent Glass/Cristal Transparente
 *Drivers info pag. 647

SEA SIDE SUITABLE **ANTI-GLARE** **IP67** IK08

350 mA 1000Kg. 2204Lb. $\varnothing 60$




CURTIS ASIMETRIC

● **70462N** satin inox/inox satinado
 LED HIGH POWER 2W 3000K 77lm CRI>80
 Driver
Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **IP67** IK08 100-240V 50/60Hz

Visit faro.es to consult how to install it.
 Visita faro.es para consultar su instalación.




KANE

● **70660** satin inox/inox satinado
 LED 3W 3000K 120lm CRI>80
Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente
 *Drivers info pag. 647

SEA SIDE SUITABLE **IP67** IK08 24 Vdc

1000Kg. 2204Lb. $\varnothing 40$




KANE

● **70661** satin inox/inox satinado
 LED 3W 3000K 120lm CRI>80
Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente
 *Drivers info pag. 647

SEA SIDE SUITABLE **IP67** IK08 24 Vdc

1000Kg. 2204Lb. $\varnothing 40$




KANE

● **70662** satin inox/inox satinado
 LED 3W 3000K 120lm CRI>80
Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente
 *Drivers info pag. 647

SEA SIDE SUITABLE **IP67** IK08 24 Vdc

1000Kg. 2204Lb. $\varnothing 40$





TRAS ORIENTABLE

● **71701** matt black/negro mate
 LED SMD 4W 3000K 462lm CRI>80
 1 Power Supply 24Vdc ☒ [98324020U] x max.
 4 units


Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

ORIENTABLE **IP67** IK09 71703

30° 30° 175x195x127

Recessed box/Caja de empotrar

● **71703** matt black/negro mate



TRAS

● **71702** matt black/negro mate
 LED SMD 8W 3000K 924lm CRI>80
 1 Power Supply 24Vdc ☒ [98324020U] x max.
 2 units


Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP67 IK09 71703 175x195x127

*Drivers info pag. 647

Recessed box/Caja de empotrar

● **71703** matt black/negro mate




TRAS NEW

● **71716** 13° matt black/negro mate
 ● **71717** 40° matt black/negro mate
 LED SMD 25W 3000K 2580lm CRI90
 1 Power Supply 24Vdc ☒ [98310228] x max.
 4 units

Body Aluminium+ABS/Aluminio+ABS
Diff Transparent Glass/Cristal Transparente

IP67 IK09 250x235x105

*Drivers info pag. 647





GEISER ORIENTABLE

● 70304 satin inox/inox satinado

GU10 MAX 8W ✘ [17324]


Cover 316 Stainless Steel/Acero Inox 316

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE

IP67 IK08 -20°/20°



GEISER ORIENTABLE 38°

● 70305 satin inox/inox satinado

LED COB 7W 3000K 400lm Driver ✔



Cover 316 Stainless Steel/Acero Inox 316

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE

IP67 IK08 -20°/20°



GEISER ORIENTABLE NEW

● 70310 satin inox/inox satinado

GU10 MAX 8W ✘ [97685327]


Cover 316 Stainless Steel/Acero Inox 316

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE

IP67 IK08 -20°/20° 2000Kg. 4409Lb.



GEISER ORIENTABLE

● 70302 10° satin inox/inox satinado

● 70303 38° satin inox/inox satinado

LED COB 7W 3000K 400lm Driver ✔

Cover 316 Stainless Steel/Acero Inox 316


Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE

IP67 100-240V 50/60Hz IK08 -20°/20°

2000Kg. 4409Lb.



GEISER ORIENTABLE NEW

● 70308 10° satin inox/inox satinado

● 70309 38° satin inox/inox satinado

LED COB 15W 3000K 900lm Driver ✔

Cover 316 Stainless Steel/Acero Inox 316


Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE

IP67 100-240V 50/60Hz IK08 -20°/20°

2000Kg. 4409Lb.



GEISER ORIENTABLE

● 70306 10° satin inox/inox satinado

● 70307 38° satin inox/inox satinado

LED COB 29W 3000K 1800lm Driver ✔


Cover 316 Stainless Steel/Acero Inox 316

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE ORIENTABLE ANTI-GLARE IP67

100-240V 50/60Hz IK08 -25°/25° 2000Kg. 4409Lb.






SURIA-3

- 70588 24° satin inox/inox satinado
- 70592N 60° satin inox/inox satinado

LED COB 3W 3000K 175lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Outer ring 316 Stainless Steel/Acero Inox 316
Box Polycarbonate/Polycarbonato
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60Hz 1000Kg. 2204Lb.




SURIA-12

- 70589 24° satin inox/inox satinado
- 70593N 60° satin inox/inox satinado

LED COB 12W 3000K 1280lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Outer ring 316 Stainless Steel/Acero Inox 316
Box Polycarbonate/Polycarbonato
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60Hz 1000Kg. 2204Lb.




SURIA-24

- 70586 24° satin inox/inox satinado
- 70587 60° satin inox/inox satinado

LED COB 24W 3000K 1870lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Outer ring 316 Stainless Steel/Acero Inox 316
Box Polycarbonate/Polycarbonato
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60Hz 1000Kg. 2204Lb.




LED -18

- 71496N 6000K satin inox/inox satinado
- 71498N 3000K satin inox/inox satinado

LED HIGH POWER 3W 40lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60Hz 1000Kg. 2204Lb.




LED -18

- 71497N 6000K satin inox/inox satinado
- 71499N 3000K satin inox/inox satinado

LED HIGH POWER 3W 40lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08 220-240V 50/60Hz 1000Kg. 2204Lb.





SALT ASIMETRIC

● **70591** satin inox/inox satinado


LED COB 9W 3000K 500lm CRI90 Driver ✓

Body 316 Stainless Steel/Acero Inox 316

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60Hz

2000Kg. 4409Lb.



TARO

● **70449** satin inox/inox satinado


LED COB 7W 3000K 280lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60Hz

600Kg. 1322Lb.



EDEL

● **70455** satin inox/inox satinado

LED HIGH POWER 18W 4000K 900lm CRI>80 Driver ✗ [98324020U]

Body 316 Stainless Steel/Acero Inox 316


Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP68 IK08 24Vdc 50/60Hz

ø156

Very important: to be used only underwater
Importante: uso exclusivo sólo bajo el agua

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



TECNO-1

● **71483** satin inox/inox satinado


E27 MAX 15W LED ✗ [17463]

Body 316 Stainless Steel/Acero Inox 316

Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK08

2000Kg. 4409Lb.



TECNO-6

● **71489N** satin inox/inox satinado


GU10 MAX 8W LED ✗ [17324]

Body 316 Stainless Steel/Acero Inox 316

Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP67 IK08

2000Kg. 4409Lb.



LIO

● **71495** satin inox/inox satinado


GX53 6W 3000K 330lm ✓ [17340 100-240V]

Body 316 Stainless Steel/Acero Inox 316

Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE IP67 IK10

2000Kg. 4409Lb.





FALLS ORIENTABLE **NEW**


● 71730 satin inox/inox satinado

LED SMD 9W 3000K 672lm CRI90
Driver ☒ [98324031]

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

IP67
IK09
III
24 Vdc
1000Kg. 2204Lb.

310x52x100



FALLS ORIENTABLE **NEW**

● 71731 satin inox/inox satinado

LED SMD 9W 3000K 669lm CRI90
Driver ☒ [98324031]

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

IP67
IK09
III
24 Vdc
1000Kg. 2204Lb.

310x52x100



FALLS ORIENTABLE **NEW**


● 71732 satin inox/inox satinado

LED SMD 18W 3000K 1367lm CRI90
Driver ☒ [98324031]

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

IP67
IK09
III
24 Vdc
1000Kg. 2204Lb.

520x53x100



FALLS ORIENTABLE **NEW**


● 71733 satin inox/inox satinado

LED SMD 18W 3000K 1413lm CRI90
Driver ☒ [98324031]

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

IP67
IK09
III
24 Vdc
1000Kg. 2204Lb.

520x53x100





FALLS **NEW**


● 71734 satin inox/inox satinado

LED SMD 6W 2700K 190lm CRI90
Driver ☒ [98324031]

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

IP67 IK09 24 Vdc 1000Kg. 2204Lb.

310x52x100



OUTDOOR RECESSED / EMPOTRABLES



FALLS **NEW**


● 71735 satin inox/inox satinado

LED SMD 6W 3000K 200lm CRI90
Driver ☒ [98324031]

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

IP67 IK09 24 Vdc 1000Kg. 2204Lb.

310x52x100



FALLS **NEW**


● 71736 satin inox/inox satinado

LED SMD 11W 2700K 291lm CRI90
Driver ☒ [98324031]

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

IP67 IK09 24 Vdc 1000Kg. 2204Lb.

520x53x100



FALLS **NEW**


● 71737 satin inox/inox satinado

LED SMD 11W 3000K 316lm CRI90
Driver ☒ [98324031]

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

IP67 IK09 24 Vdc 1000Kg. 2204Lb.

520x53x100





Espacio Princesa 52. *Barcelona.*

Let's Work



- / 01 Lighting consultancy
- / 02 Conceptualization and development
- / 03 Special requests

At your service
proyectos@faro.es



Smart Lighting

CASAMBI

Create scenes, regulate light intensity and much more in a simple way, contributing to energy saving and providing Well-being to the user.



Colin

Cylinder

Deep

Fuga

Optic

Sigma

Synch

Teko

Ledstrip

Multiple features
Múltiples funcionalidades



On/Off

Grouping

Scenes

Animation


Gallery

Intensity


Calendar

Timer

Sunrise
& Sunset



Surface *Superficie*



Recessed *Empotrable*

Tracks are available for recessed, suspended and surface installation.

Los carriles están disponibles para instalación empotrada, suspendida y de superficie.



Suspended *Suspendida*





Neso



Neso is a magnetic track system that allows you to combine different types of luminaires for both general and accent lighting.


1

Choose your Neso track
Escoge tu carril Neso



2

Join them to build continuous lines
Únelos para construir líneas continuas



MECHANICAL CONNECTOR
For surface, pendant and recessed.
Para superficie, colgante y empotrado.



L AND T ACCESSORIES INNER AND OUTER CORNERS
For surface, pendant and recessed.
Para superficie, colgante y empotrado.



INPUT TERMINAL
Necessary for recessed track.
Necesario para carril empotrado.

3

Turn your Neso track surface into pendant
Convierte tu carril Neso superficie en colgante

4

Add luminaires to your Neso track
Añade luminarias a tu carril Neso



Magnetic fixing

Neso allows the integration of lighting in any type of architecture. The luminaires are attached to the rail by means of magnets. This makes it very easy to change their position. Imagination and creativity to power!


Neso permite la integración de la iluminación en cualquier tipo de arquitectura. las luminarias se fijan al carril mediante imanes. Esto hace que sea muy fácil cambiarlas de posición. ¡Imaginación y creatividad al poder!



Track Recessed

| | | |
|---------------|-------------|---|
| Track 1m | 5020120102 | ● |
| Track 1m Dali | 5020120102D | ● |
| Track 2m | 5020120202 | ● |
| Track 2m Dali | 5020120202D | ● |

IP20 | III | SE LV | 24V




Accessories



Input terminal

| | | |
|------|-------------|---|
| | 5020221402 | ● |
| Dali | 5020221402D | ● |



Mechanical connector

| | | |
|--|------------|---|
| | 5020200102 | ● |
|--|------------|---|

Power supply

| | | |
|------|-----------|---|
| 120W | 98324120 | ● |
| 180W | 98324180 | ● |
| 150W | 98324150U | ● |




L

| | | |
|-----|-------------|---|
| | 5020221002 | ● |
| ali | 5020221002D | ● |



T

| | | |
|-----|-------------|---|
| | 5020221102 | ● |
| ali | 5020221102D | ● |



Inner corner

| | | |
|-----|-------------|---|
| | 5020221202 | ● |
| ali | 5020221202D | ● |

Outer corner


| | | |
|-----|-------------|---|
| | 5020221302 | ● |
| ali | 5020221302D | ● |



Track Surface & Suspension

| | | |
|---------------|-------------|---|
| Track 1m | 5020110102 | ● |
| Track 1m Dali | 5020110102D | ● |
| Track 2m | 5020110202 | ● |
| Track 2m Dali | 5020110202D | ● |

IP20 | III | SE LV | 24V



Accessories



Mechanical connector

5020200102 ●



Driver box

5020210002 ●

ali 5020210002D ●



Pendant Kit for driver box

5020210202 ●

ali 5020210202D ●



SteelWire

5020210102 ●

Power supply

100W 98324120 ●

100W 98324180 ●


150W 98324150U ●



L

5020211002 ●

ali 5020211002D ●



T

5020211102 ●

ali 5020211102D ●



Inner corner

5020211202 ●

ali 5020211202D ●



Outer corner

5020211302 ●

ali 5020211302D ●



Input Terminal

5020210302 ●


Dali 5020210302D ●



Neso Point 3L

| | | P | BEAM | CCT | FLUX |
|------------|---|----|------|-------|-------|
| 5010192712 | ● | 4W | 12° | 2700K | 220lm |
| 5010192722 | ● | 4W | 34° | 2700K | 220lm |
| 5010193012 | ● | 4W | 12° | 3000K | 250lm |
| 5010193022 | ● | 4W | 34° | 3000K | 250lm |


LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 12°/34°



Neso Point 6L

| | | P | BEAM | CCT | FLUX |
|------------|---|----|------|-------|-------|
| 5010292712 | ● | 8W | 12° | 2700K | 490lm |
| 5010292722 | ● | 8W | 34° | 2700K | 490lm |
| 5010293012 | ● | 8W | 12° | 3000K | 510lm |
| 5010293022 | ● | 8W | 34° | 3000K | 510lm |

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 12°/34°



*DALI option

Add a D at the end of the ref.



Neso Point 12L

| | | P | BEAM | CCT | FLUX |
|------------|---|-----|------|-------|-------|
| 5010392712 | ● | 16W | 12° | 2700K | 810lm |
| 5010392722 | ● | 16W | 34° | 2700K | 810lm |
| 5010393012 | ● | 16W | 12° | 3000K | 850lm |
| 5010393022 | ● | 16W | 34° | 3000K | 850lm |

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 12°/34°



*DALI option


Add a D at the end of the ref.



Neso Unik

| | | P | CCT | FLUX |
|------------|---|----|-------|-------|
| 5010892702 | ● | 5W | 2700K | 330lm |

LED | IP20 | III | SE LV | CRI>90 | 24V | incl.



*DALI option

Add a D at the end of the ref.





Neso Line 32cm

| | | P | CCT | FLUX |
|------------|---|-----|-------|-------|
| 5010492702 | ● | 13W | 2700K | 550lm |
| 5010493002 | ● | 13W | 3000K | 590lm |

LED | IP20 | III | SE LV | CRI>90 | 24V | incl.



***DALI option**


Add a D at the end of the ref.



Neso Line 64cm

| | | P | CCT | FLUX |
|------------|---|-----|-------|-------|
| 5010592702 | ● | 26W | 2700K | 930lm |
| 5010593002 | ● | 26W | 3000K | 970lm |

LED | IP20 | III | SE LV | CRI>90 | 24V | incl.



***DALI option**


Add a D at the end of the ref.



Neso Top

| | | P | BEAM | CCT | FLUX |
|------------|---|----|------|-------|-------|
| 5010692712 | ● | 5W | 20° | 2700K | 330lm |
| 5010692722 | ● | 5W | 40° | 2700K | 330lm |
| 5010693012 | ● | 5W | 20° | 3000K | 360lm |
| 5010693022 | ● | 5W | 40° | 3000K | 360lm |

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 20°/40°



***DALI option**

Add a D at the end of the ref.








Neso Hole

| | | P | BEAM | CCT | FLUX |
|------------|---|----|------|-------|-------|
| 5010792712 | ● | 5W | 20° | 2700K | 330lm |
| 5010792722 | ● | 5W | 40° | 2700K | 330lm |
| 5010793012 | ● | 5W | 20° | 3000K | 360lm |
| 5010793022 | ● | 5W | 40° | 3000K | 360lm |

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 20°/40°



***DALI option**


Add a D at the end of the ref.



Neso Hole NEW

| | | P | BEAM | CCT | FLUX |
|------------|---|-----|------|-------|-------|
| 5010802712 | ● | 10W | 18° | 2700K | 705lm |
| 5010803012 | ● | 10W | 36° | 2700K | 705lm |
| 5010802722 | ● | 10W | 18° | 3000K | 735lm |
| 5010803022 | ● | 10W | 36° | 3000K | 735lm |

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 18°/36°



***DALI option**


Add a D at the end of the ref.






Fuga


Fuga **Small**



Fuga **Medium**



Fuga **Large**






Fuga Small 7W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|----|-----|------|-------|-------|
| 011100101 | ○ | 7W | 82 | 24° | 2700K | 600lm |
| 011100102 | ● | 7W | 82 | 24° | 2700K | 600lm |
| 011100201 | ○ | 7W | 82 | 60° | 2700K | 600lm |
| 011100202 | ● | 7W | 82 | 60° | 2700K | 600lm |
| 011100301 | ○ | 7W | 85 | 24° | 3000K | 650lm |
| 011100302 | ● | 7W | 85 | 24° | 3000K | 650lm |
| 011100401 | ○ | 7W | 85 | 60° | 3000K | 650lm |
| 011100402 | ● | 7W | 85 | 60° | 3000K | 650lm |
| 011100501 | ○ | 7W | 85 | 24° | 4000K | 700lm |
| 011100502 | ● | 7W | 85 | 24° | 4000K | 700lm |
| 011100601 | ○ | 7W | 85 | 60° | 4000K | 700lm |
| 011100602 | ● | 7W | 85 | 60° | 4000K | 700lm |


Fuga Small 12W

| | | | | | | |
|-----------|---|-----|----|-----|-------|--------|
| 011100701 | ○ | 12W | 82 | 24° | 2700K | 1050lm |
| 011100702 | ● | 12W | 82 | 24° | 2700K | 1050lm |
| 011100801 | ○ | 12W | 82 | 60° | 2700K | 1050lm |
| 011100802 | ● | 12W | 82 | 60° | 2700K | 1050lm |
| 011100901 | ○ | 12W | 85 | 24° | 3000K | 1100lm |
| 011100902 | ● | 12W | 85 | 24° | 3000K | 1100lm |
| 011101001 | ○ | 12W | 85 | 60° | 3000K | 1100lm |
| 011101002 | ● | 12W | 85 | 60° | 3000K | 1100lm |
| 011101101 | ○ | 12W | 85 | 24° | 4000K | 1150lm |
| 011101102 | ● | 12W | 85 | 24° | 4000K | 1150lm |
| 011101201 | ○ | 12W | 85 | 60° | 4000K | 1150lm |
| 011101202 | ● | 12W | 85 | 60° | 4000K | 1150lm |




*TRIAC option 12W

Add a C at the end of the ref.



Fuga Medium 12W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 011200101 | ○ | 12W | 82 | 24° | 2700K | 950lm |
| 011200102 | ● | 12W | 82 | 24° | 2700K | 950lm |
| 011200201 | ○ | 12W | 82 | 60° | 2700K | 950lm |
| 011200202 | ● | 12W | 82 | 60° | 2700K | 950lm |
| 011200301 | ○ | 12W | 85 | 24° | 3000K | 1000lm |
| 011200302 | ● | 12W | 85 | 24° | 3000K | 1000lm |
| 011200401 | ○ | 12W | 85 | 60° | 3000K | 1000lm |
| 011200402 | ● | 12W | 85 | 60° | 3000K | 1000lm |
| 011200501 | ○ | 12W | 85 | 24° | 4000K | 1100lm |
| 011200502 | ● | 12W | 85 | 24° | 4000K | 1100lm |
| 011200601 | ○ | 12W | 85 | 60° | 4000K | 1100lm |
| 011200602 | ● | 12W | 85 | 60° | 4000K | 1100lm |



*DALI option


Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Fuga Medium 18W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 011200701 | ○ | 18W | 82 | 24° | 2700K | 1450lm |
| 011200702 | ● | 18W | 82 | 24° | 2700K | 1450lm |
| 011200801 | ○ | 18W | 82 | 60° | 2700K | 1450lm |
| 011200802 | ● | 18W | 82 | 60° | 2700K | 1450lm |
| 011200901 | ○ | 18W | 85 | 24° | 3000K | 1500lm |
| 011200902 | ● | 18W | 85 | 24° | 3000K | 1500lm |
| 011201001 | ○ | 18W | 85 | 60° | 3000K | 1500lm |
| 011201002 | ● | 18W | 85 | 60° | 3000K | 1500lm |
| 011201101 | ○ | 18W | 85 | 24° | 4000K | 1600lm |
| 011201102 | ● | 18W | 85 | 24° | 4000K | 1600lm |
| 011201201 | ○ | 18W | 85 | 60° | 4000K | 1600lm |
| 011201202 | ● | 18W | 85 | 60° | 4000K | 1600lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Fuga Medium 17W

CRI95

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 011201301 | ○ | 17W | 95 | 24° | 2700K | 1250lm |
| 011201302 | ● | 17W | 95 | 24° | 2700K | 1250lm |
| 011201401 | ○ | 17W | 95 | 60° | 2700K | 1250lm |
| 011201402 | ● | 17W | 95 | 60° | 2700K | 1250lm |
| 011201501 | ○ | 17W | 95 | 24° | 3000K | 1300lm |
| 011201502 | ● | 17W | 95 | 24° | 3000K | 1300lm |
| 011201601 | ○ | 17W | 95 | 60° | 3000K | 1300lm |
| 011201602 | ● | 17W | 95 | 60° | 3000K | 1300lm |
| 011201701 | ○ | 17W | 95 | 24° | 4000K | 1400lm |
| 011201702 | ● | 17W | 95 | 24° | 4000K | 1400lm |
| 011201801 | ○ | 17W | 95 | 60° | 4000K | 1400lm |
| 011201802 | ● | 17W | 95 | 60° | 4000K | 1400lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Fuga Medium 24W

CRI95

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 011201901 | ○ | 24W | 95 | 24° | 2700K | 1800lm |
| 011201902 | ● | 24W | 95 | 24° | 2700K | 1800lm |
| 011202001 | ○ | 24W | 95 | 60° | 2700K | 1800lm |
| 011202002 | ● | 24W | 95 | 60° | 2700K | 1800lm |
| 011202101 | ○ | 24W | 95 | 24° | 3000K | 1850lm |
| 011202102 | ● | 24W | 95 | 24° | 3000K | 1850lm |
| 011202201 | ○ | 24W | 95 | 60° | 3000K | 1850lm |
| 011202202 | ● | 24W | 95 | 60° | 3000K | 1850lm |
| 011202301 | ○ | 24W | 95 | 24° | 4000K | 1950lm |
| 011202302 | ● | 24W | 95 | 24° | 4000K | 1950lm |
| 011202401 | ○ | 24W | 95 | 60° | 4000K | 1950lm |
| 011202402 | ● | 24W | 95 | 60° | 4000K | 1950lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Fuga Medium 28W

HIGH EFFICIENCY LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 011202501 | ○ | 28W | 82 | 24° | 2700K | 2000lm |
| 011202502 | ● | 28W | 82 | 24° | 2700K | 2000lm |
| 011202601 | ○ | 28W | 82 | 60° | 2700K | 2000lm |
| 011202602 | ● | 28W | 82 | 60° | 2700K | 2000lm |
| 011202701 | ○ | 28W | 85 | 24° | 3000K | 2050lm |
| 011202702 | ● | 28W | 85 | 24° | 3000K | 2050lm |
| 011202801 | ○ | 28W | 85 | 60° | 3000K | 2050lm |
| 011202802 | ● | 28W | 85 | 60° | 3000K | 2050lm |
| 011202901 | ○ | 28W | 85 | 24° | 4000K | 2150lm |
| 011202902 | ● | 28W | 85 | 24° | 4000K | 2150lm |
| 011203001 | ○ | 28W | 85 | 60° | 4000K | 2150lm |
| 011203002 | ● | 28W | 85 | 60° | 4000K | 2150lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Fuga Medium 28W

FOOD LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|----------|--------|
| 011203101 | ○ | 28W | 85 | 24° | fruits ● | 1600lm |
| 011203102 | ● | 28W | 85 | 24° | fruits ● | 1600lm |
| 011203201 | ○ | 28W | 85 | 60° | fruits ● | 1600lm |
| 011203202 | ● | 28W | 85 | 60° | fruits ● | 1600lm |
| 011203301 | ○ | 28W | 85 | 24° | fish ● | 1700lm |
| 011203302 | ● | 28W | 85 | 24° | fish ● | 1700lm |
| 011203401 | ○ | 28W | 85 | 60° | fish ● | 1700lm |
| 011203402 | ● | 28W | 85 | 60° | fish ● | 1700lm |
| 011203501 | ○ | 28W | 70 | 24° | meat ● | 1500lm |
| 011203502 | ● | 28W | 70 | 24° | meat ● | 1500lm |
| 011203601 | ○ | 28W | 70 | 60° | meat ● | 1500lm |
| 011203602 | ● | 28W | 70 | 60° | meat ● | 1500lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option 21W**

Add a D at the end of the ref.

***DALI option 28W**

Add a D at the end of the ref.

Fuga Medium 21W


RETAIL LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 011203701 | ○ | 21W | 95 | 24° | 3100K | 1300lm |
| 011203702 | ● | 21W | 95 | 24° | 3100K | 1300lm |
| 011203801 | ○ | 21W | 95 | 56° | 3100K | 1300lm |
| 011203802 | ● | 21W | 95 | 56° | 3100K | 1300lm |

Fuga Medium 28W

RETAIL LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 011203901 | ○ | 28W | 95 | 24° | 3100K | 1800lm |
| 011203902 | ● | 28W | 95 | 24° | 3100K | 1800lm |
| 011204001 | ○ | 28W | 95 | 56° | 3100K | 1800lm |
| 011204002 | ● | 28W | 95 | 56° | 3100K | 1800lm |



***TRIAC option 21W**

Add a C at the end of the ref.

***TRIAC option 28W**


Add a C at the end of the ref.

***CASAMBI option 21W**

Add a W at the end of the ref.

***CASAMBI option 28W**

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Fuga Large 18W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 011300101 | ○ | 18W | 82 | 24° | 2700K | 1350lm |
| 011300102 | ● | 18W | 82 | 24° | 2700K | 1350lm |
| 011300201 | ○ | 18W | 82 | 60° | 2700K | 1350lm |
| 011300202 | ● | 18W | 82 | 60° | 2700K | 1350lm |
| 011300301 | ○ | 18W | 85 | 24° | 3000K | 1400lm |
| 011300302 | ● | 18W | 85 | 24° | 3000K | 1400lm |
| 011300401 | ○ | 18W | 85 | 60° | 3000K | 1400lm |
| 011300402 | ● | 18W | 85 | 60° | 3000K | 1400lm |
| 011300501 | ○ | 18W | 85 | 24° | 4000K | 1500lm |
| 011300502 | ● | 18W | 85 | 24° | 4000K | 1500lm |
| 011300601 | ○ | 18W | 85 | 60° | 4000K | 1500lm |
| 011300602 | ● | 18W | 85 | 60° | 4000K | 1500lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Fuga Large 25W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 011300701 | ○ | 25W | 82 | 24° | 2700K | 1850lm |
| 011300702 | ● | 25W | 82 | 24° | 2700K | 1850lm |
| 011300801 | ○ | 25W | 82 | 60° | 2700K | 1850lm |
| 011300802 | ● | 25W | 82 | 60° | 2700K | 1850lm |
| 011300901 | ○ | 25W | 85 | 24° | 3000K | 1900lm |
| 011300902 | ● | 25W | 85 | 24° | 3000K | 1900lm |
| 011301001 | ○ | 25W | 85 | 60° | 3000K | 1900lm |
| 011301002 | ● | 25W | 85 | 60° | 3000K | 1900lm |
| 011301101 | ○ | 25W | 85 | 24° | 4000K | 2000lm |
| 011301102 | ● | 25W | 85 | 24° | 4000K | 2000lm |
| 011301201 | ○ | 25W | 85 | 60° | 4000K | 2000lm |
| 011301202 | ● | 25W | 85 | 60° | 4000K | 2000lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Fuga Large 36W

CRI95

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 011301901 | ○ | 36W | 95 | 24° | 2700K | 2800lm |
| 011301902 | ● | 36W | 95 | 24° | 2700K | 2800lm |
| 011302001 | ○ | 36W | 95 | 60° | 2700K | 2800lm |
| 011302002 | ● | 36W | 95 | 60° | 2700K | 2800lm |
| 011302101 | ○ | 36W | 95 | 24° | 3000K | 2850lm |
| 011302102 | ● | 36W | 95 | 24° | 3000K | 2850lm |
| 011302201 | ○ | 36W | 95 | 60° | 3000K | 2850lm |
| 011302202 | ● | 36W | 95 | 60° | 3000K | 2850lm |
| 011302301 | ○ | 36W | 95 | 24° | 4000K | 2950lm |
| 011302302 | ● | 36W | 95 | 24° | 4000K | 2950lm |
| 011302401 | ○ | 36W | 95 | 60° | 4000K | 2950lm |
| 011302402 | ● | 36W | 95 | 60° | 4000K | 2950lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



*DALI option

Add a D at the end of the ref.

Fuga Large 41W

HIGH EFFICIENCY LED

| | | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|----|-----|-------|--------|------|
| 011301301 | ○ | 41W | 82 | 24° | 2700K | 2950lm | |
| 011301302 | ● | 41W | 82 | 24° | 2700K | 2950lm | |
| 011301401 | ○ | 41W | 82 | 60° | 2700K | 2950lm | |
| 011301402 | ● | 41W | 82 | 60° | 2700K | 2950lm | |
| 011301501 | ○ | 41W | 85 | 24° | 3000K | 3000lm | |
| 011301502 | ● | 41W | 85 | 24° | 3000K | 3000lm | |
| 011301601 | ○ | 41W | 85 | 60° | 3000K | 3000lm | |
| 011301602 | ● | 41W | 85 | 60° | 3000K | 3000lm | |
| 011301701 | ○ | 41W | 85 | 24° | 4000K | 3100lm | |
| 011301702 | ● | 41W | 85 | 24° | 4000K | 3100lm | |
| 011301801 | ○ | 41W | 85 | 60° | 4000K | 3100lm | |
| 011301802 | ● | 41W | 85 | 60° | 4000K | 3100lm | |




*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



*DALI option 29W

Add a D at the end of the ref.

*DALI option 41W

Add a D at the end of the ref.

Fuga Large 29W


FOOD LIGHTING LED

| | | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|----|-----|--------|--------|------|
| 011302501 | ○ | 29W | 85 | 24° | fruits | 1600lm | |
| 011302502 | ● | 29W | 85 | 24° | fruits | 1600lm | |
| 011302601 | ○ | 29W | 85 | 60° | fruits | 1600lm | |
| 011302602 | ● | 29W | 85 | 60° | fruits | 1600lm | |
| 011302701 | ○ | 29W | 85 | 24° | fish | 1700lm | |
| 011302702 | ● | 29W | 85 | 24° | fish | 1700lm | |
| 011302801 | ○ | 29W | 85 | 60° | fish | 1700lm | |
| 011302802 | ● | 29W | 85 | 60° | fish | 1700lm | |
| 011302901 | ○ | 29W | 70 | 24° | meat | 1500lm | |
| 011302902 | ● | 29W | 70 | 24° | meat | 1500lm | |
| 011303001 | ○ | 29W | 70 | 60° | meat | 1500lm | |
| 011303002 | ● | 29W | 70 | 60° | meat | 1500lm | |

Fuga Large 41W

FOOD LIGHTING LED

| | | | | | | |
|-----------|---|-----|----|-----|--------|--------|
| 011303101 | ○ | 41W | 85 | 24° | fruits | 2350lm |
| 011303102 | ● | 41W | 85 | 24° | fruits | 2350lm |
| 011303201 | ○ | 41W | 85 | 60° | fruits | 2350lm |
| 011303202 | ● | 41W | 85 | 60° | fruits | 2350lm |
| 011303301 | ○ | 41W | 85 | 24° | fish | 2450lm |
| 011303302 | ● | 41W | 85 | 24° | fish | 2450lm |
| 011303401 | ○ | 41W | 85 | 60° | fish | 2450lm |
| 011303402 | ● | 41W | 85 | 60° | fish | 2450lm |
| 011303501 | ○ | 41W | 70 | 24° | meat | 2250lm |
| 011303502 | ● | 41W | 70 | 24° | meat | 2250lm |
| 011303601 | ○ | 41W | 70 | 60° | meat | 2250lm |
| 011303602 | ● | 41W | 70 | 60° | meat | 2250lm |



*TRIAC option 29W

Add a C at the end of the ref.

*TRIAC option 41W


Add a C at the end of the ref.

*CASAMBI option 29W

Add a W at the end of the ref.

*CASAMBI option 41W

Add a W at the end of the ref.



Fuga Large 29W

RETAIL LIGHTING LED

| | | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|----|-----|-------|--------|------|
| 011303701 | ○ | 29W | 95 | 24° | 3100K | 1800lm | |
| 011303702 | ● | 29W | 95 | 24° | 3100K | 1800lm | |
| 011303801 | ○ | 29W | 95 | 56° | 3100K | 1800lm | |
| 011303802 | ● | 29W | 95 | 56° | 3100K | 1800lm | |

Fuga Large 36W

RETAIL LIGHTING LED

| | | | | | | |
|-----------|---|-----|----|-----|-------|--------|
| 011303901 | ○ | 41W | 95 | 24° | 3100K | 2700lm |
| 011303902 | ● | 41W | 95 | 24° | 3100K | 2700lm |
| 011304001 | ○ | 41W | 95 | 56° | 3100K | 2700lm |
| 011304002 | ● | 41W | 95 | 56° | 3100K | 2700lm |

***DALI option 29W**

Add a D at the end of the ref.

***DALI option 41W**

Add a D at the end of the ref.

***TRIAC option 29W**

Add a C at the end of the ref.

***TRIAC option 41W**

Add a C at the end of the ref.

***CASAMBI option 29W**

Add a W at the end of the ref.


***CASAMBI option 41W**

Add a W at the end of the ref.




Sigma


• Sigma Nano



• Sigma Mini



410



Sigma Nano 10W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|-------|
| 011000102 | ● | 10W | 82 | 20° | 2700K | 600lm |
| 011000202 | ● | 10W | 82 | 56° | 2700K | 600lm |
| 011000302 | ● | 10W | 85 | 20° | 3000K | 650lm |
| 011000402 | ● | 10W | 85 | 56° | 3000K | 650lm |
| 011000502 | ● | 10W | 85 | 20° | 4000K | 700lm |
| 011000602 | ● | 10W | 85 | 56° | 4000K | 700lm |

Sigma Nano 15W

| | | | | | | |
|-----------|---|-----|----|-----|-------|--------|
| 011000702 | ● | 15W | 82 | 20° | 2700K | 1050lm |
| 011000802 | ● | 15W | 82 | 56° | 2700K | 1050lm |
| 011000902 | ● | 15W | 85 | 20° | 3000K | 1100lm |
| 011001002 | ● | 15W | 85 | 56° | 3000K | 1100lm |
| 011001102 | ● | 15W | 85 | 20° | 4000K | 1150lm |
| 011001202 | ● | 15W | 85 | 56° | 4000K | 1150lm |





*TRIAC option 15W

Add a C at the end of the ref.



Sigma Mini 12W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010900102 | ● | 12W | 82 | 20° | 2700K | 950lm |
| 010900202 | ● | 12W | 82 | 56° | 2700K | 950lm |
| 010900302 | ● | 12W | 85 | 20° | 3000K | 1000lm |
| 010900402 | ● | 12W | 85 | 56° | 3000K | 1000lm |
| 010900502 | ● | 12W | 85 | 20° | 4000K | 1100lm |
| 010900602 | ● | 12W | 85 | 56° | 4000K | 1100lm |



***DALI option**

Add a D at the end of the ref.

***TRIAC option**

Add a C at the end of the ref.


***CASAMBI option**

Add a W at the end of the ref.



Sigma Mini 18W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010900702 | ● | 18W | 82 | 20° | 2700K | 1450lm |
| 010900802 | ● | 18W | 82 | 56° | 2700K | 1450lm |
| 010900902 | ● | 18W | 85 | 20° | 3000K | 1500lm |
| 010901002 | ● | 18W | 85 | 56° | 3000K | 1500lm |
| 010901102 | ● | 18W | 85 | 20° | 4000K | 1600lm |
| 010901202 | ● | 18W | 85 | 56° | 4000K | 1600lm |



***DALI option**

Add a D at the end of the ref.

***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**



Add a W at the end of the ref.



Sigma Mini 17W

CRI95

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010901302 | ● | 17W | 95 | 20° | 2700K | 1250lm |
| 010901402 | ● | 17W | 95 | 56° | 2700K | 1250lm |
| 010901502 | ● | 17W | 95 | 20° | 3000K | 1300lm |
| 010901602 | ● | 17W | 95 | 56° | 3000K | 1300lm |
| 010901702 | ● | 17W | 95 | 20° | 4000K | 1400lm |
| 010901802 | ● | 17W | 95 | 56° | 4000K | 1400lm |



***DALI option**


Add a D at the end of the ref.

***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Sigma Mini 24W

CRI95

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010901902 | ● | 24W | 95 | 20° | 2700K | 1800lm |
| 010902002 | ● | 24W | 95 | 56° | 2700K | 1800lm |
| 010902102 | ● | 24W | 95 | 20° | 3000K | 1850lm |
| 010902202 | ● | 24W | 95 | 56° | 3000K | 1850lm |
| 010902302 | ● | 24W | 95 | 20° | 4000K | 1950lm |
| 010902402 | ● | 24W | 95 | 56° | 4000K | 1950lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Sigma Mini 24W

HIGH EFFICIENCY LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010902502 | ● | 24W | 82 | 20° | 2700K | 2000lm |
| 010902602 | ● | 24W | 82 | 56° | 2700K | 2000lm |
| 010902702 | ● | 24W | 85 | 20° | 3000K | 2050lm |
| 010902802 | ● | 24W | 85 | 56° | 3000K | 2050lm |
| 010902902 | ● | 24W | 85 | 20° | 4000K | 2150lm |
| 010903002 | ● | 24W | 85 | 56° | 4000K | 2150lm |



***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**



Add a W at the end of the ref.



Sigma Mini 27W

FOOD LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|----------|--------|
| 010903102 | ● | 27W | 85 | 20° | fruits ● | 1600lm |
| 010903202 | ● | 27W | 85 | 56° | fruits ● | 1600lm |
| 010903302 | ● | 27W | 85 | 20° | fish ● | 1700lm |
| 010903402 | ● | 27W | 85 | 56° | fish ● | 1700lm |
| 010903502 | ● | 27W | 70 | 20° | meat ● | 1500lm |
| 010903602 | ● | 27W | 70 | 56° | meat ● | 1500lm |



***DALI option**

Add a D at the end of the ref.

***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



Sigma Mini 20W



RETAIL LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010903702 | ● | 20W | 95 | 20° | 3100K | 1300lm |
| 010903802 | ● | 20W | 95 | 56° | 3100K | 1300lm |

Sigma Mini 27W

RETAIL LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010903902 | ● | 27W | 95 | 20° | 3100K | 1800lm |
| 010904002 | ● | 27W | 95 | 56° | 3100K | 1800lm |



***DALI option 20W**

Add a D at the end of the ref.

***TRIAC option 20W**

Add a C at the end of the ref.

***CASAMBI option 20W**

Add a W at the end of the ref.

***DALI option 27W**

Add a D at the end of the ref.

***TRIAC option 27W**

Add a C at the end of the ref.


***CASAMBI option 27W**

Add a W at the end of the ref.




Cylinder


Cylinder **Nano**




Cylinder **Mini**



Cylinder






Cylinder Nano 7W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|----|-----|------|-------|-------|
| 010800101 | ○ | 7W | 82 | 20° | 2700K | 600lm |
| 010800102 | ● | 7W | 82 | 20° | 2700K | 600lm |
| 010800201 | ○ | 7W | 82 | 56° | 2700K | 600lm |
| 010800202 | ● | 7W | 82 | 56° | 2700K | 600lm |
| 010800301 | ○ | 7W | 85 | 20° | 3000K | 650lm |
| 010800302 | ● | 7W | 85 | 20° | 3000K | 650lm |
| 010800401 | ○ | 7W | 85 | 56° | 3000K | 650lm |
| 010800402 | ● | 7W | 85 | 56° | 3000K | 650lm |
| 010800501 | ○ | 7W | 85 | 20° | 4000K | 700lm |
| 010800502 | ● | 7W | 85 | 20° | 4000K | 700lm |
| 010800601 | ○ | 7W | 85 | 56° | 4000K | 700lm |
| 010800602 | ● | 7W | 85 | 56° | 4000K | 700lm |

Cylinder Nano 12W


| | | | | | | |
|-----------|---|-----|----|-----|-------|--------|
| 010800701 | ○ | 12W | 82 | 20° | 2700K | 1050lm |
| 010800702 | ● | 12W | 82 | 20° | 2700K | 1050lm |
| 010800801 | ○ | 12W | 82 | 56° | 2700K | 1050lm |
| 010800802 | ● | 12W | 82 | 56° | 2700K | 1050lm |
| 010800901 | ○ | 12W | 85 | 20° | 3000K | 1100lm |
| 010800902 | ● | 12W | 85 | 20° | 3000K | 1100lm |
| 010801001 | ○ | 12W | 85 | 56° | 3000K | 1100lm |
| 010801002 | ● | 12W | 85 | 56° | 3000K | 1100lm |
| 010801101 | ○ | 12W | 85 | 20° | 4000K | 1150lm |
| 010801102 | ● | 12W | 85 | 20° | 4000K | 1150lm |
| 010801201 | ○ | 12W | 85 | 56° | 4000K | 1150lm |
| 010801202 | ● | 12W | 85 | 56° | 4000K | 1150lm |

***TRIAC option 12W**

Add a C at the end of the ref.


***CASAMBI option 12W**

Add a W at the end of the ref.



Cylinder Mini 12W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010704101 | ○ | 12W | 82 | 20° | 2700K | 950lm |
| 010704102 | ● | 12W | 82 | 20° | 2700K | 950lm |
| 010704201 | ○ | 12W | 82 | 56° | 2700K | 950lm |
| 010704202 | ● | 12W | 82 | 56° | 2700K | 950lm |
| 010704301 | ○ | 12W | 85 | 20° | 3000K | 1000lm |
| 010704302 | ● | 12W | 85 | 20° | 3000K | 1000lm |
| 010704401 | ○ | 12W | 85 | 56° | 3000K | 1000lm |
| 010704402 | ● | 12W | 85 | 56° | 3000K | 1000lm |
| 010704501 | ○ | 12W | 85 | 20° | 4000K | 1100lm |
| 010704502 | ● | 12W | 85 | 20° | 4000K | 1100lm |
| 010704601 | ○ | 12W | 85 | 56° | 4000K | 1100lm |
| 010704602 | ● | 12W | 85 | 56° | 4000K | 1100lm |

***DALI option**


Add a D at the end of the ref.

***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Cylinder Mini 18W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010704701 | ○ | 18W | 82 | 20° | 2700K | 1450lm |
| 010704702 | ● | 18W | 82 | 20° | 2700K | 1450lm |
| 010704801 | ○ | 18W | 82 | 56° | 2700K | 1450lm |
| 010704802 | ● | 18W | 82 | 56° | 2700K | 1450lm |
| 010704901 | ○ | 18W | 85 | 20° | 3000K | 1500lm |
| 010704902 | ● | 18W | 85 | 20° | 3000K | 1500lm |
| 010705001 | ○ | 18W | 85 | 56° | 3000K | 1500lm |
| 010705002 | ● | 18W | 85 | 56° | 3000K | 1500lm |
| 010705101 | ○ | 18W | 85 | 20° | 4000K | 1600lm |
| 010705102 | ● | 18W | 85 | 20° | 4000K | 1600lm |
| 010705201 | ○ | 18W | 85 | 56° | 4000K | 1600lm |
| 010705202 | ● | 18W | 85 | 56° | 4000K | 1600lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Cylinder Mini 17W

CRI95

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010705301 | ○ | 17W | 95 | 20° | 2700K | 1250lm |
| 010705302 | ● | 17W | 95 | 20° | 2700K | 1250lm |
| 010705401 | ○ | 17W | 95 | 56° | 2700K | 1250lm |
| 010705402 | ● | 17W | 95 | 56° | 2700K | 1250lm |
| 010705501 | ○ | 17W | 95 | 20° | 3000K | 1300lm |
| 010705502 | ● | 17W | 95 | 20° | 3000K | 1300lm |
| 010705601 | ○ | 17W | 95 | 56° | 3000K | 1300lm |
| 010705602 | ● | 17W | 95 | 56° | 3000K | 1300lm |
| 010705701 | ○ | 17W | 95 | 20° | 4000K | 1400lm |
| 010705702 | ● | 17W | 95 | 20° | 4000K | 1400lm |
| 010705801 | ○ | 17W | 95 | 56° | 4000K | 1400lm |
| 010705802 | ● | 17W | 95 | 56° | 4000K | 1400lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Cylinder Mini 24W

CRI95

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010705901 | ○ | 24W | 95 | 20° | 2700K | 1800lm |
| 010705902 | ● | 24W | 95 | 20° | 2700K | 1800lm |
| 010706001 | ○ | 24W | 95 | 56° | 2700K | 1800lm |
| 010706002 | ● | 24W | 95 | 56° | 2700K | 1800lm |
| 010706101 | ○ | 24W | 95 | 20° | 3000K | 1850lm |
| 010706102 | ● | 24W | 95 | 20° | 3000K | 1850lm |
| 010706201 | ○ | 24W | 95 | 56° | 3000K | 1850lm |
| 010706202 | ● | 24W | 95 | 56° | 3000K | 1850lm |
| 010706301 | ○ | 24W | 95 | 20° | 4000K | 1950lm |
| 010706302 | ● | 24W | 95 | 20° | 4000K | 1950lm |
| 010706401 | ○ | 24W | 95 | 56° | 4000K | 1950lm |
| 010706402 | ● | 24W | 95 | 56° | 4000K | 1950lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Cylinder Mini 27W

HIGH EFFICIENCY LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010706501 | ○ | 27W | 82 | 20° | 2700K | 2000lm |
| 010706502 | ● | 27W | 82 | 20° | 2700K | 2000lm |
| 010706601 | ○ | 27W | 82 | 56° | 2700K | 2000lm |
| 010706602 | ● | 27W | 82 | 56° | 2700K | 2000lm |
| 010706701 | ○ | 27W | 85 | 20° | 3000K | 2050lm |
| 010706702 | ● | 27W | 85 | 20° | 3000K | 2050lm |
| 010706801 | ○ | 27W | 85 | 56° | 3000K | 2050lm |
| 010706802 | ● | 27W | 85 | 56° | 3000K | 2050lm |
| 010706901 | ○ | 27W | 85 | 20° | 4000K | 2150lm |
| 010706902 | ● | 27W | 85 | 20° | 4000K | 2150lm |
| 010707001 | ○ | 27W | 85 | 56° | 4000K | 2150lm |
| 010707002 | ● | 27W | 85 | 56° | 4000K | 2150lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Cylinder Mini 27W

FOOD LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|----------|--------|
| 010707101 | ○ | 27W | 85 | 20° | fruits ● | 1600lm |
| 010707102 | ● | 27W | 85 | 20° | fruits ● | 1600lm |
| 010707201 | ○ | 27W | 85 | 56° | fruits ● | 1600lm |
| 010707202 | ● | 27W | 85 | 56° | fruits ● | 1600lm |
| 010707301 | ○ | 27W | 85 | 20° | fish ● | 1700lm |
| 010707302 | ● | 27W | 85 | 20° | fish ● | 1700lm |
| 010707401 | ○ | 27W | 85 | 56° | fish ● | 1700lm |
| 010707402 | ● | 27W | 85 | 56° | fish ● | 1700lm |
| 010707501 | ○ | 27W | 70 | 20° | meat ● | 1500lm |
| 010707502 | ● | 27W | 70 | 20° | meat ● | 1500lm |
| 010707601 | ○ | 27W | 70 | 56° | meat ● | 1500lm |
| 010707602 | ● | 27W | 70 | 56° | meat ● | 1500lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option 20W**

Add a D at the end of the ref.

Cylinder Mini 20W

RETAIL LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010707701 | ○ | 20W | 95 | 20° | 3100K | 1300lm |
| 010707702 | ● | 20W | 95 | 20° | 3100K | 1300lm |
| 010707801 | ○ | 20W | 95 | 56° | 3100K | 1300lm |
| 010707802 | ● | 20W | 95 | 56° | 3100K | 1300lm |

Cylinder Mini 27W

RETAIL LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010707901 | ○ | 27W | 95 | 20° | 3100K | 1800lm |
| 010707902 | ● | 27W | 95 | 20° | 3100K | 1800lm |
| 010708001 | ○ | 27W | 95 | 56° | 3100K | 1800lm |
| 010708002 | ● | 27W | 95 | 56° | 3100K | 1800lm |



***TRIAC option 20W**

Add a C at the end of the ref.

***CASAMBI option 20W**

Add a W at the end of the ref.

***DALI option 27W**


Add a D at the end of the ref.

***TRIAC option 27W**

Add a C at the end of the ref.

***CASAMBI option 27W**

Add a W at the end of the ref.




***DALI option**

Add a D at the end of the ref.

Cylinder 18W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010604101 | ○ | 18W | 82 | 20° | 2700K | 1350lm |
| 010604102 | ● | 18W | 82 | 20° | 2700K | 1350lm |
| 010604201 | ○ | 18W | 82 | 56° | 2700K | 1350lm |
| 010604202 | ● | 18W | 82 | 56° | 2700K | 1350lm |
| 010604301 | ○ | 18W | 85 | 20° | 3000K | 1400lm |
| 010604302 | ● | 18W | 85 | 20° | 3000K | 1400lm |
| 010604401 | ○ | 18W | 85 | 56° | 3000K | 1400lm |
| 010604402 | ● | 18W | 85 | 56° | 3000K | 1400lm |
| 010604501 | ○ | 18W | 85 | 20° | 4000K | 1500lm |
| 010604502 | ● | 18W | 85 | 20° | 4000K | 1500lm |
| 010604601 | ○ | 18W | 85 | 56° | 4000K | 1500lm |
| 010604602 | ● | 18W | 85 | 56° | 4000K | 1500lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Cylinder 25W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010604701 | ○ | 25W | 85 | 20° | 2700K | 1850lm |
| 010604702 | ● | 25W | 85 | 20° | 2700K | 1850lm |
| 010604801 | ○ | 25W | 85 | 56° | 2700K | 1850lm |
| 010604802 | ● | 25W | 85 | 56° | 2700K | 1850lm |
| 010604901 | ○ | 25W | 85 | 20° | 3000K | 1900lm |
| 010604902 | ● | 25W | 85 | 20° | 3000K | 1900lm |
| 010605001 | ○ | 25W | 85 | 56° | 3000K | 1900lm |
| 010605002 | ● | 25W | 85 | 56° | 3000K | 1900lm |
| 010605101 | ○ | 25W | 85 | 20° | 4000K | 2000lm |
| 010605102 | ● | 25W | 85 | 20° | 4000K | 2000lm |
| 010605201 | ○ | 25W | 85 | 56° | 4000K | 2000lm |
| 010605202 | ● | 25W | 85 | 56° | 4000K | 2000lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.



***DALI option**

Add a D at the end of the ref.

Cylinder 36W

CRI95

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010605901 | ○ | 36W | 95 | 20° | 2700K | 2800lm |
| 010605902 | ● | 36W | 95 | 20° | 2700K | 2800lm |
| 010606001 | ○ | 36W | 95 | 56° | 2700K | 2800lm |
| 010606002 | ● | 36W | 95 | 56° | 2700K | 2800lm |
| 010606101 | ○ | 36W | 95 | 20° | 3000K | 2850lm |
| 010606102 | ● | 36W | 95 | 20° | 3000K | 2850lm |
| 010606201 | ○ | 36W | 95 | 56° | 3000K | 2850lm |
| 010606202 | ● | 36W | 95 | 56° | 3000K | 2850lm |
| 010606301 | ○ | 36W | 95 | 20° | 4000K | 2950lm |
| 010606302 | ● | 36W | 95 | 20° | 4000K | 2950lm |
| 010606401 | ○ | 36W | 95 | 56° | 4000K | 2950lm |
| 010606402 | ● | 36W | 95 | 56° | 4000K | 2950lm |




***TRIAC option**

Add a C at the end of the ref.

***CASAMBI option**

Add a W at the end of the ref.




*DALI option

Add a D at the end of the ref.

Cylinder 36W

HIGH EFFICIENCY LED

| | | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|----|-----|-------|--------|------|
| 010605301 | ○ | 36W | 82 | 20° | 2700K | 2950lm | |
| 010605302 | ● | 36W | 82 | 20° | 2700K | 2950lm | |
| 010605401 | ○ | 36W | 82 | 56° | 2700K | 2950lm | |
| 010605402 | ● | 36W | 82 | 56° | 2700K | 2950lm | |
| 010605501 | ○ | 36W | 85 | 20° | 3000K | 3000lm | |
| 010605502 | ● | 36W | 85 | 20° | 3000K | 3000lm | |
| 010605601 | ○ | 36W | 85 | 56° | 3000K | 3000lm | |
| 010605602 | ● | 36W | 85 | 56° | 3000K | 3000lm | |
| 010605701 | ○ | 36W | 85 | 20° | 4000K | 3100lm | |
| 010605702 | ● | 36W | 85 | 20° | 4000K | 3100lm | |
| 010605801 | ○ | 36W | 85 | 56° | 4000K | 3100lm | |
| 010605802 | ● | 36W | 85 | 56° | 4000K | 3100lm | |




*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.




*DALI option

Add a D at the end of the ref.

Cylinder 24W

FOOD LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|----------|--------|
| 010606501 | ○ | 24W | 85 | 20° | fruits ● | 1600lm |
| 010606502 | ● | 24W | 85 | 20° | fruits ● | 1600lm |
| 010606601 | ○ | 24W | 85 | 56° | fruits ● | 1600lm |
| 010606602 | ● | 24W | 85 | 56° | fruits ● | 1600lm |
| 010606701 | ○ | 24W | 85 | 20° | fish ● | 1700lm |
| 010606702 | ● | 24W | 85 | 20° | fish ● | 1700lm |
| 010606801 | ○ | 24W | 85 | 56° | fish ● | 1700lm |
| 010606802 | ● | 24W | 85 | 56° | fish ● | 1700lm |
| 010606901 | ○ | 24W | 70 | 20° | meat ● | 1500lm |
| 010606902 | ● | 24W | 70 | 20° | meat ● | 1500lm |
| 010607001 | ○ | 24W | 70 | 56° | meat ● | 1500lm |
| 010607002 | ● | 24W | 70 | 56° | meat ● | 1500lm |




*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



*DALI option

Add a D at the end of the ref.

Cylinder 36W

FOOD LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|----------|--------|
| 010607101 | ○ | 36W | 85 | 20° | fruits ● | 2350lm |
| 010607102 | ● | 36W | 85 | 20° | fruits ● | 2350lm |
| 010607201 | ○ | 36W | 85 | 56° | fruits ● | 2350lm |
| 010607202 | ● | 36W | 85 | 56° | fruits ● | 2350lm |
| 010607301 | ○ | 36W | 85 | 20° | fish ● | 2450lm |
| 010607302 | ● | 36W | 85 | 20° | fish ● | 2450lm |
| 010607401 | ○ | 36W | 85 | 56° | fish ● | 2450lm |
| 010607402 | ● | 36W | 85 | 56° | fish ● | 2450lm |
| 010607501 | ○ | 36W | 70 | 20° | meat ● | 2250lm |
| 010607502 | ● | 36W | 70 | 20° | meat ● | 2250lm |
| 010607601 | ○ | 36W | 70 | 56° | meat ● | 2250lm |
| 010607602 | ● | 36W | 70 | 56° | meat ● | 2250lm |



*TRIAC option

Add a C at the end of the ref.

*CASAMBI option



Add a W at the end of the ref.



Cylinder 24W

RETAIL LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010607701 | ○ | 24W | 95 | 20° | 3100K | 1800lm |
| 010607702 | ● | 24W | 95 | 20° | 3100K | 1800lm |
| 010607801 | ○ | 24W | 95 | 56° | 3100K | 1800lm |
| 010607802 | ● | 24W | 95 | 56° | 3100K | 1800lm |



*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option



Add a W at the end of the ref.



Cylinder 36W

RETAIL LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 010607901 | ○ | 36W | 95 | 20° | 3100K | 2700lm |
| 010607902 | ● | 36W | 95 | 20° | 3100K | 2700lm |
| 010608001 | ○ | 36W | 95 | 56° | 3100K | 2700lm |
| 010608002 | ● | 36W | 95 | 56° | 3100K | 2700lm |



*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Cylinder QR-111 LED

| | | P | SOCKET | V |
|----------|---|---------|--------|----|
| 01065701 | ○ | MAX 12W | G53 | 12 |
| 01065702 | ● | MAX 12W | G53 | 12 |



Cylinder QR-111 LED TRIAC

| | | P | SOCKET | V |
|-----------|---|---------|--------|----|
| 01065701R | ○ | MAX 15W | G53 | 12 |
| 01065702R | ● | MAX 15W | G53 | 12 |





How to install

3Phase track, 16 A

Outer main supply installation
Instalación con cabezal de alimentación en el exterior


Inner main supply installation
Instalación con cabezal de alimentación en el interior




- 1 Outer "L" JOINT
- 2 inner "L" JOINT
- 3 Outer live end
- 4 inner live end
- 5 Outer "T" INTERMEDIATE JOINT
- 6 inner "T" INTERMEDIATE JOINT
- 7 CROSS JOINT

Connection sketch *Esquema de conexiones*


1 Circuit




2 Circuit




3 Circuit



Recommended distance between fixage *Distancia recomendada entre fijaciones*




Max.Weight: 19,84 lb
 Peso máx.: 9 kg
 Max. 3 projectors = 3,8 KVA
 Máx. 3 proyectores = 3,8 KVA



Max.Weight: 33,06 lb
 Peso máx.: 15 kg
 Max. 5 projectors = 3,8 KVA
 Máx. 5 proyectores = 3,8 KVA

Accessories



Base for surface

| | |
|----------|---|
| 01991301 | ○ |
| 01991302 | ● |
| 01991303 | ● |






*Adapter/track connector

| | |
|----------|---|
| 01997001 | ○ |
| 01997002 | ● |

*Only for/Sólo para: Triphase track

3Phase Track

Compatible with IVELA & GLOBAL



Surface & pendent 3 phase track

| | | |
|----------|---|---------|
| 01990101 | ○ | 1000 mm |
| 01990102 | ● | 1000 mm |
| 01990103 | ○ | 1000 mm |
| 01990201 | ● | 2000 mm |
| 01990202 | ○ | 2000 mm |
| 01990203 | ● | 2000 mm |

IP20 |

Surface & pendent Dali track

| | | |
|----------|---|---------|
| 01995001 | ○ | 1000 mm |
| 01995002 | ● | 1000 mm |
| 01995003 | ○ | 1000 mm |
| 01995101 | ● | 2000 mm |
| 01995102 | ○ | 2000 mm |
| 01995103 | ● | 2000 mm |

IP20 |

Recessed 3 phase track

| | | |
|----------|---|---------|
| 01997101 | ○ | 1000 mm |
| 01997102 | ● | 1000 mm |
| 01997201 | ○ | 2000 mm |
| 01997202 | ● | 2000 mm |

IP20 |



Inner live end

| | |
|----------|---|
| r1990601 | ○ |
| r1990602 | ● |



Outer live end

| | |
|----------|---|
| r1990701 | ○ |
| r1990702 | ● |



Centre feed

| | |
|----------|---|
| r1993301 | ○ |
| r1993302 | ● |



Dali inner live end

| | |
|----------|---|
| r1993501 | ○ |
| r1993502 | ● |



Dali outer live end

| | |
|----------|---|
| r1993601 | ○ |
| r1993602 | ● |



Dali centre feed

| | |
|----------|---|
| r1993401 | ○ |
| r1993402 | ● |



Inner live end

| | |
|----------|---|
| r1997401 | ○ |
| r1997402 | ● |



Outer live end

| | |
|----------|---|
| r1997301 | ○ |
| r1997302 | ● |



Centre feed

| | |
|----------|---|
| r1997801 | ○ |
| r1997802 | ● |

Accessories for surface&pendant 3phase track, surface&pendant Dali track



Inner "L" Joint

| | |
|----------|---|
| r1990501 | ○ |
| r1990502 | ● |



Outer "L" Joint

| | |
|----------|---|
| r1990401 | ○ |
| r1990402 | ● |



Outer "T"

| | |
|----------|---|
| r1990901 | ○ |
| r1990902 | ● |



Inner "T"

| | |
|----------|---|
| r1991601 | ○ |
| r1991602 | ● |



Ceiling kit 1piece

| | |
|----------|---|
| r1991201 | ○ |
|----------|---|



Cross Joint

| | |
|----------|---|
| r1991001 | ○ |
| r1991002 | ● |



Intermediate Joint

| | |
|----------|---|
| r1990801 | ○ |
| r1990802 | ● |



End cap

| | |
|----------|---|
| r1991101 | ○ |
| r1991102 | ● |



Flexible "L"

| | |
|----------|---|
| r1993201 | ○ |
| r1993202 | ● |



Pendant Kit 2000

| | |
|----------|---|
| r1990301 | ○ |
| r1990302 | ● |

Accessories for recessed 3phase track



Intermediate Joint

| | |
|----------|---|
| r1997501 | ○ |
| r1997502 | ● |



End cap

| | |
|----------|---|
| r1997701 | ○ |
| r1997702 | ● |




Ceiling Kit 1piece


| | |
|----------|---|
| r1997601 | ○ |
|----------|---|




Deep



Deep **Small**




Deep **Medium**



Deep **Large**



| TPOLOGY | FAMILIES | POWER | LED | ANGLE | COLOR | ACCESORY |
|--------------|-----------------------------------------|-------------|-------------------------|---------|-------------|-----------------|
| 3 Recessed | 01 Round/Redondo | 35 350 mA | 827 2700K 620lm | 1 15° | 1 ○ white | - No accesory |
| | 02 Round Trimless/Redondo sin marco | | 830 3000K 650lm | 3 36° | 2 ● black | H Honeycomb |
| | 03 Square/Cuadrado | | 840 4000K 690lm | 6 60° | | S Stripy |
| | 04 Square Trimless/Cuadrado sin marco | | 930 3000K 580lm CRI95 | | | D Spread |
| | | | 940 4000K 600lm CRI95 | | | |



Deep 60 Round

| | P | CCT | FLUX | CRI | BEAM |
|---------------------|-------|-------|-------|-----|-------|
| 30135 827 1 1 | 6/11W | 2700K | 620lm | - | 15° ○ |
| 30135 827 1 2 | 6/11W | 2700K | 620lm | - | 15° ● |
| 30135 827 3 1 | 6/11W | 2700K | 620lm | - | 36° ○ |
| 30135 827 3 2 | 6/11W | 2700K | 620lm | - | 36° ● |
| 30135 827 6 1 | 6/11W | 2700K | 620lm | - | 60° ○ |
| 30135 827 6 2 | 6/11W | 2700K | 620lm | - | 60° ● |
| 30135 830 1 1 | 6/11W | 3000K | 650lm | - | 15° ○ |
| 30135 830 1 2 | 6/11W | 3000K | 650lm | - | 15° ● |
| 30135 830 3 1 | 6/11W | 3000K | 650lm | - | 36° ○ |
| 30135 830 3 2 | 6/11W | 3000K | 650lm | - | 36° ● |
| 30135 830 6 1 | 6/11W | 3000K | 650lm | - | 60° ○ |
| 30135 830 6 2 | 6/11W | 3000K | 650lm | - | 60° ● |
| 30135 840 1 1 | 6/11W | 4000K | 640lm | - | 15° ○ |
| 30135 840 1 2 | 6/11W | 4000K | 690lm | - | 15° ● |
| 30135 840 3 1 | 6/11W | 4000K | 690lm | - | 36° ○ |
| 30135 840 3 2 | 6/11W | 4000K | 690lm | - | 36° ● |
| 30135 840 6 1 | 6/11W | 4000K | 690lm | - | 60° ○ |
| 30135 840 6 2 | 6/11W | 4000K | 690lm | - | 60° ● |
| 30135 930 1 1 | 6/11W | 3000K | 580lm | 95 | 15° ○ |
| 30135 930 1 2 | 6/11W | 3000K | 580lm | 95 | 15° ● |
| 30135 930 3 1 | 6/11W | 3000K | 580lm | 95 | 36° ○ |
| 30135 930 3 2 | 6/11W | 3000K | 580lm | 95 | 36° ● |
| 30135 930 6 1 | 6/11W | 3000K | 580lm | 95 | 60° ○ |
| 30135 930 6 2 | 6/11W | 3000K | 580lm | 95 | 60° ● |
| 30135 940 1 1 | 6/11W | 4000K | 600lm | 95 | 15° ○ |
| 30135 940 1 2 | 6/11W | 4000K | 600lm | 95 | 15° ● |
| 30135 940 3 1 | 6/11W | 4000K | 600lm | 95 | 36° ○ |
| 30135 940 3 2 | 6/11W | 4000K | 600lm | 95 | 36° ● |
| 30135 940 6 1 | 6/11W | 4000K | 600lm | 95 | 60° ○ |
| 30135 940 6 2 | 6/11W | 4000K | 600lm | 95 | 60° ● |

*6W 100-240V Driver not incl.

98310620

*TRIAC 6W Driver not incl.

98310509C

*11W 100-240V Driver not incl.

98310116

*TRIAC 11W Driver not incl.


98310114C

*DALI 11W Driver not incl.

98310536

*CASAMBI 11W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.


Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

| TYPOLOGY | FAMILIES | POWER | LED | ANGLE | COLOR | ACCESORY |
|--------------|-----------------------------------------|-------------|-------------------------|---------|-------------|-----------------|
| 3 Recessed | 01 Round/Redondo | 35 350 mA | 827 2700K 620lm | 1 15° | 1 ○ white | - No accesory |
| | 02 Round Trimless/Redondo sin marco | | 830 3000K 650lm | 3 36° | 2 ● black | H Honeycomb |
| | 03 Square/Cuadrado | | 840 4000K 690lm | 6 60° | | S Stripy |
| | 04 Square Trimless/Cuadrado sin marco | | 930 3000K 580lm CRI95 | | | D Spread |
| | | | 940 4000K 600lm CRI95 | | | |



Deep 60 Round Trimless

| | P | CCT | FLUX | CRI | BEAM |
|---------------------|-------|-------|-------|-----|-------|
| 30235 827 1 1 | 6/11W | 2700K | 620lm | - | 15° ○ |
| 30235 827 1 2 | 6/11W | 2700K | 620lm | - | 15° ● |
| 30235 827 3 1 | 6/11W | 2700K | 620lm | - | 36° ○ |
| 30235 827 3 2 | 6/11W | 2700K | 620lm | - | 36° ● |
| 30235 827 6 1 | 6/11W | 2700K | 620lm | - | 60° ○ |
| 30235 827 6 2 | 6/11W | 2700K | 620lm | - | 60° ● |
| 30235 830 1 1 | 6/11W | 3000K | 650lm | - | 15° ○ |
| 30235 830 1 2 | 6/11W | 3000K | 650lm | - | 15° ● |
| 30235 830 3 1 | 6/11W | 3000K | 650lm | - | 36° ○ |
| 30235 830 3 2 | 6/11W | 3000K | 650lm | - | 36° ● |
| 30235 830 6 1 | 6/11W | 3000K | 650lm | - | 60° ○ |
| 30235 830 6 2 | 6/11W | 3000K | 650lm | - | 60° ● |
| 30235 840 1 1 | 6/11W | 4000K | 640lm | - | 15° ○ |
| 30235 840 1 2 | 6/11W | 4000K | 690lm | - | 15° ● |
| 30235 840 3 1 | 6/11W | 4000K | 690lm | - | 36° ○ |
| 30235 840 3 2 | 6/11W | 4000K | 690lm | - | 36° ● |
| 30235 840 6 1 | 6/11W | 4000K | 690lm | - | 60° ○ |
| 30235 840 6 2 | 6/11W | 4000K | 690lm | - | 60° ● |
| 30235 930 1 1 | 6/11W | 3000K | 580lm | 95 | 15° ○ |
| 30235 930 1 2 | 6/11W | 3000K | 580lm | 95 | 15° ● |
| 30235 930 3 1 | 6/11W | 3000K | 580lm | 95 | 36° ○ |
| 30235 930 3 2 | 6/11W | 3000K | 580lm | 95 | 36° ● |
| 30235 930 6 1 | 6/11W | 3000K | 580lm | 95 | 60° ○ |
| 30235 930 6 2 | 6/11W | 3000K | 580lm | 95 | 60° ● |
| 30235 940 1 1 | 6/11W | 4000K | 600lm | 95 | 15° ○ |
| 30235 940 1 2 | 6/11W | 4000K | 600lm | 95 | 15° ● |
| 30235 940 3 1 | 6/11W | 4000K | 600lm | 95 | 36° ○ |
| 30235 940 3 2 | 6/11W | 4000K | 600lm | 95 | 36° ● |
| 30235 940 6 1 | 6/11W | 4000K | 600lm | 95 | 60° ○ |
| 30235 940 6 2 | 6/11W | 4000K | 600lm | 95 | 60° ● |

*6W 100-240V Driver not incl.

98310620

*TRIAC 6W Driver not incl.

98310509C

*11W 100-240V Driver not incl.

98310116

*TRIAC 11W Driver not incl.


98310114C

*DALI 11W Driver not incl.

98310536

*CASAMBI 11W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.


Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

| TYPOLOGY | FAMILIES | POWER | LED | ANGLE | COLOR | ACCESORY |
|--------------|-----------------------------------------|-------------|-------------------------|---------|-------------|-----------------|
| 3 Recessed | 01 Round/Redondo | 35 350 mA | 827 2700K 620lm | 1 15° | 1 ○ white | - No accesory |
| | 02 Round Trimless/Redondo sin marco | | 830 3000K 650lm | 3 36° | 2 ● black | H Honeycomb |
| | 03 Square/Cuadrado | | 840 4000K 690lm | 6 60° | | S Stripy |
| | 04 Square Trimless/Cuadrado sin marco | | 930 3000K 580lm CRI95 | | | D Spread |
| | | | 940 4000K 600lm CRI95 | | | |



Deep 60 Square

| | P | CCT | FLUX | CRI | BEAM |
|---------------------|-------|-------|-------|-----|-------|
| 30335 827 1 1 | 6/11W | 2700K | 620lm | - | 15° ○ |
| 30335 827 1 2 | 6/11W | 2700K | 620lm | - | 15° ● |
| 30335 827 3 1 | 6/11W | 2700K | 620lm | - | 36° ○ |
| 30335 827 3 2 | 6/11W | 2700K | 620lm | - | 36° ● |
| 30335 827 6 1 | 6/11W | 2700K | 620lm | - | 60° ○ |
| 30335 827 6 2 | 6/11W | 2700K | 620lm | - | 60° ● |
| 30335 830 1 1 | 6/11W | 3000K | 650lm | - | 15° ○ |
| 30335 830 1 2 | 6/11W | 3000K | 650lm | - | 15° ● |
| 30335 830 3 1 | 6/11W | 3000K | 650lm | - | 36° ○ |
| 30335 830 3 2 | 6/11W | 3000K | 650lm | - | 36° ● |
| 30335 830 6 1 | 6/11W | 3000K | 650lm | - | 60° ○ |
| 30335 830 6 2 | 6/11W | 3000K | 650lm | - | 60° ● |
| 30335 840 1 1 | 6/11W | 4000K | 640lm | - | 15° ○ |
| 30335 840 1 2 | 6/11W | 4000K | 690lm | - | 15° ● |
| 30335 840 3 1 | 6/11W | 4000K | 690lm | - | 36° ○ |
| 30335 840 3 2 | 6/11W | 4000K | 690lm | - | 36° ● |
| 30335 840 6 1 | 6/11W | 4000K | 690lm | - | 60° ○ |
| 30335 840 6 2 | 6/11W | 4000K | 690lm | - | 60° ● |
| 30335 930 1 1 | 6/11W | 3000K | 580lm | 95 | 15° ○ |
| 30335 930 1 2 | 6/11W | 3000K | 580lm | 95 | 15° ● |
| 30335 930 3 1 | 6/11W | 3000K | 580lm | 95 | 36° ○ |
| 30335 930 3 2 | 6/11W | 3000K | 580lm | 95 | 36° ● |
| 30335 930 6 1 | 6/11W | 3000K | 580lm | 95 | 60° ○ |
| 30335 930 6 2 | 6/11W | 3000K | 580lm | 95 | 60° ● |
| 30335 940 1 1 | 6/11W | 4000K | 600lm | 95 | 15° ○ |
| 30335 940 1 2 | 6/11W | 4000K | 600lm | 95 | 15° ● |
| 30335 940 3 1 | 6/11W | 4000K | 600lm | 95 | 36° ○ |
| 30335 940 3 2 | 6/11W | 4000K | 600lm | 95 | 36° ● |
| 30335 940 6 1 | 6/11W | 4000K | 600lm | 95 | 60° ○ |
| 30335 940 6 2 | 6/11W | 4000K | 600lm | 95 | 60° ● |

*6W 100-240V Driver not incl.

98310620

*TRIAC 6W Driver not incl.

98310509C

*11W 100-240V Driver not incl.

98310116

*TRIAC 11W Driver not incl.


98310114C

*DALI 11W Driver not incl.

98310536

*CASAMBI 11W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.


Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

| TYPOLOGY | FAMILIES | POWER | LED | ANGLE | COLOR | ACCESORY |
|--------------|-----------------------------------------|-------------|-------------------------|---------|-------------|-----------------|
| 3 Recessed | 01 Round/Redondo | 35 350 mA | 827 2700K 620lm | 1 15° | 1 ○ white | - No accesory |
| | 02 Round Trimless/Redondo sin marco | | 830 3000K 650lm | 3 36° | 2 ● black | H Honeycomb |
| | 03 Square/Cuadrado | | 840 4000K 690lm | 6 60° | | S Stripy |
| | 04 Square Trimless/Cuadrado sin marco | | 930 3000K 580lm CRI95 | | | D Spread |
| | | | 940 4000K 600lm CRI95 | | | |



Deep 60 Square Trimless

| | P | CCT | FLUX | CRI | BEAM |
|---------------------|-------|-------|-------|-----|-------|
| 30435 827 1 1 | 6/11W | 2700K | 620lm | - | 15° ○ |
| 30435 827 1 2 | 6/11W | 2700K | 620lm | - | 15° ● |
| 30435 827 3 1 | 6/11W | 2700K | 620lm | - | 36° ○ |
| 30435 827 3 2 | 6/11W | 2700K | 620lm | - | 36° ● |
| 30435 827 6 1 | 6/11W | 2700K | 620lm | - | 60° ○ |
| 30435 827 6 2 | 6/11W | 2700K | 620lm | - | 60° ● |
| 30435 830 1 1 | 6/11W | 3000K | 650lm | - | 15° ○ |
| 30435 830 1 2 | 6/11W | 3000K | 650lm | - | 15° ● |
| 30435 830 3 1 | 6/11W | 3000K | 650lm | - | 36° ○ |
| 30435 830 3 2 | 6/11W | 3000K | 650lm | - | 36° ● |
| 30435 830 6 1 | 6/11W | 3000K | 650lm | - | 60° ○ |
| 30435 830 6 2 | 6/11W | 3000K | 650lm | - | 60° ● |
| 30435 840 1 1 | 6/11W | 4000K | 640lm | - | 15° ○ |
| 30435 840 1 2 | 6/11W | 4000K | 690lm | - | 15° ● |
| 30435 840 3 1 | 6/11W | 4000K | 690lm | - | 36° ○ |
| 30435 840 3 2 | 6/11W | 4000K | 690lm | - | 36° ● |
| 30435 840 6 1 | 6/11W | 4000K | 690lm | - | 60° ○ |
| 30435 840 6 2 | 6/11W | 4000K | 690lm | - | 60° ● |
| 30435 930 1 1 | 6/11W | 3000K | 580lm | 95 | 15° ○ |
| 30435 930 1 2 | 6/11W | 3000K | 580lm | 95 | 15° ● |
| 30435 930 3 1 | 6/11W | 3000K | 580lm | 95 | 36° ○ |
| 30435 930 3 2 | 6/11W | 3000K | 580lm | 95 | 36° ● |
| 30435 930 6 1 | 6/11W | 3000K | 580lm | 95 | 60° ○ |
| 30435 930 6 2 | 6/11W | 3000K | 580lm | 95 | 60° ● |
| 30435 940 1 1 | 6/11W | 4000K | 600lm | 95 | 15° ○ |
| 30435 940 1 2 | 6/11W | 4000K | 600lm | 95 | 15° ● |
| 30435 940 3 1 | 6/11W | 4000K | 600lm | 95 | 36° ○ |
| 30435 940 3 2 | 6/11W | 4000K | 600lm | 95 | 36° ● |
| 30435 940 6 1 | 6/11W | 4000K | 600lm | 95 | 60° ○ |
| 30435 940 6 2 | 6/11W | 4000K | 600lm | 95 | 60° ● |

*6W 100-240V Driver not incl.

98310620

*TRIAC 6W Driver not incl.

98310509C

*11W 100-240V Driver not incl.

98310116

*TRIAC 11W Driver not incl.


98310114C

*DALI 11W Driver not incl.

98310536

*CASAMBI 11W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.


Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

| TPOLOGY | FAMILIES | POWER | LED | ANGLE | COLOR | ACCESORY |
|--------------|-----------------------------------------|-------------|--------------------------|---------|-------------|-----------------|
| 3 Recessed | 05 Round/Redondo | 50 500 mA | 827 2700K 1100lm | 1 15° | 1 ○ white | - No accesory |
| | 06 Round Trimless/Redondo sin marco | | 830 3000K 1190lm | 3 36° | 2 ● black | H Honeycomb |
| | 07 Square/Cuadrado | | 840 4000K 1240lm | 6 60° | | S Stripy |
| | 08 Square Trimless/Cuadrado sin marco | | 930 3000K 950lm CRI95 | | | D Spread |
| | | | 940 4000K 1050lm CRI95 | | | |



Deep 78 Round

| | P | CCT | FLUX | CRI | BEAM |
|---------------------|--------|-------|--------|-----|-------|
| 30550 827 1 1 | 12/18W | 2700K | 1100lm | - | 15° ○ |
| 30550 827 1 2 | 12/18W | 2700K | 1100lm | - | 15° ● |
| 30550 827 3 1 | 12/18W | 2700K | 1100lm | - | 36° ○ |
| 30550 827 3 2 | 12/18W | 2700K | 1100lm | - | 36° ● |
| 30550 827 6 1 | 12/18W | 2700K | 1100lm | - | 60° ○ |
| 30550 827 6 2 | 12/18W | 2700K | 1100lm | - | 60° ● |
| 30550 830 1 1 | 12/18W | 3000K | 1190lm | - | 15° ○ |
| 30550 830 1 2 | 12/18W | 3000K | 1190lm | - | 15° ● |
| 30550 830 3 1 | 12/18W | 3000K | 1190lm | - | 36° ○ |
| 30550 830 3 2 | 12/18W | 3000K | 1190lm | - | 36° ● |
| 30550 830 6 1 | 12/18W | 3000K | 1190lm | - | 60° ○ |
| 30550 830 6 2 | 12/18W | 3000K | 1190lm | - | 60° ● |
| 30550 840 1 1 | 12/18W | 4000K | 1240lm | - | 15° ○ |
| 30550 840 1 2 | 12/18W | 4000K | 1240lm | - | 15° ● |
| 30550 840 3 1 | 12/18W | 4000K | 1240lm | - | 36° ○ |
| 30550 840 3 2 | 12/18W | 4000K | 1240lm | - | 36° ● |
| 30550 840 6 1 | 12/18W | 4000K | 1240lm | - | 60° ○ |
| 30550 840 6 2 | 12/18W | 4000K | 1240lm | - | 60° ● |
| 30550 930 1 1 | 12/18W | 3000K | 950lm | 95 | 15° ○ |
| 30550 930 1 2 | 12/18W | 3000K | 950lm | 95 | 15° ● |
| 30550 930 3 1 | 12/18W | 3000K | 950lm | 95 | 36° ○ |
| 30550 930 3 2 | 12/18W | 3000K | 950lm | 95 | 36° ● |
| 30550 930 6 1 | 12/18W | 3000K | 950lm | 95 | 60° ○ |
| 30550 930 6 2 | 12/18W | 3000K | 950lm | 95 | 60° ● |
| 30550 940 1 1 | 12/18W | 4000K | 1050lm | 95 | 15° ○ |
| 30550 940 1 2 | 12/18W | 4000K | 1050lm | 95 | 15° ● |
| 30550 940 3 1 | 12/18W | 4000K | 1050lm | 95 | 36° ○ |
| 30550 940 3 2 | 12/18W | 4000K | 1050lm | 95 | 36° ● |
| 30550 940 6 1 | 12/18W | 4000K | 1050lm | 95 | 60° ○ |
| 30550 940 6 2 | 12/18W | 4000K | 1050lm | 95 | 60° ● |

*11W 100-240V Driver not incl.

98310116

*TRIAC 11W Driver not incl.

98310114C

*18W 100-240V Driver not incl.

98310321

*TRIAC 18W Driver not incl.


98310321LC

*DALI 11/18W Driver not incl.

98310536

*CASAMBI 11/18W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.


Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

| TPOLOGY | FAMILIES | POWER | LED | ANGLE | COLOR | ACCESORY |
|--------------|-----------------------------------------|-------------|--------------------------|---------|-------------|-----------------|
| 3 Recessed | 05 Round/Redondo | 50 500 mA | 827 2700K 1100lm | 1 15° | 1 ○ white | - No accesory |
| | 06 Round Trimless/Redondo sin marco | | 830 3000K 1190lm | 3 36° | 2 ● black | H Honeycomb |
| | 07 Square/Cuadrado | | 840 4000K 1240lm | 6 60° | | S Stripy |
| | 08 Square Trimless/Cuadrado sin marco | | 930 3000K 950lm CRI95 | | | D Spread |
| | | | 940 4000K 1050lm CRI95 | | | |



*11W 100-240V Driver not incl.

98310116

*TRIAC 11W Driver not incl.

98310114C

*18W 100-240V Driver not incl.

98310321

*TRIAC 18W Driver not incl.

98310321LC

*DALI 11/18W Driver not incl.


98310536

*CASAMBI 11/18W Driver not incl.

98310538

Deep 78 Round Trimless

| | P | CCT | FLUX | CRI | BEAM |
|-------------------------|--------|-------|--------|-----|-------|
| 30650 827 1 1 1 | 12/18W | 2700K | 1100lm | - | 15° ○ |
| 30650 827 1 2 2 | 12/18W | 2700K | 1100lm | - | 15° ● |
| 30650 827 3 1 1 | 12/18W | 2700K | 1100lm | - | 36° ○ |
| 30650 827 3 2 2 | 12/18W | 2700K | 1100lm | - | 36° ● |
| 30650 827 6 1 1 | 12/18W | 2700K | 1100lm | - | 60° ○ |
| 30650 827 6 2 2 | 12/18W | 2700K | 1100lm | - | 60° ● |
| 30650 830 1 1 1 | 12/18W | 3000K | 1190lm | - | 15° ○ |
| 30650 830 1 2 2 | 12/18W | 3000K | 1190lm | - | 15° ● |
| 30650 830 3 1 1 | 12/18W | 3000K | 1190lm | - | 36° ○ |
| 30650 830 3 2 2 | 12/18W | 3000K | 1190lm | - | 36° ● |
| 30650 830 6 1 1 | 12/18W | 3000K | 1190lm | - | 60° ○ |
| 30650 830 6 2 2 | 12/18W | 3000K | 1190lm | - | 60° ● |
| 30650 840 1 1 1 | 12/18W | 4000K | 1240lm | - | 15° ○ |
| 30650 840 1 2 2 | 12/18W | 4000K | 1240lm | - | 15° ● |
| 30650 840 3 1 1 | 12/18W | 4000K | 1240lm | - | 36° ○ |
| 30650 840 3 2 2 | 12/18W | 4000K | 1240lm | - | 36° ● |
| 30650 840 6 1 1 | 12/18W | 4000K | 1240lm | - | 60° ○ |
| 30650 840 6 2 2 | 12/18W | 4000K | 1240lm | - | 60° ● |
| 30650 930 1 1 1 | 12/18W | 3000K | 950lm | 95 | 15° ○ |
| 30650 930 1 2 2 | 12/18W | 3000K | 950lm | 95 | 15° ● |
| 30650 930 3 1 1 | 12/18W | 3000K | 950lm | 95 | 36° ○ |
| 30650 930 3 2 2 | 12/18W | 3000K | 950lm | 95 | 36° ● |
| 30650 930 6 1 1 | 12/18W | 3000K | 950lm | 95 | 60° ○ |
| 30650 930 6 2 2 | 12/18W | 3000K | 950lm | 95 | 60° ● |
| 30650 940 1 1 1 | 12/18W | 4000K | 1050lm | 95 | 15° ○ |
| 30650 940 1 2 2 | 12/18W | 4000K | 1050lm | 95 | 15° ● |
| 30650 940 3 1 1 | 12/18W | 4000K | 1050lm | 95 | 36° ○ |
| 30650 940 3 2 2 | 12/18W | 4000K | 1050lm | 95 | 36° ● |
| 30650 940 6 1 1 | 12/18W | 4000K | 1050lm | 95 | 60° ○ |
| 30650 940 6 2 2 | 12/18W | 4000K | 1050lm | 95 | 60° ● |



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.




*Accessory Stripy not incl.

Add an S at the end of the ref.

432 Deep Medium | 3 | 0 | 7 | 5 | 0 | | | | | | |

| TYPOLOGY | FAMILIES | POWER | LED | ANGLE | COLOR | ACCESORY |
|--------------|-----------------------------------------|-------------|--------------------------|---------|-------------|-----------------|
| 3 Recessed | 05 Round/Redondo | 50 500 mA | 827 2700K 1100lm | 1 15° | 1 ○ white | - No accesory |
| | 06 Round Trimless/Redondo sin marco | | 830 3000K 1190lm | 3 36° | 2 ● black | H Honeycomb |
| | 07 Square/Cuadrado | | 840 4000K 1240lm | 6 60° | | S Stripy |
| | 08 Square Trimless/Cuadrado sin marco | | 930 3000K 950lm CRI95 | | | D Spread |
| | | | 940 4000K 1050lm CRI95 | | | |



Deep 78 Square

| | P | CCT | FLUX | CRI | BEAM |
|---------------------|--------|-------|--------|-----|-------|
| 30750 827 1 1 | 12/18W | 2700K | 1100lm | - | 15° ○ |
| 30750 827 1 2 | 12/18W | 2700K | 1100lm | - | 15° ● |
| 30750 827 3 1 | 12/18W | 2700K | 1100lm | - | 36° ○ |
| 30750 827 3 2 | 12/18W | 2700K | 1100lm | - | 36° ● |
| 30750 827 6 1 | 12/18W | 2700K | 1100lm | - | 60° ○ |
| 30750 827 6 2 | 12/18W | 2700K | 1100lm | - | 60° ● |
| 30750 830 1 1 | 12/18W | 3000K | 1190lm | - | 15° ○ |
| 30750 830 1 2 | 12/18W | 3000K | 1190lm | - | 15° ● |
| 30750 830 3 1 | 12/18W | 3000K | 1190lm | - | 36° ○ |
| 30750 830 3 2 | 12/18W | 3000K | 1190lm | - | 36° ● |
| 30750 830 6 1 | 12/18W | 3000K | 1190lm | - | 60° ○ |
| 30750 830 6 2 | 12/18W | 3000K | 1190lm | - | 60° ● |
| 30750 840 1 1 | 12/18W | 4000K | 1240lm | - | 15° ○ |
| 30750 840 1 2 | 12/18W | 4000K | 1240lm | - | 15° ● |
| 30750 840 3 1 | 12/18W | 4000K | 1240lm | - | 36° ○ |
| 30750 840 3 2 | 12/18W | 4000K | 1240lm | - | 36° ● |
| 30750 840 6 1 | 12/18W | 4000K | 1240lm | - | 60° ○ |
| 30750 840 6 2 | 12/18W | 4000K | 1240lm | - | 60° ● |
| 30750 930 1 1 | 12/18W | 3000K | 950lm | 95 | 15° ○ |
| 30750 930 1 2 | 12/18W | 3000K | 950lm | 95 | 15° ● |
| 30750 930 3 1 | 12/18W | 3000K | 950lm | 95 | 36° ○ |
| 30750 930 3 2 | 12/18W | 3000K | 950lm | 95 | 36° ● |
| 30750 930 6 1 | 12/18W | 3000K | 950lm | 95 | 60° ○ |
| 30750 930 6 2 | 12/18W | 3000K | 950lm | 95 | 60° ● |
| 30750 940 1 1 | 12/18W | 4000K | 1050lm | 95 | 15° ○ |
| 30750 940 1 2 | 12/18W | 4000K | 1050lm | 95 | 15° ● |
| 30750 940 3 1 | 12/18W | 4000K | 1050lm | 95 | 36° ○ |
| 30750 940 3 2 | 12/18W | 4000K | 1050lm | 95 | 36° ● |
| 30750 940 6 1 | 12/18W | 4000K | 1050lm | 95 | 60° ○ |
| 30750 940 6 2 | 12/18W | 4000K | 1050lm | 95 | 60° ● |

*11W 100-240V Driver not incl.

98310116

*TRIAC 11W Driver not incl.

98310114C

*18W 100-240V Driver not incl.

98310321

*TRIAC 18W Driver not incl.


98310321LC

*DALI 11/18W Driver not incl.

98310536

*CASAMBI 11/18W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.


Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

| TYPOLOGY | FAMILIES | POWER | LED | ANGLE | COLOR | ACCESORY |
|--------------|-----------------------------------------|-------------|--------------------------|---------|-------------|-----------------|
| 3 Recessed | 05 Round/Redondo | 50 500 mA | 827 2700K 1100lm | 1 15° | 1 ○ white | - No accesory |
| | 06 Round Trimless/Redondo sin marco | | 830 3000K 1190lm | 3 36° | 2 ● black | H Honeycomb |
| | 07 Square/Cuadrado | | 840 4000K 1240lm | 6 60° | | S Stripy |
| | 08 Square Trimless/Cuadrado sin marco | | 930 3000K 950lm CRI95 | | | D Spread |
| | | | 940 4000K 1050lm CRI95 | | | |



Deep 78 Square Trimless

| | P | CCT | FLUX | CRI | BEAM |
|---------------------|--------|-------|--------|-----|-------|
| 30850 827 1 1 | 12/18W | 2700K | 1100lm | - | 15° ○ |
| 30850 827 1 2 | 12/18W | 2700K | 1100lm | - | 15° ● |
| 30850 827 3 1 | 12/18W | 2700K | 1100lm | - | 36° ○ |
| 30850 827 3 2 | 12/18W | 2700K | 1100lm | - | 36° ● |
| 30850 827 6 1 | 12/18W | 2700K | 1100lm | - | 60° ○ |
| 30850 827 6 2 | 12/18W | 2700K | 1100lm | - | 60° ● |
| 30850 830 1 1 | 12/18W | 3000K | 1190lm | - | 15° ○ |
| 30850 830 1 2 | 12/18W | 3000K | 1190lm | - | 15° ● |
| 30850 830 3 1 | 12/18W | 3000K | 1190lm | - | 36° ○ |
| 30850 830 3 2 | 12/18W | 3000K | 1190lm | - | 36° ● |
| 30850 830 6 1 | 12/18W | 3000K | 1190lm | - | 60° ○ |
| 30850 830 6 2 | 12/18W | 3000K | 1190lm | - | 60° ● |
| 30850 840 1 1 | 12/18W | 4000K | 1240lm | - | 15° ○ |
| 30850 840 1 2 | 12/18W | 4000K | 1240lm | - | 15° ● |
| 30850 840 3 1 | 12/18W | 4000K | 1240lm | - | 36° ○ |
| 30850 840 3 2 | 12/18W | 4000K | 1240lm | - | 36° ● |
| 30850 840 6 1 | 12/18W | 4000K | 1240lm | - | 60° ○ |
| 30850 840 6 2 | 12/18W | 4000K | 1240lm | - | 60° ● |
| 30850 930 1 1 | 12/18W | 3000K | 950lm | 95 | 15° ○ |
| 30850 930 1 2 | 12/18W | 3000K | 950lm | 95 | 15° ● |
| 30850 930 3 1 | 12/18W | 3000K | 950lm | 95 | 36° ○ |
| 30850 930 3 2 | 12/18W | 3000K | 950lm | 95 | 36° ● |
| 30850 930 6 1 | 12/18W | 3000K | 950lm | 95 | 60° ○ |
| 30850 930 6 2 | 12/18W | 3000K | 950lm | 95 | 60° ● |
| 30850 940 1 1 | 12/18W | 4000K | 1050lm | 95 | 15° ○ |
| 30850 940 1 2 | 12/18W | 4000K | 1050lm | 95 | 15° ● |
| 30850 940 3 1 | 12/18W | 4000K | 1050lm | 95 | 36° ○ |
| 30850 940 3 2 | 12/18W | 4000K | 1050lm | 95 | 36° ● |
| 30850 940 6 1 | 12/18W | 4000K | 1050lm | 95 | 60° ○ |
| 30850 940 6 2 | 12/18W | 4000K | 1050lm | 95 | 60° ● |

*11W 100-240V Driver not incl.

98310116

*TRIAC 11W Driver not incl.

98310114C

*18W 100-240V Driver not incl.

98310321

*TRIAC 18W Driver not incl.


98310321LC

*DALI 11/18W Driver not incl.

98310536

*CASAMBI 11/18W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

| TYPOLOGY | FAMILIES | POWER | LED | ANGLE | COLOR | ACCESSORY |
|--------------|-----------------------------------------|--------------|--------------------------|---------|-------------|------------------|
| 3 Recessed | 09 Round/Redondo | 10 1050 mA | 827 2700K 2400lm | 1 15° | 1 ○ white | - No accessory |
| | 10 Round Trimless/Redondo sin marco | | 830 3000K 2550lm | 3 36° | 2 ● black | H Honeycomb |
| | 11 Square/Cuadrado | | 840 4000K 2650lm | 6 60° | | S Stripy |
| | 12 Square Trimless/Cuadrado sin marco | | 927 2700K 2020lm CRI95 | | | D Spread |
| | | | 930 3000K 2100lm CRI95 | | | |
| | 940 4000K 2300lm CRI95 | | | | | |
| | 941 P.White 2050lm CRI95 | | | | | |



Deep 90 Round

| | P | CCT | FLUX | CRI | BEAM |
|---------------------|-----------|---------|--------|-----|-------|
| 30910 827 1 1 | 18/25/39W | 2700K | 2400lm | - | 15° ○ |
| 30910 827 1 2 | 18/25/39W | 2700K | 2400lm | - | 15° ● |
| 30910 827 3 1 | 18/25/39W | 2700K | 2400lm | - | 36° ○ |
| 30910 827 3 2 | 18/25/39W | 2700K | 2400lm | - | 36° ● |
| 30910 827 6 1 | 18/25/39W | 2700K | 2400lm | - | 60° ○ |
| 30910 827 6 2 | 18/25/39W | 2700K | 2400lm | - | 60° ● |
| 30910 830 1 1 | 18/25/39W | 3000K | 2550lm | - | 15° ○ |
| 30910 830 1 2 | 18/25/39W | 3000K | 2550lm | - | 15° ● |
| 30910 830 3 1 | 18/25/39W | 3000K | 2550lm | - | 36° ○ |
| 30910 830 3 2 | 18/25/39W | 3000K | 2550lm | - | 36° ● |
| 30910 830 6 1 | 18/25/39W | 3000K | 2550lm | - | 60° ○ |
| 30910 830 6 2 | 18/25/39W | 3000K | 2550lm | - | 60° ● |
| 30910 840 1 1 | 18/25/39W | 4000K | 2650lm | - | 15° ○ |
| 30910 840 1 2 | 18/25/39W | 4000K | 2650lm | - | 15° ● |
| 30910 840 3 1 | 18/25/39W | 4000K | 2650lm | - | 36° ○ |
| 30910 840 3 2 | 18/25/39W | 4000K | 2650lm | - | 36° ● |
| 30910 840 6 1 | 18/25/39W | 4000K | 2650lm | - | 60° ○ |
| 30910 840 6 2 | 18/25/39W | 4000K | 2650lm | - | 60° ● |
| 30910 927 1 1 | 18/25/39W | 2700K | 2020lm | 95 | 15° ○ |
| 30910 927 1 2 | 18/25/39W | 2700K | 2020lm | 95 | 15° ● |
| 30910 927 3 1 | 18/25/39W | 2700K | 2020lm | 95 | 36° ○ |
| 30910 927 3 2 | 18/25/39W | 2700K | 2020lm | 95 | 36° ● |
| 30910 927 6 1 | 18/25/39W | 2700K | 2020lm | 95 | 60° ○ |
| 30910 927 6 2 | 18/25/39W | 2700K | 2020lm | 95 | 60° ● |
| 30910 930 1 1 | 18/25/39W | 3000K | 2020lm | 95 | 15° ○ |
| 30910 930 1 2 | 18/25/39W | 3000K | 2020lm | 95 | 15° ● |
| 30910 930 3 1 | 18/25/39W | 3000K | 2020lm | 95 | 36° ○ |
| 30910 930 3 2 | 18/25/39W | 3000K | 2020lm | 95 | 36° ● |
| 30910 930 6 1 | 18/25/39W | 3000K | 2020lm | 95 | 60° ○ |
| 30910 930 6 2 | 18/25/39W | 3000K | 2020lm | 95 | 60° ● |
| 30910 940 1 1 | 18/25/39W | 4000K | 2300lm | 95 | 15° ○ |
| 30910 940 1 2 | 18/25/39W | 4000K | 2300lm | 95 | 15° ● |
| 30910 940 3 1 | 18/25/39W | 4000K | 2300lm | 95 | 36° ○ |
| 30910 940 3 2 | 18/25/39W | 4000K | 2300lm | 95 | 36° ● |
| 30910 940 6 1 | 18/25/39W | 4000K | 2300lm | 95 | 60° ○ |
| 30910 940 6 2 | 18/25/39W | 4000K | 2300lm | 95 | 60° ● |
| 30910 941 1 1 | 18/25/39W | P.White | 2050lm | 95 | 15° ○ |
| 30910 941 1 2 | 18/25/39W | P.White | 2050lm | 95 | 15° ● |
| 30910 941 3 1 | 18/25/39W | P.White | 2050lm | 95 | 36° ○ |
| 30910 941 3 2 | 18/25/39W | P.White | 2050lm | 95 | 36° ● |
| 30910 941 6 1 | 18/25/39W | P.White | 2050lm | 95 | 60° ○ |
| 30910 941 6 2 | 18/25/39W | P.White | 2050lm | 95 | 60° ● |

*18W 100-240V Driver not incl.

98310321

*TRIAC 18W Driver not incl.

98310321LC

*25W 100-240V Driver not incl.

98310233

*TRIAC 25W Driver not incl.

98310236C

*39W 100-240V Driver not incl.


98310444

*DALI 18/25/39W Driver not incl.

98310536

*CASAMBI 18/25/39W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.


Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

| TYPOLOGY | FAMILIES | POWER | LED | ANGLE | COLOR | ACCESSORY |
|--------------|-----------------------------------------|--------------|--------------------------|---------|-------------|------------------|
| 3 Recessed | 09 Round/Redondo | 10 1050 mA | 827 2700K 2400lm | 1 15° | 1 ○ white | - No accessory |
| | 10 Round Trimless/Redondo sin marco | | 830 3000K 2550lm | 3 36° | 2 ● black | H Honeycomb |
| | 11 Square/Cuadrado | | 840 4000K 2650lm | 6 60° | | S Stripy |
| | 12 Square Trimless/Cuadrado sin marco | | 927 2700K 2020lm CRI95 | | | D Spread |
| | | | 930 3000K 2100lm CRI95 | | | |
| | 940 4000K 2300lm CRI95 | | | | | |
| | 941 P.White 2050lm CRI95 | | | | | |



Deep 90 Round Trimless

| P | CCT | FLUX | CRI | BEAM |
|---------------------|-------------------|--------|-----|-------|
| 31010 827 1 1 | 18/25/39W 2700K | 2400lm | - | 15° ○ |
| 31010 827 1 2 | 18/25/39W 2700K | 2400lm | - | 15° ● |
| 31010 827 3 1 | 18/25/39W 2700K | 2400lm | - | 36° ○ |
| 31010 827 3 2 | 18/25/39W 2700K | 2400lm | - | 36° ● |
| 31010 827 6 1 | 18/25/39W 2700K | 2400lm | - | 60° ○ |
| 31010 827 6 2 | 18/25/39W 2700K | 2400lm | - | 60° ● |
| 31010 830 1 1 | 18/25/39W 3000K | 2550lm | - | 15° ○ |
| 31010 830 1 2 | 18/25/39W 3000K | 2550lm | - | 15° ● |
| 31010 830 3 1 | 18/25/39W 3000K | 2550lm | - | 36° ○ |
| 31010 830 3 2 | 18/25/39W 3000K | 2550lm | - | 36° ● |
| 31010 830 6 1 | 18/25/39W 3000K | 2550lm | - | 60° ○ |
| 31010 830 6 2 | 18/25/39W 3000K | 2550lm | - | 60° ● |
| 31010 840 1 1 | 18/25/39W 4000K | 2650lm | - | 15° ○ |
| 31010 840 1 2 | 18/25/39W 4000K | 2650lm | - | 15° ● |
| 31010 840 3 1 | 18/25/39W 4000K | 2650lm | - | 36° ○ |
| 31010 840 3 2 | 18/25/39W 4000K | 2650lm | - | 36° ● |
| 31010 840 6 1 | 18/25/39W 4000K | 2650lm | - | 60° ○ |
| 31010 840 6 2 | 18/25/39W 4000K | 2650lm | - | 60° ● |
| 31010 927 1 1 | 18/25/39W 2700K | 2020lm | 95 | 15° ○ |
| 31010 927 1 2 | 18/25/39W 2700K | 2020lm | 95 | 15° ● |
| 31010 927 3 1 | 18/25/39W 2700K | 2020lm | 95 | 36° ○ |
| 31010 927 3 2 | 18/25/39W 2700K | 2020lm | 95 | 36° ● |
| 31010 927 6 1 | 18/25/39W 2700K | 2020lm | 95 | 60° ○ |
| 31010 927 6 2 | 18/25/39W 2700K | 2020lm | 95 | 60° ● |
| 31010 930 1 1 | 18/25/39W 3000K | 2020lm | 95 | 15° ○ |
| 31010 930 1 2 | 18/25/39W 3000K | 2020lm | 95 | 15° ● |
| 31010 930 3 1 | 18/25/39W 3000K | 2020lm | 95 | 36° ○ |
| 31010 930 3 2 | 18/25/39W 3000K | 2020lm | 95 | 36° ● |
| 31010 930 6 1 | 18/25/39W 3000K | 2020lm | 95 | 60° ○ |
| 31010 930 6 2 | 18/25/39W 3000K | 2020lm | 95 | 60° ● |
| 31010 940 1 1 | 18/25/39W 4000K | 2300lm | 95 | 15° ○ |
| 31010 940 1 2 | 18/25/39W 4000K | 2300lm | 95 | 15° ● |
| 31010 940 3 1 | 18/25/39W 4000K | 2300lm | 95 | 36° ○ |
| 31010 940 3 2 | 18/25/39W 4000K | 2300lm | 95 | 36° ● |
| 31010 940 6 1 | 18/25/39W 4000K | 2300lm | 95 | 60° ○ |
| 31010 940 6 2 | 18/25/39W 4000K | 2300lm | 95 | 60° ● |
| 31010 941 1 1 | 18/25/39W P.White | 2050lm | 95 | 15° ○ |
| 31010 941 1 2 | 18/25/39W P.White | 2050lm | 95 | 15° ● |
| 31010 941 3 1 | 18/25/39W P.White | 2050lm | 95 | 36° ○ |
| 31010 941 3 2 | 18/25/39W P.White | 2050lm | 95 | 36° ● |
| 31010 941 6 1 | 18/25/39W P.White | 2050lm | 95 | 60° ○ |
| 31010 941 6 2 | 18/25/39W P.White | 2050lm | 95 | 60° ● |

*18W 100-240V Driver not incl.

98310321

*TRIAC 18W Driver not incl.

98310321LC

*25W 100-240V Driver not incl.

98310233

*TRIAC 25W Driver not incl.

98310236C

*39W 100-240V Driver not incl.


98310444

*DALI 18/25/39W Driver not incl.

98310536

*CASAMBI 18/25/39W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.


Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

| TYPOLOGY | FAMILIES | POWER | LED | ANGLE | COLOR | ACCESSORY |
|--------------|-----------------------------------------|--------------|--------------------------|---------|-------------|------------------|
| 3 Recessed | 09 Round/Redondo | 10 1050 mA | 827 2700K 2400lm | 1 15° | 1 ○ white | - No accessory |
| | 10 Round Trimless/Redondo sin marco | | 830 3000K 2550lm | 3 36° | 2 ● black | H Honeycomb |
| | 11 Square/Cuadrado | | 840 4000K 2650lm | 6 60° | | S Stripy |
| | 12 Square Trimless/Cuadrado sin marco | | 927 2700K 2020lm CRI95 | | | D Spread |
| | | | 930 3000K 2100lm CRI95 | | | |
| | 940 4000K 2300lm CRI95 | | | | | |
| | 941 P.White 2050lm CRI95 | | | | | |



Deep 90 Square

| | P | CCT | FLUX | CRI | BEAM |
|---------------------|-----------|---------|--------|-----|-------|
| 31110 827 1 1 | 18/25/39W | 2700K | 2400lm | - | 15° ○ |
| 31110 827 1 2 | 18/25/39W | 2700K | 2400lm | - | 15° ● |
| 31110 827 3 1 | 18/25/39W | 2700K | 2400lm | - | 36° ○ |
| 31110 827 3 2 | 18/25/39W | 2700K | 2400lm | - | 36° ● |
| 31110 827 6 1 | 18/25/39W | 2700K | 2400lm | - | 60° ○ |
| 31110 827 6 2 | 18/25/39W | 2700K | 2400lm | - | 60° ● |
| 31110 830 1 1 | 18/25/39W | 3000K | 2550lm | - | 15° ○ |
| 31110 830 1 2 | 18/25/39W | 3000K | 2550lm | - | 15° ● |
| 31110 830 3 1 | 18/25/39W | 3000K | 2550lm | - | 36° ○ |
| 31110 830 3 2 | 18/25/39W | 3000K | 2550lm | - | 36° ● |
| 31110 830 6 1 | 18/25/39W | 3000K | 2550lm | - | 60° ○ |
| 31110 830 6 2 | 18/25/39W | 3000K | 2550lm | - | 60° ● |
| 31110 840 1 1 | 18/25/39W | 4000K | 2650lm | - | 15° ○ |
| 31110 840 1 2 | 18/25/39W | 4000K | 2650lm | - | 15° ● |
| 31110 840 3 1 | 18/25/39W | 4000K | 2650lm | - | 36° ○ |
| 31110 840 3 2 | 18/25/39W | 4000K | 2650lm | - | 36° ● |
| 31110 840 6 1 | 18/25/39W | 4000K | 2650lm | - | 60° ○ |
| 31110 840 6 2 | 18/25/39W | 4000K | 2650lm | - | 60° ● |
| 31110 927 1 1 | 18/25/39W | 2700K | 2020lm | 95 | 15° ○ |
| 31110 927 1 2 | 18/25/39W | 2700K | 2020lm | 95 | 15° ● |
| 31110 927 3 1 | 18/25/39W | 2700K | 2020lm | 95 | 36° ○ |
| 31110 927 3 2 | 18/25/39W | 2700K | 2020lm | 95 | 36° ● |
| 31110 927 6 1 | 18/25/39W | 2700K | 2020lm | 95 | 60° ○ |
| 31110 927 6 2 | 18/25/39W | 2700K | 2020lm | 95 | 60° ● |
| 31110 930 1 1 | 18/25/39W | 3000K | 2020lm | 95 | 15° ○ |
| 31110 930 1 2 | 18/25/39W | 3000K | 2020lm | 95 | 15° ● |
| 31110 930 3 1 | 18/25/39W | 3000K | 2020lm | 95 | 36° ○ |
| 31110 930 3 2 | 18/25/39W | 3000K | 2020lm | 95 | 36° ● |
| 31110 930 6 1 | 18/25/39W | 3000K | 2020lm | 95 | 60° ○ |
| 31110 930 6 2 | 18/25/39W | 3000K | 2020lm | 95 | 60° ● |
| 31110 940 1 1 | 18/25/39W | 4000K | 2300lm | 95 | 15° ○ |
| 31110 940 1 2 | 18/25/39W | 4000K | 2300lm | 95 | 15° ● |
| 31110 940 3 1 | 18/25/39W | 4000K | 2300lm | 95 | 36° ○ |
| 31110 940 3 2 | 18/25/39W | 4000K | 2300lm | 95 | 36° ● |
| 31110 940 6 1 | 18/25/39W | 4000K | 2300lm | 95 | 60° ○ |
| 31110 940 6 2 | 18/25/39W | 4000K | 2300lm | 95 | 60° ● |
| 31110 941 1 1 | 18/25/39W | P.White | 2050lm | 95 | 15° ○ |
| 31110 941 1 2 | 18/25/39W | P.White | 2050lm | 95 | 15° ● |
| 31110 941 3 1 | 18/25/39W | P.White | 2050lm | 95 | 36° ○ |
| 31110 941 3 2 | 18/25/39W | P.White | 2050lm | 95 | 36° ● |
| 31110 941 6 1 | 18/25/39W | P.White | 2050lm | 95 | 60° ○ |
| 31110 941 6 2 | 18/25/39W | P.White | 2050lm | 95 | 60° ● |

*18W 100-240V Driver not incl.

98310321

*TRIAC 18W Driver not incl.

98310321LC

*25W 100-240V Driver not incl.

98310233

*TRIAC 25W Driver not incl.

98310236C

*39W 100-240V Driver not incl.


98310444

*DALI 18/25/39W Driver not incl.

98310536

*CASAMBI 18/25/39W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.


Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

| TYPOLOGY | FAMILIES | POWER | LED | ANGLE | COLOR | ACCESSORY |
|--------------|-----------------------------------------|--------------|--------------------------|---------|-------------|------------------|
| 3 Recessed | 09 Round/Redondo | 10 1050 mA | 827 2700K 2400lm | 1 15° | 1 ○ white | - No accessory |
| | 10 Round Trimless/Redondo sin marco | | 830 3000K 2550lm | 3 36° | 2 ● black | H Honeycomb |
| | 11 Square/Cuadrado | | 840 4000K 2650lm | 6 60° | | S Stripy |
| | 12 Square Trimless/Cuadrado sin marco | | 927 2700K 2020lm CRI95 | | | D Spread |
| | | | 930 3000K 2100lm CRI95 | | | |
| | 940 4000K 2300lm CRI95 | | | | | |
| | 941 P.White 2050lm CRI95 | | | | | |



Deep 90 Square Trimless

| P | CCT | FLUX | CRI | BEAM |
|---------------------|-------------------|--------|-----|-------|
| 31210 827 1 1 | 18/25/39W 2700K | 2400lm | - | 15° ○ |
| 31210 827 1 2 | 18/25/39W 2700K | 2400lm | - | 15° ● |
| 31210 827 3 1 | 18/25/39W 2700K | 2400lm | - | 36° ○ |
| 31210 827 3 2 | 18/25/39W 2700K | 2400lm | - | 36° ● |
| 31210 827 6 1 | 18/25/39W 2700K | 2400lm | - | 60° ○ |
| 31210 827 6 2 | 18/25/39W 2700K | 2400lm | - | 60° ● |
| 31210 830 1 1 | 18/25/39W 3000K | 2550lm | - | 15° ○ |
| 31210 830 1 2 | 18/25/39W 3000K | 2550lm | - | 15° ● |
| 31210 830 3 1 | 18/25/39W 3000K | 2550lm | - | 36° ○ |
| 31210 830 3 2 | 18/25/39W 3000K | 2550lm | - | 36° ● |
| 31210 830 6 1 | 18/25/39W 3000K | 2550lm | - | 60° ○ |
| 31210 830 6 2 | 18/25/39W 3000K | 2550lm | - | 60° ● |
| 31210 840 1 1 | 18/25/39W 4000K | 2650lm | - | 15° ○ |
| 31210 840 1 2 | 18/25/39W 4000K | 2650lm | - | 15° ● |
| 31210 840 3 1 | 18/25/39W 4000K | 2650lm | - | 36° ○ |
| 31210 840 3 2 | 18/25/39W 4000K | 2650lm | - | 36° ● |
| 31210 840 6 1 | 18/25/39W 4000K | 2650lm | - | 60° ○ |
| 31210 840 6 2 | 18/25/39W 4000K | 2650lm | - | 60° ● |
| 31210 927 1 1 | 18/25/39W 2700K | 2020lm | 95 | 15° ○ |
| 31210 927 1 2 | 18/25/39W 2700K | 2020lm | 95 | 15° ● |
| 31210 927 3 1 | 18/25/39W 2700K | 2020lm | 95 | 36° ○ |
| 31210 927 3 2 | 18/25/39W 2700K | 2020lm | 95 | 36° ● |
| 31210 927 6 1 | 18/25/39W 2700K | 2020lm | 95 | 60° ○ |
| 31210 927 6 2 | 18/25/39W 2700K | 2020lm | 95 | 60° ● |
| 31210 930 1 1 | 18/25/39W 3000K | 2020lm | 95 | 15° ○ |
| 31210 930 1 2 | 18/25/39W 3000K | 2020lm | 95 | 15° ● |
| 31210 930 3 1 | 18/25/39W 3000K | 2020lm | 95 | 36° ○ |
| 31210 930 3 2 | 18/25/39W 3000K | 2020lm | 95 | 36° ● |
| 31210 930 6 1 | 18/25/39W 3000K | 2020lm | 95 | 60° ○ |
| 31210 930 6 2 | 18/25/39W 3000K | 2020lm | 95 | 60° ● |
| 31210 940 1 1 | 18/25/39W 4000K | 2300lm | 95 | 15° ○ |
| 31210 940 1 2 | 18/25/39W 4000K | 2300lm | 95 | 15° ● |
| 31210 940 3 1 | 18/25/39W 4000K | 2300lm | 95 | 36° ○ |
| 31210 940 3 2 | 18/25/39W 4000K | 2300lm | 95 | 36° ● |
| 31210 940 6 1 | 18/25/39W 4000K | 2300lm | 95 | 60° ○ |
| 31210 940 6 2 | 18/25/39W 4000K | 2300lm | 95 | 60° ● |
| 31210 941 1 1 | 18/25/39W P.White | 2050lm | 95 | 15° ○ |
| 31210 941 1 2 | 18/25/39W P.White | 2050lm | 95 | 15° ● |
| 31210 941 3 1 | 18/25/39W P.White | 2050lm | 95 | 36° ○ |
| 31210 941 3 2 | 18/25/39W P.White | 2050lm | 95 | 36° ● |
| 31210 941 6 1 | 18/25/39W P.White | 2050lm | 95 | 60° ○ |
| 31210 941 6 2 | 18/25/39W P.White | 2050lm | 95 | 60° ● |

*18W 100-240V Driver not incl.

98310321

*TRIAC 18W Driver not incl.

98310321LC

*25W 100-240V Driver not incl.

98310233

*TRIAC 25W Driver not incl.

98310236C

*39W 100-240V Driver not incl.

98310444

*DALI 18/25/39W Driver not incl.

98310536

*CASAMBI 18/25/39W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.



Synch




TECHNICO

CITILED.
The Light Engine

Our downlights SYNCH incorporate Citizen components, to offer the latest technology available in the market and the most efficient LED.
Nuestros downlights SYNCH incorporan componentes Citizen, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

Synch Trimless 13/19W



*13/19W Driver not incl.

98310321

*TRIAC 13/19W Driver not incl.

98310321LC


*DALI 13/19W Driver not incl.


98310536

*CASAMBI 13/19W Driver not incl.

98310538

| | P | CRI | BEAM | CCT | FLUX |
|-----------|----------|-----|------|-------|------------|
| 038002801 | ○ 13/19W | 80 | 25° | 2700K | 810/1110lm |
| 038002802 | ● 13/19W | 80 | 25° | 2700K | 810/1110lm |
| 038002804 | ● 13/19W | 80 | 25° | 2700K | 810/1110lm |
| 038002901 | ○ 13/19W | 80 | 36° | 2700K | 810/1110lm |
| 038002902 | ● 13/19W | 80 | 36° | 2700K | 810/1110lm |
| 038002904 | ● 13/19W | 80 | 36° | 2700K | 810/1110lm |
| 038003001 | ○ 13/19W | 80 | 52° | 2700K | 810/1110lm |
| 038003002 | ● 13/19W | 80 | 52° | 2700K | 810/1110lm |
| 038003004 | ● 13/19W | 80 | 52° | 2700K | 810/1110lm |
| 038003101 | ○ 13/19W | 80 | 25° | 3000K | 840/1170lm |
| 038003102 | ● 13/19W | 80 | 25° | 3000K | 840/1170lm |
| 038003104 | ● 13/19W | 80 | 25° | 3000K | 840/1170lm |
| 038003201 | ○ 13/19W | 80 | 36° | 3000K | 840/1170lm |
| 038003202 | ● 13/19W | 80 | 36° | 3000K | 840/1170lm |
| 038003204 | ● 13/19W | 80 | 36° | 3000K | 840/1170lm |
| 038003301 | ○ 13/19W | 80 | 52° | 3000K | 840/1170lm |
| 038003302 | ● 13/19W | 80 | 52° | 3000K | 840/1170lm |
| 038003304 | ● 13/19W | 80 | 52° | 3000K | 840/1170lm |
| 038003701 | ○ 13/19W | 80 | 25° | 4000K | 840/1250lm |
| 038003702 | ● 13/19W | 80 | 25° | 4000K | 840/1250lm |
| 038003704 | ● 13/19W | 80 | 25° | 4000K | 840/1250lm |
| 038003801 | ○ 13/19W | 80 | 36° | 4000K | 840/1250lm |
| 038003802 | ● 13/19W | 80 | 36° | 4000K | 840/1250lm |
| 038003804 | ● 13/19W | 80 | 36° | 4000K | 840/1250lm |
| 038003901 | ○ 13/19W | 80 | 52° | 4000K | 840/1250lm |
| 038003902 | ● 13/19W | 80 | 52° | 4000K | 840/1250lm |
| 038003904 | ● 13/19W | 80 | 52° | 4000K | 840/1250lm |
| 038004601 | ○ 13/19W | 97 | 25° | 2700K | 600/840lm |
| 038004602 | ● 13/19W | 97 | 25° | 2700K | 600/840lm |
| 038004604 | ● 13/19W | 97 | 25° | 2700K | 600/840lm |
| 038004701 | ○ 13/19W | 97 | 36° | 2700K | 600/840lm |
| 038004702 | ● 13/19W | 97 | 36° | 2700K | 600/840lm |
| 038004704 | ● 13/19W | 97 | 36° | 2700K | 600/840lm |
| 038004801 | ○ 13/19W | 97 | 52° | 2700K | 600/840lm |
| 038004802 | ● 13/19W | 97 | 52° | 2700K | 600/840lm |
| 038004804 | ● 13/19W | 97 | 52° | 2700K | 600/840lm |
| 038004901 | ○ 13/19W | 97 | 25° | 3000K | 630/870lm |
| 038004902 | ● 13/19W | 97 | 25° | 3000K | 630/870lm |
| 038004904 | ● 13/19W | 97 | 25° | 3000K | 630/870lm |
| 038005001 | ○ 13/19W | 97 | 36° | 3000K | 630/870lm |
| 038005002 | ● 13/19W | 97 | 36° | 3000K | 630/870lm |
| 038005004 | ● 13/19W | 97 | 36° | 3000K | 630/870lm |
| 038005101 | ○ 13/19W | 97 | 52° | 3000K | 630/870lm |
| 038005102 | ● 13/19W | 97 | 52° | 3000K | 630/870lm |
| 038005104 | ● 13/19W | 97 | 52° | 3000K | 630/870lm |
| 038005201 | ○ 13/19W | 97 | 25° | 4000K | 660/900lm |
| 038005202 | ● 13/19W | 97 | 25° | 4000K | 660/900lm |
| 038005204 | ● 13/19W | 97 | 25° | 4000K | 660/900lm |
| 038005301 | ○ 13/19W | 97 | 36° | 4000K | 660/900lm |
| 038005302 | ● 13/19W | 97 | 36° | 4000K | 660/900lm |
| 038005304 | ● 13/19W | 97 | 36° | 4000K | 660/900lm |
| 038005401 | ○ 13/19W | 97 | 52° | 4000K | 660/900lm |
| 038005402 | ● 13/19W | 97 | 52° | 4000K | 660/900lm |
| 038005404 | ● 13/19W | 97 | 52° | 4000K | 660/900lm |





*13/19W Driver not incl.

98310321

*TRIAC 13/19W Driver not incl.

98310321LC


*DALI 13/19W Driver not incl.

98310536

*CASAMBI 13/19W Driver not incl.

98310538

| | P | CRI | BEAM | CCT | FLUX |
|-----------|----------|-----|------|-------|------------|
| 038000101 | ○ 13/19W | 80 | 25° | 2700K | 810/1110lm |
| 038000102 | ● 13/19W | 80 | 25° | 2700K | 810/1110lm |
| 038000104 | ● 13/19W | 80 | 25° | 2700K | 810/1110lm |
| 038000201 | ○ 13/19W | 80 | 36° | 2700K | 810/1110lm |
| 038000202 | ● 13/19W | 80 | 36° | 2700K | 810/1110lm |
| 038000204 | ● 13/19W | 80 | 36° | 2700K | 810/1110lm |
| 038000301 | ○ 13/19W | 80 | 52° | 2700K | 810/1110lm |
| 038000302 | ● 13/19W | 80 | 52° | 2700K | 810/1110lm |
| 038000304 | ● 13/19W | 80 | 52° | 2700K | 810/1110lm |
| 038000401 | ○ 13/19W | 80 | 25° | 3000K | 840/1170lm |
| 038000402 | ● 13/19W | 80 | 25° | 3000K | 840/1170lm |
| 038000404 | ● 13/19W | 80 | 25° | 3000K | 840/1170lm |
| 038000501 | ○ 13/19W | 80 | 36° | 3000K | 840/1170lm |
| 038000502 | ● 13/19W | 80 | 36° | 3000K | 840/1170lm |
| 038000504 | ● 13/19W | 80 | 36° | 3000K | 840/1170lm |
| 038000601 | ○ 13/19W | 80 | 52° | 3000K | 840/1170lm |
| 038000602 | ● 13/19W | 80 | 52° | 3000K | 840/1170lm |
| 038000604 | ● 13/19W | 80 | 52° | 3000K | 840/1170lm |
| 038001001 | ○ 13/19W | 80 | 25° | 4000K | 840/1200lm |
| 038001002 | ● 13/19W | 80 | 25° | 4000K | 840/1200lm |
| 038001004 | ● 13/19W | 80 | 25° | 4000K | 840/1200lm |
| 038001101 | ○ 13/19W | 80 | 36° | 4000K | 840/1200lm |
| 038001102 | ● 13/19W | 80 | 36° | 4000K | 840/1200lm |
| 038001104 | ● 13/19W | 80 | 36° | 4000K | 840/1200lm |
| 038001201 | ○ 13/19W | 80 | 52° | 4000K | 840/1200lm |
| 038001202 | ● 13/19W | 80 | 52° | 4000K | 840/1200lm |
| 038001204 | ● 13/19W | 80 | 52° | 4000K | 840/1200lm |
| 038001901 | ○ 13/19W | 97 | 25° | 2700K | 600/840lm |
| 038001902 | ● 13/19W | 97 | 25° | 2700K | 600/840lm |
| 038001904 | ● 13/19W | 97 | 25° | 2700K | 600/840lm |
| 038002001 | ○ 13/19W | 97 | 36° | 2700K | 600/840lm |
| 038002002 | ● 13/19W | 97 | 36° | 2700K | 600/840lm |
| 038002004 | ● 13/19W | 97 | 36° | 2700K | 600/840lm |
| 038002101 | ○ 13/19W | 97 | 52° | 2700K | 600/840lm |
| 038002102 | ● 13/19W | 97 | 52° | 2700K | 600/840lm |
| 038002104 | ● 13/19W | 97 | 52° | 2700K | 600/840lm |
| 038002201 | ○ 13/19W | 97 | 25° | 3000K | 630/870lm |
| 038002202 | ● 13/19W | 97 | 25° | 3000K | 630/870lm |
| 038002204 | ● 13/19W | 97 | 25° | 3000K | 630/870lm |
| 038002301 | ○ 13/19W | 97 | 36° | 3000K | 630/870lm |
| 038002302 | ● 13/19W | 97 | 36° | 3000K | 630/870lm |
| 038002304 | ● 13/19W | 97 | 36° | 3000K | 630/870lm |
| 038002401 | ○ 13/19W | 97 | 52° | 3000K | 630/870lm |
| 038002402 | ● 13/19W | 97 | 52° | 3000K | 630/870lm |
| 038002404 | ● 13/19W | 97 | 52° | 3000K | 630/870lm |
| 038002501 | ○ 13/19W | 97 | 25° | 4000K | 660/900lm |
| 038002502 | ● 13/19W | 97 | 25° | 4000K | 660/900lm |
| 038002504 | ● 13/19W | 97 | 25° | 4000K | 660/900lm |
| 038002601 | ○ 13/19W | 97 | 36° | 4000K | 660/900lm |
| 038002602 | ● 13/19W | 97 | 36° | 4000K | 660/900lm |
| 038002604 | ● 13/19W | 97 | 36° | 4000K | 660/900lm |
| 038002701 | ○ 13/19W | 97 | 52° | 4000K | 660/900lm |
| 038002702 | ● 13/19W | 97 | 52° | 4000K | 660/900lm |
| 038002704 | ● 13/19W | 97 | 52° | 4000K | 660/900lm |



*Possibility 3500, 5000 and 6000K models, consultWith the commercial.
Posibilidad de modelos con 3500, 5000 y 6000K, consulta con el comercial.



Optic




Optic Mini



Optic



Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.



*12W Driver not incl.


98310116

*18W Driver not incl.

98310321

Optic Mini 12/18W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|-------|-------------|
| 032503001 | ○ | 12/18W | 82 | 20° | 2700K | 950/1450lm |
| 032503002 | ● | 12/18W | 82 | 20° | 2700K | 950/1450lm |
| 032503003 | ● | 12/18W | 82 | 20° | 2700K | 950/1450lm |
| 032503101 | ○ | 12/18W | 82 | 56° | 2700K | 950/1450lm |
| 032503102 | ● | 12/18W | 82 | 56° | 2700K | 950/1450lm |
| 032503103 | ● | 12/18W | 82 | 56° | 2700K | 950/1450lm |
| 032503201 | ○ | 12/18W | 85 | 20° | 3000K | 1000/1500lm |
| 032503202 | ● | 12/18W | 85 | 20° | 3000K | 1000/1500lm |
| 032503203 | ● | 12/18W | 85 | 20° | 3000K | 1000/1500lm |
| 032503301 | ○ | 12/18W | 85 | 56° | 3000K | 1000/1500lm |
| 032503302 | ● | 12/18W | 85 | 56° | 3000K | 1000/1500lm |
| 032503303 | ● | 12/18W | 85 | 56° | 3000K | 1000/1500lm |
| 032503401 | ○ | 12/18W | 85 | 20° | 4000K | 1100/1600lm |
| 032503402 | ● | 12/18W | 85 | 20° | 4000K | 1100/1600lm |
| 032503403 | ● | 12/18W | 85 | 20° | 4000K | 1100/1600lm |
| 032503501 | ○ | 12/18W | 85 | 56° | 4000K | 1100/1600lm |
| 032503502 | ● | 12/18W | 85 | 56° | 4000K | 1100/1600lm |
| 032503503 | ● | 12/18W | 85 | 56° | 4000K | 1100/1600lm |



*TRIAC 12W Driver not incl.

98310114C

*TRIAC 18W Driver not incl.


98310321LC

*DALI 12/18W Driver not incl.

98310536

*CASAMBI 12/18W Driver not incl.

98310538



*17W Driver not incl.

98310321


*24W Driver not incl.

98310233

Optic Mini 17/24W

CRI95

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|-------|-------------|
| 032503601 | ○ | 17/24W | 95 | 20° | 2700K | 1250/1800lm |
| 032503602 | ● | 17/24W | 95 | 20° | 2700K | 1250/1800lm |
| 032503603 | ● | 17/24W | 95 | 20° | 2700K | 1250/1800lm |
| 032503701 | ○ | 17/24W | 95 | 56° | 2700K | 1250/1800lm |
| 032503702 | ● | 17/24W | 95 | 56° | 2700K | 1250/1800lm |
| 032503703 | ● | 17/24W | 95 | 56° | 2700K | 1250/1800lm |
| 032503801 | ○ | 17/24W | 95 | 20° | 3000K | 1300/1850lm |
| 032503802 | ● | 17/24W | 95 | 20° | 3000K | 1300/1850lm |
| 032503803 | ● | 17/24W | 95 | 20° | 3000K | 1300/1850lm |
| 032503901 | ○ | 17/24W | 95 | 56° | 3000K | 1300/1850lm |
| 032503902 | ● | 17/24W | 95 | 56° | 3000K | 1300/1850lm |
| 032503903 | ● | 17/24W | 95 | 56° | 3000K | 1300/1850lm |
| 032504001 | ○ | 17/24W | 95 | 20° | 4000K | 1400/1950lm |
| 032504002 | ● | 17/24W | 95 | 20° | 4000K | 1400/1950lm |
| 032504003 | ● | 17/24W | 95 | 20° | 4000K | 1400/1950lm |
| 032504101 | ○ | 17/24W | 95 | 56° | 4000K | 1400/1950lm |
| 032504102 | ● | 17/24W | 95 | 56° | 4000K | 1400/1950lm |
| 032504103 | ● | 17/24W | 95 | 56° | 4000K | 1400/1950lm |



*TRIAC 17W Driver not incl.

98310321LC

*TRIAC 24W Driver not incl.


98310236C

*DALI 17/24W Driver not incl.

98310536

*CASAMBI 17/24W Driver not incl.

98310538




Optic Mini 24W

HIGH EFFICIENCY LED

| | | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|----|-----|-------|--------|------|
| 032504201 | ○ | 24W | 82 | 20° | 2700K | 2000lm | |
| 032504202 | ● | 24W | 82 | 20° | 2700K | 2000lm | |
| 032504203 | ● | 24W | 82 | 20° | 2700K | 2000lm | |
| 032504301 | ○ | 24W | 82 | 56° | 2700K | 2000lm | |
| 032504302 | ● | 24W | 82 | 56° | 2700K | 2000lm | |
| 032504303 | ● | 24W | 82 | 56° | 2700K | 2000lm | |
| 032504401 | ○ | 24W | 85 | 20° | 3000K | 2050lm | |
| 032504402 | ● | 24W | 85 | 20° | 3000K | 2050lm | |
| 032504403 | ● | 24W | 85 | 20° | 3000K | 2050lm | |
| 032504501 | ○ | 24W | 85 | 56° | 3000K | 2050lm | |
| 032504502 | ● | 24W | 85 | 56° | 3000K | 2050lm | |
| 032504503 | ● | 24W | 85 | 56° | 3000K | 2050lm | |
| 032504601 | ○ | 24W | 85 | 20° | 4000K | 2150lm | |
| 032504602 | ● | 24W | 85 | 20° | 4000K | 2150lm | |
| 032504603 | ● | 24W | 85 | 20° | 4000K | 2150lm | |
| 032504701 | ○ | 24W | 85 | 56° | 4000K | 2150lm | |
| 032504702 | ● | 24W | 85 | 56° | 4000K | 2150lm | |
| 032504703 | ● | 24W | 85 | 56° | 4000K | 2150lm | |

FOOD LIGHTING LED

| | | | | | | |
|-----------|---|-----|----|-----|--------|--------|
| 032504801 | ○ | 24W | 85 | 20° | fruits | 1600lm |
| 032504802 | ● | 24W | 85 | 20° | fruits | 1600lm |
| 032504803 | ● | 24W | 85 | 20° | fruits | 1600lm |
| 032504901 | ○ | 24W | 85 | 56° | fruits | 1600lm |
| 032504902 | ● | 24W | 85 | 56° | fruits | 1600lm |
| 032504903 | ● | 24W | 85 | 56° | fruits | 1600lm |
| 032505001 | ○ | 24W | 85 | 20° | fish | 1700lm |
| 032505002 | ● | 24W | 85 | 20° | fish | 1700lm |
| 032505003 | ● | 24W | 85 | 20° | fish | 1700lm |
| 032505101 | ○ | 24W | 85 | 56° | fish | 1700lm |
| 032505102 | ● | 24W | 85 | 56° | fish | 1700lm |
| 032505103 | ● | 24W | 85 | 56° | fish | 1700lm |
| 032505201 | ○ | 24W | 70 | 20° | meat | 1500lm |
| 032505202 | ● | 24W | 70 | 20° | meat | 1500lm |
| 032505203 | ● | 24W | 70 | 20° | meat | 1500lm |
| 032505301 | ○ | 24W | 70 | 56° | meat | 1500lm |
| 032505302 | ● | 24W | 70 | 56° | meat | 1500lm |
| 032505303 | ● | 24W | 70 | 56° | meat | 1500lm |



*24W Driver not incl.

98310233

*TRIAC Driver not incl.


98310236C

*DALI Driver not incl.

98310536

*CASAMBI Driver not incl.

98310538



Optic Mini 17/24W

RETAIL LIGHTING LED

| | | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|----|-----|-------|-------------|------|
| 032505401 | ○ | 17/24W | 95 | 20° | 3100K | 1300/1800lm | |
| 032505402 | ● | 17/24W | 95 | 20° | 3100K | 1300/1800lm | |
| 032505403 | ● | 17/24W | 95 | 20° | 3100K | 1300/1800lm | |
| 032505501 | ○ | 17/24W | 95 | 56° | 3100K | 1300/1800lm | |
| 032505502 | ● | 17/24W | 95 | 56° | 3100K | 1300/1800lm | |
| 032505503 | ● | 17/24W | 95 | 56° | 3100K | 1300/1800lm | |



*17W Driver not incl.

98310321

*TRIAC 17W Driver not incl.

98310321LC

*DALI 17/24W Driver not incl.

98310536

*24W Driver not incl.


98310233

*TRIAC 24W Driver not incl.

98310236C

*CASAMBI 17/24W Driver not incl.

98310538



*18W Driver not incl.


98310321

*25W Driver not incl.

98310233

Optic 18/25W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|-------|-------------|
| 032003001 | ○ | 18/25W | 82 | 20° | 2700K | 1350/1850lm |
| 032003002 | ● | 18/25W | 82 | 20° | 2700K | 1350/1850lm |
| 032003101 | ○ | 18/25W | 82 | 56° | 2700K | 1350/1850lm |
| 032003102 | ● | 18/25W | 82 | 56° | 2700K | 1350/1850lm |
| 032003201 | ○ | 18/25W | 85 | 20° | 3000K | 1400/1900lm |
| 032003202 | ● | 18/25W | 85 | 20° | 3000K | 1400/1900lm |
| 032003301 | ○ | 18/25W | 85 | 56° | 3000K | 1400/1900lm |
| 032003302 | ● | 18/25W | 85 | 56° | 3000K | 1400/1900lm |
| 032003401 | ○ | 18/25W | 85 | 20° | 4000K | 1500/2000lm |
| 032003402 | ● | 18/25W | 85 | 20° | 4000K | 1500/2000lm |
| 032003501 | ○ | 18/25W | 85 | 56° | 4000K | 1500/2000lm |
| 032003502 | ● | 18/25W | 85 | 56° | 4000K | 1500/2000lm |



*TRIAC 18W Driver not incl.

98310321LC

*TRIAC 25W Driver not incl.


98310236C

*DALI 18/25W Driver not incl.

98310536

*CASAMBI 12/25W Driver not incl.

98310538



*17W Driver not incl.

98310321


*24W Driver not incl.

98310233

Optic 24/36W

CRI95

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|-------|-------------|
| 032003601 | ○ | 24/36W | 95 | 20° | 2700K | 1800/2800lm |
| 032003602 | ● | 24/36W | 95 | 20° | 2700K | 1800/2800lm |
| 032003701 | ○ | 24/36W | 95 | 56° | 2700K | 1800/2800lm |
| 032003702 | ● | 24/36W | 95 | 56° | 2700K | 1800/2800lm |
| 032003801 | ○ | 24/36W | 95 | 20° | 3000K | 1850/2850lm |
| 032003802 | ● | 24/36W | 95 | 20° | 3000K | 1850/2850lm |
| 032003901 | ○ | 24/36W | 95 | 56° | 3000K | 1850/2850lm |
| 032003902 | ● | 24/36W | 95 | 56° | 3000K | 1850/2850lm |
| 032004001 | ○ | 24/36W | 95 | 20° | 4000K | 1950/2950lm |
| 032004002 | ● | 24/36W | 95 | 20° | 4000K | 1950/2950lm |
| 032004101 | ○ | 24/36W | 95 | 56° | 4000K | 1950/2950lm |
| 032004102 | ● | 24/36W | 95 | 56° | 4000K | 1950/2950lm |



*TRIAC 17W Driver not incl.

98310321LC

*TRIAC 24W Driver not incl.


98310236C

*DALI 17/24W Driver not incl.

98310536

*CASAMBI 17/24W Driver not incl.

98310538



*36W Driver not incl.

98310444

Optic 36W

HIGH EFFICIENCY LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 032004201 | ○ | 36W | 82 | 20° | 2700K | 2950lm |
| 032004202 | ● | 36W | 82 | 20° | 2700K | 2950lm |
| 032004301 | ○ | 36W | 82 | 56° | 2700K | 2950lm |
| 032004302 | ● | 36W | 82 | 56° | 2700K | 2950lm |
| 032004401 | ○ | 36W | 85 | 20° | 3000K | 3000lm |
| 032004402 | ● | 36W | 85 | 20° | 3000K | 3000lm |
| 032004501 | ○ | 36W | 85 | 56° | 3000K | 3000lm |
| 032004502 | ● | 36W | 85 | 56° | 3000K | 3000lm |
| 032004601 | ○ | 36W | 85 | 20° | 4000K | 3100lm |
| 032004602 | ● | 36W | 85 | 20° | 4000K | 3100lm |
| 032004701 | ○ | 36W | 85 | 56° | 4000K | 3100lm |
| 032004702 | ● | 36W | 85 | 56° | 4000K | 3100lm |




*DALI Driver not incl.

98310536

*CASAMBI Driver not incl.

98310538




*24W Driver not incl.

98310233

Optic 24/36W

FOOD LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|----------|-------------|
| 032004801 | ○ | 24/36W | 85 | 20° | fruits ● | 1600/2350lm |
| 032004802 | ● | 24/36W | 85 | 20° | fruits ● | 1600/2350lm |
| 032004901 | ○ | 24/36W | 85 | 20° | fruits ● | 1600/2350lm |
| 032004902 | ● | 24/36W | 85 | 56° | fruits ● | 1600/2350lm |
| 032005001 | ○ | 24/36W | 85 | 56° | fish ● | 1700/2450lm |
| 032005002 | ● | 24/36W | 85 | 56° | fish ● | 1700/2450lm |
| 032005101 | ○ | 24/36W | 85 | 20° | fish ● | 1700/2450lm |
| 032005102 | ● | 24/36W | 85 | 20° | fish ● | 1700/2450lm |
| 032005201 | ○ | 24/36W | 70 | 20° | meat ● | 1500/2250lm |
| 032005202 | ● | 24/36W | 70 | 56° | meat ● | 1500/2250lm |
| 032005301 | ○ | 24/36W | 70 | 56° | meat ● | 1500/2250lm |
| 032005302 | ● | 24/36W | 70 | 56° | meat ● | 1500/2250lm |



*TRIAC 24W Driver not incl.

98310236C

*DALI 24/36W Driver not incl.

98310536

*36W Driver not incl.

98310444

*CASAMBI 24/36W Driver not incl.

98310538



*24W Driver not incl.

98310233

Optic 24/36W

RETAIL LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|-------|-------------|
| 032005401 | ○ | 24/36W | 95 | 20° | 3100K | 1800/2700lm |
| 032005402 | ● | 24/36W | 95 | 20° | 3100K | 1800/2700lm |
| 032005501 | ○ | 24/36W | 95 | 56° | 3100K | 1800/2700lm |
| 032005502 | ● | 24/36W | 95 | 56° | 3100K | 1800/2700lm |



*TRIAC 24W Driver not incl.

98310236C

*DALI 24/36W Driver not incl.

98310536

*36W Driver not incl.


98310444

*CASAMBI 24/36W Driver not incl.


98310538




Colin



Colin Nano




Colin Mini



Colin





*7W Driver not incl.

98310620

*DALI 12W Driver not incl.

98310536

Colin Nano 7/12W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-------|-----|------|-------|------------|
| 035000101 | ○ | 7/12W | 82 | 20° | 2700K | 600/1050lm |
| 035000102 | ● | 7/12W | 82 | 20° | 2700K | 600/1050lm |
| 035000103 | ● | 7/12W | 82 | 20° | 2700K | 600/1050lm |
| 035000201 | ○ | 7/12W | 82 | 56° | 2700K | 600/1050lm |
| 035000202 | ● | 7/12W | 82 | 56° | 2700K | 600/1050lm |
| 035000203 | ● | 7/12W | 82 | 56° | 2700K | 600/1050lm |
| 035000301 | ○ | 7/12W | 85 | 20° | 3000K | 650/1100lm |
| 035000302 | ● | 7/12W | 85 | 20° | 3000K | 650/1100lm |
| 035000303 | ● | 7/12W | 85 | 20° | 3000K | 650/1100lm |
| 035000401 | ○ | 7/12W | 85 | 56° | 3000K | 650/1100lm |
| 035000402 | ● | 7/12W | 85 | 56° | 3000K | 650/1100lm |
| 035000403 | ● | 7/12W | 85 | 56° | 3000K | 650/1100lm |
| 035000501 | ○ | 7/12W | 85 | 20° | 4000K | 700/1150lm |
| 035000502 | ● | 7/12W | 85 | 20° | 4000K | 700/1150lm |
| 035000503 | ● | 7/12W | 85 | 20° | 4000K | 700/1150lm |
| 035000601 | ○ | 7/12W | 85 | 56° | 4000K | 700/1150lm |
| 035000602 | ● | 7/12W | 85 | 56° | 4000K | 700/1150lm |
| 035000603 | ● | 7/12W | 85 | 56° | 4000K | 700/1150lm |



*TRIAC 7W Driver not incl.

98310509C

*TRIAC 12W Driver not incl.


98310114C

*12W Driver not incl.

98310116

*CASAMBI 12W Driver not incl.

98310538



*7W Driver not incl.


98310620

*DALI 12W Driver not incl.

98310536

Colin Nano 7/12W Trimless

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-------|-----|------|-------|------------|
| 035100101 | ○ | 7/12W | 82 | 20° | 2700K | 600/1050lm |
| 035100102 | ● | 7/12W | 82 | 20° | 2700K | 600/1050lm |
| 035100201 | ● | 7/12W | 82 | 56° | 2700K | 600/1050lm |
| 035100202 | ○ | 7/12W | 82 | 56° | 2700K | 600/1050lm |
| 035100301 | ● | 7/12W | 85 | 20° | 3000K | 650/1100lm |
| 035100302 | ● | 7/12W | 85 | 20° | 3000K | 650/1100lm |
| 035100401 | ○ | 7/12W | 85 | 56° | 3000K | 650/1100lm |
| 035100402 | ● | 7/12W | 85 | 56° | 3000K | 650/1100lm |
| 035100501 | ● | 7/12W | 85 | 20° | 4000K | 700/1150lm |
| 035100502 | ○ | 7/12W | 85 | 20° | 4000K | 700/1150lm |
| 035100601 | ● | 7/12W | 85 | 56° | 4000K | 700/1150lm |
| 035100602 | ● | 7/12W | 85 | 56° | 4000K | 700/1150lm |



*TRIAC 7W Driver not incl.

98310509C

*TRIAC 12W Driver not incl.

98310114C


*12W Driver not incl.

98310116

*CASAMBI 12W Driver not incl.

98310538

Colin Nano 14/24W



| | P | CRI | BEAM | CCT | FLUX |
|-----------|----------|-----|------|-------|-------------|
| 035005001 | ○ 14/24W | 82 | 20° | 2700K | 1200/2100lm |
| 035005002 | ● 14/24W | 82 | 20° | 2700K | 1200/2100lm |
| 035005003 | ● 14/24W | 82 | 20° | 2700K | 1200/2100lm |
| 035005101 | ○ 14/24W | 82 | 56° | 2700K | 1200/2100lm |
| 035005102 | ● 14/24W | 82 | 56° | 2700K | 1200/2100lm |
| 035005103 | ● 14/24W | 82 | 56° | 2700K | 1200/2100lm |
| 035005201 | ○ 14/24W | 85 | 20° | 3000K | 1300/2200lm |
| 035005202 | ● 14/24W | 85 | 20° | 3000K | 1300/2200lm |
| 035005203 | ● 14/24W | 85 | 20° | 3000K | 1300/2200lm |
| 035005301 | ○ 14/24W | 85 | 56° | 3000K | 1300/2200lm |
| 035005302 | ● 14/24W | 85 | 56° | 3000K | 1300/2200lm |
| 035005303 | ● 14/24W | 85 | 56° | 3000K | 1300/2200lm |
| 035005401 | ○ 14/24W | 85 | 20° | 4000K | 1400/2300lm |
| 035005402 | ● 14/24W | 85 | 20° | 4000K | 1400/2300lm |
| 035005403 | ● 14/24W | 85 | 20° | 4000K | 1400/2300lm |
| 035005501 | ○ 14/24W | 85 | 56° | 4000K | 1400/2300lm |
| 035005502 | ● 14/24W | 85 | 56° | 4000K | 1400/2300lm |
| 035005503 | ● 14/24W | 85 | 56° | 4000K | 1400/2300lm |



*14W Driver not incl.

2x 98310620

*TRIAC 14W Driver not incl.

2x 98310509C

*24W Driver not incl.

2x 98310116

*DALI 24W Driver not incl.

2x 98310536


*TRIAC 24W Driver not incl.

2x 98310114C

*CASAMBI 24W Driver not incl.

2x 98310538

Colin Nano 14/24W Trimless



| | P | CRI | BEAM | CCT | FLUX |
|-----------|----------|-----|------|-------|-------------|
| 035105001 | ○ 14/24W | 82 | 20° | 2700K | 1200/2100lm |
| 035105002 | ● 14/24W | 82 | 20° | 2700K | 1200/2100lm |
| 035105101 | ● 14/24W | 82 | 56° | 2700K | 1200/2100lm |
| 035105102 | ○ 14/24W | 82 | 56° | 2700K | 1200/2100lm |
| 035105201 | ● 14/24W | 85 | 20° | 3000K | 1300/2200lm |
| 035105202 | ● 14/24W | 85 | 20° | 3000K | 1300/2200lm |
| 035105301 | ○ 14/24W | 85 | 56° | 3000K | 1300/2200lm |
| 035105302 | ● 14/24W | 85 | 56° | 3000K | 1300/2200lm |
| 035105401 | ● 14/24W | 85 | 20° | 4000K | 1400/2300lm |
| 035105402 | ○ 14/24W | 85 | 20° | 4000K | 1400/2300lm |
| 035105501 | ● 14/24W | 85 | 56° | 4000K | 1400/2300lm |
| 035105502 | ● 14/24W | 85 | 56° | 4000K | 1400/2300lm |



*14W Driver not incl.

2x 98310620

*TRIAC 14W Driver not incl.

2x 98310509C

*24W Driver not incl.

2x 98310116

*DALI 24W Driver not incl.


2x 98310536

*TRIAC 24W Driver not incl.

2x 98310114C

*CASAMBI 24W Driver not incl.

2x 98310538



Colin Mini 12/18W

| | P | CRI | BEAM | CCT | FLUX |
|-----------|----------|-----|------|-------|-------------|
| 033008301 | ○ 12/18W | 82 | 20° | 2700K | 950/1450lm |
| 033008302 | ● 12/18W | 82 | 20° | 2700K | 950/1450lm |
| 033008303 | ● 12/18W | 82 | 20° | 2700K | 950/1450lm |
| 033008401 | ○ 12/18W | 82 | 56° | 2700K | 950/1450lm |
| 033008402 | ● 12/18W | 82 | 56° | 2700K | 950/1450lm |
| 033008403 | ● 12/18W | 82 | 56° | 2700K | 950/1450lm |
| 033008501 | ○ 12/18W | 85 | 20° | 3000K | 1000/1500lm |
| 033008502 | ● 12/18W | 85 | 20° | 3000K | 1000/1500lm |
| 033008503 | ● 12/18W | 85 | 20° | 3000K | 1000/1500lm |
| 033008601 | ○ 12/18W | 85 | 56° | 3000K | 1000/1500lm |
| 033008602 | ● 12/18W | 85 | 56° | 3000K | 1000/1500lm |
| 033008603 | ● 12/18W | 85 | 56° | 3000K | 1000/1500lm |
| 033008701 | ○ 12/18W | 85 | 20° | 4000K | 1100/1600lm |
| 033008702 | ● 12/18W | 85 | 20° | 4000K | 1100/1600lm |
| 033008703 | ● 12/18W | 85 | 20° | 4000K | 1100/1600lm |
| 033008801 | ○ 12/18W | 85 | 56° | 4000K | 1100/1600lm |
| 033008802 | ● 12/18W | 85 | 56° | 4000K | 1100/1600lm |
| 033008803 | ● 12/18W | 85 | 56° | 4000K | 1100/1600lm |



*12W Driver not incl.

98310116

*TRIAC 18W Driver not incl.

98310321LC

*TRIAC 12W Driver not incl.

98310114C

*DALI 12/18W Driver not incl.


98310536

*18W Driver not incl.

98310321

*CASAMBI 12/18W Driver not incl.


98310538



Colin Mini 17/24W

CRI95

| | P | CRI | BEAM | CCT | FLUX |
|-----------|----------|-----|------|-------|-------------|
| 033008901 | ○ 17/24W | 95 | 20° | 2700K | 1250/1800lm |
| 033008902 | ● 17/24W | 95 | 20° | 2700K | 1250/1800lm |
| 033008903 | ● 17/24W | 95 | 20° | 2700K | 1250/1800lm |
| 033009001 | ○ 17/24W | 95 | 56° | 2700K | 1250/1800lm |
| 033009002 | ● 17/24W | 95 | 56° | 2700K | 1250/1800lm |
| 033009003 | ● 17/24W | 95 | 56° | 2700K | 1250/1800lm |
| 033009101 | ○ 17/24W | 95 | 20° | 3000K | 1300/1850lm |
| 033009102 | ● 17/24W | 95 | 20° | 3000K | 1300/1850lm |
| 033009103 | ● 17/24W | 95 | 20° | 3000K | 1300/1850lm |
| 033009201 | ○ 17/24W | 95 | 56° | 3000K | 1300/1850lm |
| 033009202 | ● 17/24W | 95 | 56° | 3000K | 1300/1850lm |
| 033009203 | ● 17/24W | 95 | 56° | 3000K | 1300/1850lm |
| 033009301 | ○ 17/24W | 95 | 20° | 4000K | 1400/1950lm |
| 033009302 | ● 17/24W | 95 | 20° | 4000K | 1400/1950lm |
| 033009303 | ● 17/24W | 95 | 20° | 4000K | 1400/1950lm |
| 033009401 | ○ 17/24W | 95 | 56° | 4000K | 1400/1950lm |
| 033009402 | ● 17/24W | 95 | 56° | 4000K | 1400/1950lm |
| 033009403 | ● 17/24W | 95 | 56° | 4000K | 1400/1950lm |



*17W Driver not incl.

98310321

*TRIAC 24W Driver not incl.

98310236C

*TRIAC 17W Driver not incl.

98310321LC

*DALI 17/24W Driver not incl.


98310536

*24W Driver not incl.

98310233

*CASAMBI 17/24W Driver not incl.

98310538



Colin Mini 24W

HIGH EFFICIENCY LED

| | | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|----|-----|-------|--------|------|
| 033009501 | ○ | 24W | 82 | 20° | 2700K | 2000lm | |
| 033009502 | ● | 24W | 82 | 20° | 2700K | 2000lm | |
| 033009503 | ● | 24W | 82 | 20° | 2700K | 2000lm | |
| 033009601 | ○ | 24W | 82 | 56° | 2700K | 2000lm | |
| 033009602 | ● | 24W | 82 | 56° | 2700K | 2000lm | |
| 033009603 | ● | 24W | 82 | 56° | 2700K | 2000lm | |
| 033009701 | ○ | 24W | 85 | 20° | 3000K | 2050lm | |
| 033009702 | ● | 24W | 85 | 20° | 3000K | 2050lm | |
| 033009703 | ● | 24W | 85 | 20° | 3000K | 2050lm | |
| 033009801 | ○ | 24W | 85 | 56° | 3000K | 2050lm | |
| 033009802 | ● | 24W | 85 | 56° | 3000K | 2050lm | |
| 033009803 | ● | 24W | 85 | 56° | 3000K | 2050lm | |
| 033009901 | ○ | 24W | 85 | 20° | 4000K | 2150lm | |
| 033009902 | ● | 24W | 85 | 20° | 4000K | 2150lm | |
| 033009903 | ● | 24W | 85 | 20° | 4000K | 2150lm | |
| 033010001 | ○ | 24W | 85 | 56° | 4000K | 2150lm | |
| 033010002 | ● | 24W | 85 | 56° | 4000K | 2150lm | |
| 033010003 | ● | 24W | 85 | 56° | 4000K | 2150lm | |

FOOD LIGHTING LED

| | | | | | | | |
|-----------|---|-----|----|-----|--------|---|--------|
| 033010101 | ○ | 24W | 85 | 20° | fruits | ● | 1600lm |
| 033010102 | ● | 24W | 85 | 20° | fruits | ● | 1600lm |
| 033010103 | ● | 24W | 85 | 20° | fruits | ● | 1600lm |
| 033010201 | ○ | 24W | 85 | 56° | fruits | ● | 1600lm |
| 033010202 | ● | 24W | 85 | 56° | fruits | ● | 1600lm |
| 033010203 | ● | 24W | 85 | 56° | fruits | ● | 1600lm |
| 033010301 | ○ | 24W | 85 | 20° | fish | ● | 1700lm |
| 033010302 | ● | 24W | 85 | 20° | fish | ● | 1700lm |
| 033010303 | ● | 24W | 85 | 20° | fish | ● | 1700lm |
| 033010401 | ○ | 24W | 85 | 56° | fish | ● | 1700lm |
| 033010402 | ● | 24W | 85 | 56° | fish | ● | 1700lm |
| 033010403 | ● | 24W | 85 | 56° | fish | ● | 1700lm |
| 033010501 | ○ | 24W | 70 | 20° | meat | ● | 1500lm |
| 033010502 | ● | 24W | 70 | 20° | meat | ● | 1500lm |
| 033010503 | ● | 24W | 70 | 20° | meat | ● | 1500lm |
| 033010601 | ○ | 24W | 70 | 56° | meat | ● | 1500lm |
| 033010602 | ● | 24W | 70 | 56° | meat | ● | 1500lm |
| 033010603 | ● | 24W | 70 | 56° | meat | ● | 1500lm |



*24W Driver not incl.

98310233

*TRIAC Driver not incl.

98310236C

*DALI Driver not incl.

98310536

*CASAMBI Driver not incl.


98310538



Colin Mini 17/24W

RETAIL LIGHTING LED

| | | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|----|-----|-------|-------------|------|
| 033010701 | ○ | 17/24W | 95 | 20° | 3100K | 1300/1800lm | |
| 033010702 | ● | 17/24W | 95 | 20° | 3100K | 1300/1800lm | |
| 033010703 | ● | 17/24W | 95 | 20° | 3100K | 1300/1800lm | |
| 033010801 | ○ | 17/24W | 95 | 56° | 3100K | 1300/1800lm | |
| 033010802 | ● | 17/24W | 95 | 56° | 3100K | 1300/1800lm | |
| 033010803 | ● | 17/24W | 95 | 56° | 3100K | 1300/1800lm | |



*17W Driver not incl.

98310321

*TRIAC 17W Driver not incl.

98310321LC

*24W Driver not incl.

98310233

*TRIAC 24W Driver not incl.


98310236C

*DALI 17/24W Driver not incl.

98310536

*CASAMBI 17/24W Driver not incl.

98310538



Colin 2L Mini 24/36W

| | P | CRI | BEAM | CCT | FLUX |
|-----------|----------|-----|------|-------|-------------|
| 033010901 | ○ 24/36W | 82 | 20° | 2700K | 1900/2900lm |
| 033010902 | ● 24/36W | 82 | 20° | 2700K | 1900/2900lm |
| 033010903 | ● 24/36W | 82 | 20° | 2700K | 1900/2900lm |
| 033011001 | ○ 24/36W | 82 | 56° | 2700K | 1900/2900lm |
| 033011002 | ● 24/36W | 82 | 56° | 2700K | 1900/2900lm |
| 033011003 | ● 24/36W | 82 | 56° | 2700K | 1900/2900lm |
| 033011101 | ○ 24/36W | 85 | 20° | 3000K | 2000/3000lm |
| 033011102 | ● 24/36W | 85 | 20° | 3000K | 2000/3000lm |
| 033011103 | ● 24/36W | 85 | 20° | 3000K | 2000/3000lm |
| 033011201 | ○ 24/36W | 85 | 56° | 3000K | 2000/3000lm |
| 033011202 | ● 24/36W | 85 | 56° | 3000K | 2000/3000lm |
| 033011203 | ● 24/36W | 85 | 56° | 3000K | 2000/3000lm |
| 033011301 | ○ 24/36W | 85 | 20° | 4000K | 2200/3200lm |
| 033011302 | ● 24/36W | 85 | 20° | 4000K | 2200/3200lm |
| 033011303 | ● 24/36W | 85 | 20° | 4000K | 2200/3200lm |
| 033011401 | ○ 24/36W | 85 | 56° | 4000K | 2200/3200lm |
| 033011402 | ● 24/36W | 85 | 56° | 4000K | 2200/3200lm |
| 033011403 | ● 24/36W | 85 | 56° | 4000K | 2200/3200lm |



*24W Driver not incl.

2x 98310116

*TRIAC 24W Driver not incl.

2x 98310114C

*36W Driver not incl.

2x 98310321

*TRIAC 36W Driver not incl.


2x 98310321LC

*DALI 24/36W Driver not incl.

2x 98310536

*CASAMBI 24/36W Driver not incl.


2x 98310538



Colin 2L Mini 34/48W

CRI95

| | P | CRI | BEAM | CCT | FLUX |
|-----------|----------|-----|------|-------|-------------|
| 033011501 | ○ 34/48W | 95 | 20° | 2700K | 2500/3600lm |
| 033011502 | ● 34/48W | 95 | 20° | 2700K | 2500/3600lm |
| 033011503 | ● 34/48W | 95 | 20° | 2700K | 2500/3600lm |
| 033011601 | ○ 34/48W | 95 | 56° | 2700K | 2500/3600lm |
| 033011602 | ● 34/48W | 95 | 56° | 2700K | 2500/3600lm |
| 033011603 | ● 34/48W | 95 | 56° | 2700K | 2500/3600lm |
| 033011701 | ○ 34/48W | 95 | 20° | 3000K | 2600/3700lm |
| 033011702 | ● 34/48W | 95 | 20° | 3000K | 2600/3700lm |
| 033011703 | ● 34/48W | 95 | 20° | 3000K | 2600/3700lm |
| 033011801 | ○ 34/48W | 95 | 56° | 3000K | 2600/3700lm |
| 033011802 | ● 34/48W | 95 | 56° | 3000K | 2600/3700lm |
| 033011803 | ● 34/48W | 95 | 56° | 3000K | 2600/3700lm |
| 033011901 | ○ 34/48W | 95 | 20° | 4000K | 2800/3900lm |
| 033011902 | ● 34/48W | 95 | 20° | 4000K | 2800/3900lm |
| 033011903 | ● 34/48W | 95 | 20° | 4000K | 2800/3900lm |
| 033012001 | ○ 34/48W | 95 | 56° | 4000K | 2800/3900lm |
| 033012002 | ● 34/48W | 95 | 56° | 4000K | 2800/3900lm |
| 033012003 | ● 34/48W | 95 | 56° | 4000K | 2800/3900lm |



*34W Driver not incl.

2x 98310321

*TRIAC 34W Driver not incl.

2x 98310321LC

*48W Driver not incl.

2x 98310233

*TRIAC 48W Driver not incl.


2x 98310236C

*DALI 34/48W Driver not incl.

2x 98310536

*CASAMBI 34/48W Driver not incl.

2x 98310538



Colin 2L Mini 48W

HIGH EFFICIENCY LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 033012101 | ○ | 48W | 82 | 20° | 2700K | 4000lm |
| 033012102 | ● | 48W | 82 | 20° | 2700K | 4000lm |
| 033012103 | ● | 48W | 82 | 20° | 2700K | 4000lm |
| 033012201 | ○ | 48W | 82 | 56° | 2700K | 4000lm |
| 033012202 | ● | 48W | 82 | 56° | 2700K | 4000lm |
| 033012203 | ● | 48W | 82 | 56° | 2700K | 4000lm |
| 033012301 | ○ | 48W | 85 | 20° | 3000K | 4100lm |
| 033012302 | ● | 48W | 85 | 20° | 3000K | 4100lm |
| 033012303 | ● | 48W | 85 | 20° | 3000K | 4100lm |
| 033012401 | ○ | 48W | 85 | 56° | 3000K | 4100lm |
| 033012402 | ● | 48W | 85 | 56° | 3000K | 4100lm |
| 033012403 | ● | 48W | 85 | 56° | 3000K | 4100lm |
| 033012501 | ○ | 48W | 85 | 20° | 4000K | 4300lm |
| 033012502 | ● | 48W | 85 | 20° | 4000K | 4300lm |
| 033012503 | ● | 48W | 85 | 20° | 4000K | 4300lm |
| 033012601 | ○ | 48W | 85 | 56° | 4000K | 4300lm |
| 033012602 | ● | 48W | 85 | 56° | 4000K | 4300lm |
| 033012603 | ● | 48W | 85 | 56° | 4000K | 4300lm |

FOOD LIGHTING LED

| | | | | | | |
|-----------|---|-----|----|-----|----------|--------|
| 033012701 | ○ | 48W | 85 | 20° | fruits ● | 3200lm |
| 033012702 | ● | 48W | 85 | 20° | fruits ● | 3200lm |
| 033012703 | ● | 48W | 85 | 20° | fruits ● | 3200lm |
| 033012801 | ○ | 48W | 85 | 56° | fruits ● | 3200lm |
| 033012802 | ● | 48W | 85 | 56° | fruits ● | 3200lm |
| 033012803 | ● | 48W | 85 | 56° | fruits ● | 3200lm |
| 033012901 | ○ | 48W | 85 | 20° | fish ● | 3400lm |
| 033012902 | ● | 48W | 85 | 20° | fish ● | 3400lm |
| 033012903 | ● | 48W | 85 | 20° | fish ● | 3400lm |
| 033013001 | ○ | 48W | 85 | 56° | fish ● | 3400lm |
| 033013002 | ● | 48W | 85 | 56° | fish ● | 3400lm |
| 033013003 | ● | 48W | 85 | 56° | fish ● | 3400lm |
| 033013101 | ○ | 48W | 70 | 20° | meat ● | 3000lm |
| 033013102 | ● | 48W | 70 | 20° | meat ● | 3000lm |
| 033013103 | ● | 48W | 70 | 20° | meat ● | 3000lm |
| 033013201 | ○ | 48W | 70 | 56° | meat ● | 3000lm |
| 033013202 | ● | 48W | 70 | 56° | meat ● | 3000lm |
| 033013203 | ● | 48W | 70 | 56° | meat ● | 3000lm |



*48W Driver not incl.

2x 98310233

*TRIAC Driver not incl.


2x 98310236C

*DALI Driver not incl.

2x 98310536

*CASAMBI Driver not incl.


2x 98310538



Colin 2L Mini 34/48W

RETAIL LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|-------|-------------|
| 033013301 | ○ | 34/48W | 95 | 20° | 3100K | 2600/3600lm |
| 033013302 | ● | 34/48W | 95 | 20° | 3100K | 2600/3600lm |
| 033013303 | ● | 34/48W | 95 | 20° | 3100K | 2600/3600lm |
| 033013401 | ○ | 34/48W | 95 | 56° | 3100K | 2600/3600lm |
| 033013402 | ● | 34/48W | 95 | 56° | 3100K | 2600/3600lm |
| 033013403 | ● | 34/48W | 95 | 56° | 3100K | 2600/3600lm |



*34W Driver not incl.

2x 98310116

*TRIAC 34W Driver not incl.

2x 98310114C

*48W Driver not incl.

2x 98310233

*TRIAC 48W Driver not incl.


2x 98310236C

*DALI 34/48W Driver not incl.

2x 98310536

*CASAMBI 34/48W Driver not incl.

2x 98310538



Colin 3L Mini 36/54W

| | P | CRI | BEAM | CCT | FLUX |
|-----------|----------|-----|------|-------|-------------|
| 033013501 | ○ 36/54W | 82 | 20° | 2700K | 2850/4350lm |
| 033013502 | ● 36/54W | 82 | 20° | 2700K | 2850/4350lm |
| 033013503 | ● 36/54W | 82 | 20° | 2700K | 2850/4350lm |
| 033013601 | ○ 36/54W | 82 | 56° | 2700K | 2850/4350lm |
| 033013602 | ● 36/54W | 82 | 56° | 2700K | 2850/4350lm |
| 033013603 | ● 36/54W | 82 | 56° | 2700K | 2850/4350lm |
| 033013701 | ○ 36/54W | 85 | 20° | 3000K | 3000/4500lm |
| 033013702 | ● 36/54W | 85 | 20° | 3000K | 3000/4500lm |
| 033013703 | ● 36/54W | 85 | 20° | 3000K | 3000/4500lm |
| 033013801 | ○ 36/54W | 85 | 56° | 3000K | 3000/4500lm |
| 033013802 | ● 36/54W | 85 | 56° | 3000K | 3000/4500lm |
| 033013803 | ● 36/54W | 85 | 56° | 3000K | 3000/4500lm |
| 033013901 | ○ 36/54W | 85 | 20° | 4000K | 3300/4800lm |
| 033013902 | ● 36/54W | 85 | 20° | 4000K | 3300/4800lm |
| 033013903 | ● 36/54W | 85 | 20° | 4000K | 3300/4800lm |
| 033014001 | ○ 36/54W | 85 | 56° | 4000K | 3300/4800lm |
| 033014002 | ● 36/54W | 85 | 56° | 4000K | 3300/4800lm |
| 033014003 | ● 36/54W | 85 | 56° | 4000K | 3300/4800lm |



*36W Driver not incl.

3x 98310116

*TRIAC 54W Driver not incl.

3x 98310321LC

*TRIAC 36W Driver not incl.

3x 98310114C

*DALI 36/54W Driver not incl.


3x 98310536

*54W Driver not incl.

3x 98310321

*CASAMBI 36/54W Driver not incl.


3x 98310538



Colin 3L Mini 51/72W

CRI95

| | P | CRI | BEAM | CCT | FLUX |
|-----------|----------|-----|------|-------|-------------|
| 033014101 | ○ 51/72W | 95 | 20° | 2700K | 3750/5400lm |
| 033014102 | ● 51/72W | 95 | 20° | 2700K | 3750/5400lm |
| 033014103 | ● 51/72W | 95 | 20° | 2700K | 3750/5400lm |
| 033014201 | ○ 51/72W | 95 | 56° | 2700K | 3750/5400lm |
| 033014202 | ● 51/72W | 95 | 56° | 2700K | 3750/5400lm |
| 033014203 | ● 51/72W | 95 | 56° | 2700K | 3750/5400lm |
| 033014301 | ○ 51/72W | 95 | 20° | 3000K | 3900/5550lm |
| 033014302 | ● 51/72W | 95 | 20° | 3000K | 3900/5550lm |
| 033014303 | ● 51/72W | 95 | 20° | 3000K | 3900/5550lm |
| 033014401 | ○ 51/72W | 95 | 56° | 3000K | 3900/5550lm |
| 033014402 | ● 51/72W | 95 | 56° | 3000K | 3900/5550lm |
| 033014403 | ● 51/72W | 95 | 56° | 3000K | 3900/5550lm |
| 033014501 | ○ 51/72W | 95 | 20° | 4000K | 4200/5850lm |
| 033014502 | ● 51/72W | 95 | 20° | 4000K | 4200/5850lm |
| 033014503 | ● 51/72W | 95 | 20° | 4000K | 4200/5850lm |
| 033014601 | ○ 51/72W | 95 | 56° | 4000K | 4200/5850lm |
| 033014602 | ● 51/72W | 95 | 56° | 4000K | 4200/5850lm |
| 033014603 | ● 51/72W | 95 | 56° | 4000K | 4200/5850lm |



*51W Driver not incl.

3x 98310321

*TRIAC 72W Driver not incl.

3x 98310236C

*TRIAC 51W Driver not incl.

3x 98310321LC

*DALI 51/72W Driver not incl.


3x 98310536

*72W Driver not incl.

3x 98310233

*CASAMBI 51/72W Driver not incl.

3x 98310538



Colin 3L Mini 72W

HIGH EFFICIENCY LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 033014701 | ○ | 72W | 82 | 20° | 2700K | 6000lm |
| 033014702 | ● | 72W | 82 | 20° | 2700K | 6000lm |
| 033014703 | ● | 72W | 82 | 20° | 2700K | 6000lm |
| 033014801 | ○ | 72W | 82 | 56° | 2700K | 6000lm |
| 033014802 | ● | 72W | 82 | 56° | 2700K | 6000lm |
| 033014803 | ● | 72W | 82 | 56° | 2700K | 6000lm |
| 033014901 | ○ | 72W | 85 | 20° | 3000K | 6150lm |
| 033014902 | ● | 72W | 85 | 20° | 3000K | 6150lm |
| 033014903 | ● | 72W | 85 | 20° | 3000K | 6150lm |
| 033015001 | ○ | 72W | 85 | 56° | 3000K | 6150lm |
| 033015002 | ● | 72W | 85 | 56° | 3000K | 6150lm |
| 033015003 | ● | 72W | 85 | 56° | 3000K | 6150lm |
| 033015101 | ○ | 72W | 85 | 20° | 4000K | 6450lm |
| 033015102 | ● | 72W | 85 | 20° | 4000K | 6450lm |
| 033015103 | ● | 72W | 85 | 20° | 4000K | 6450lm |
| 033015201 | ○ | 72W | 85 | 56° | 4000K | 6450lm |
| 033015202 | ● | 72W | 85 | 56° | 4000K | 6450lm |
| 033015203 | ● | 72W | 85 | 56° | 4000K | 6450lm |

FOOD LIGHTING LED

| | | | | | | |
|-----------|---|-----|----|-----|----------|--------|
| 033015301 | ○ | 72W | 85 | 20° | fruits ● | 4800lm |
| 033015302 | ● | 72W | 85 | 20° | fruits ● | 4800lm |
| 033015303 | ● | 72W | 85 | 20° | fruits ● | 4800lm |
| 033015401 | ○ | 72W | 85 | 56° | fruits ● | 4800lm |
| 033015402 | ● | 72W | 85 | 56° | fruits ● | 4800lm |
| 033015403 | ● | 72W | 85 | 56° | fruits ● | 4800lm |
| 033015501 | ○ | 72W | 85 | 20° | fish ● | 5100lm |
| 033015502 | ● | 72W | 85 | 20° | fish ● | 5100lm |
| 033015503 | ● | 72W | 85 | 20° | fish ● | 5100lm |
| 033015601 | ○ | 72W | 85 | 56° | fish ● | 5100lm |
| 033015602 | ● | 72W | 85 | 56° | fish ● | 5100lm |
| 033015603 | ● | 72W | 85 | 56° | fish ● | 5100lm |
| 033015701 | ○ | 72W | 70 | 20° | meat ● | 4500lm |
| 033015702 | ● | 72W | 70 | 20° | meat ● | 4500lm |
| 033015703 | ● | 72W | 70 | 20° | meat ● | 4500lm |
| 033015801 | ○ | 72W | 70 | 56° | meat ● | 4500lm |
| 033015802 | ● | 72W | 70 | 56° | meat ● | 4500lm |
| 033015803 | ● | 72W | 70 | 56° | meat ● | 4500lm |



*72W Driver not incl.

3x 98310233

*TRIAC Driver not incl.

3x 98310236C

*DALI Driver not incl.

3x 98310536

*CASAMBI Driver not incl.


3x 98310538



Colin 3L Mini 51/72W

RETAIL LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|-------|-------------|
| 033015901 | ○ | 51/72W | 95 | 20° | 3100K | 3900/5400lm |
| 033015902 | ● | 51/72W | 95 | 20° | 3100K | 3900/5400lm |
| 033015903 | ● | 51/72W | 95 | 20° | 3100K | 3900/5400lm |
| 033016001 | ○ | 51/72W | 95 | 56° | 3100K | 3900/5400lm |
| 033016002 | ● | 51/72W | 95 | 56° | 3100K | 3900/5400lm |
| 033016003 | ● | 51/72W | 95 | 56° | 3100K | 3900/5400lm |



*51W Driver not incl.

3x 98310116

*TRIAC 51W Driver not incl.

3x 98310114C

*72W Driver not incl.

3x 98310233

*TRIAC 72W Driver not incl.


3x 98310236C

*DALI 51/72W Driver not incl.

3x 98310536

*CASAMBI 51/72W Driver not incl.

3x 98310538



*18W Driver not incl.

98310321

*TRIAC 25W Driver not incl.

98310236C

Colin 18/25W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|-------|-------------|
| 034008501 | ○ | 18/25W | 82 | 20° | 2700K | 1350/1850lm |
| 034008502 | ● | 18/25W | 82 | 20° | 2700K | 1350/1850lm |
| 034008503 | ● | 18/25W | 82 | 20° | 2700K | 1350/1850lm |
| 034008601 | ○ | 18/25W | 82 | 56° | 2700K | 1350/1850lm |
| 034008602 | ● | 18/25W | 82 | 56° | 2700K | 1350/1850lm |
| 034008603 | ● | 18/25W | 82 | 56° | 2700K | 1350/1850lm |
| 034008701 | ○ | 18/25W | 85 | 20° | 3000K | 1400/1900lm |
| 034008702 | ● | 18/25W | 85 | 20° | 3000K | 1400/1900lm |
| 034008703 | ● | 18/25W | 85 | 20° | 3000K | 1400/1900lm |
| 034008801 | ○ | 18/25W | 85 | 56° | 3000K | 1400/1900lm |
| 034008802 | ● | 18/25W | 85 | 56° | 3000K | 1400/1900lm |
| 034008803 | ● | 18/25W | 85 | 56° | 3000K | 1400/1900lm |
| 034008901 | ○ | 18/25W | 85 | 20° | 4000K | 1500/2000lm |
| 034008902 | ● | 18/25W | 85 | 20° | 4000K | 1500/2000lm |
| 034008903 | ● | 18/25W | 85 | 20° | 4000K | 1500/2000lm |
| 034009001 | ○ | 18/25W | 85 | 56° | 4000K | 1500/2000lm |
| 034009002 | ● | 18/25W | 85 | 56° | 4000K | 1500/2000lm |
| 034009003 | ● | 18/25W | 85 | 56° | 4000K | 1500/2000lm |



*TRIAC 18W Driver not incl.

98310321LC

*DALI 18/25W Driver not incl.


98310536

*25W Driver not incl.

98310233

*CASAMBI 18/25W Driver not incl.

98310538



*24W Driver not incl.


98310233

Colin 24/36W

**FOOD
LIGHTING
LED**

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|----------|-------------|
| 034010301 | ○ | 24/36W | 85 | 20° | fruits ● | 1600/2350lm |
| 034010302 | ● | 24/36W | 85 | 20° | fruits ● | 1600/2350lm |
| 034010303 | ● | 24/36W | 85 | 20° | fruits ● | 1600/2350lm |
| 034010401 | ○ | 24/36W | 85 | 56° | fruits ● | 1600/2350lm |
| 034010402 | ● | 24/36W | 85 | 56° | fruits ● | 1600/2350lm |
| 034010403 | ● | 24/36W | 85 | 56° | fruits ● | 1600/2350lm |
| 034010501 | ○ | 24/36W | 85 | 20° | fish ● | 1700/2450lm |
| 034010502 | ● | 24/36W | 85 | 20° | fish ● | 1700/2450lm |
| 034010503 | ● | 24/36W | 85 | 20° | fish ● | 1700/2450lm |
| 034010601 | ○ | 24/36W | 85 | 56° | fish ● | 1700/2450lm |
| 034010602 | ● | 24/36W | 85 | 56° | fish ● | 1700/2450lm |
| 034010603 | ● | 24/36W | 85 | 56° | fish ● | 1700/2450lm |
| 034010701 | ○ | 24/36W | 70 | 20° | meat ● | 1500/2250lm |
| 034010702 | ● | 24/36W | 70 | 20° | meat ● | 1500/2250lm |
| 034010703 | ● | 24/36W | 70 | 20° | meat ● | 1500/2250lm |
| 034010801 | ○ | 24/36W | 70 | 56° | meat ● | 1500/2250lm |
| 034010802 | ● | 24/36W | 70 | 56° | meat ● | 1500/2250lm |
| 034010803 | ● | 24/36W | 70 | 56° | meat ● | 1500/2250lm |
| 034010901 | ○ | 24/36W | 95 | 20° | 3100K | 1800/2700lm |
| 034010902 | ● | 24/36W | 95 | 20° | 3100K | 1800/2700lm |
| 034010903 | ● | 24/36W | 95 | 20° | 3100K | 1800/2700lm |
| 034011001 | ○ | 24/36W | 95 | 56° | 3100K | 1800/2700lm |
| 034011002 | ● | 24/36W | 95 | 56° | 3100K | 1800/2700lm |
| 034011003 | ● | 24/36W | 95 | 56° | 3100K | 1800/2700lm |

**RETAIL
LIGHTING
LED**



*TRIAC 24W Driver not incl.

98310236C

*DALI 24/36W Driver not incl.


98310536

*36W Driver not incl.

98310444

*CASAMBI 24/36W Driver not incl.

98310538



Colin 36W
CRI95

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 034009101 | ○ | 36W | 95 | 20° | 2700K | 2800lm |
| 034009102 | ● | 36W | 95 | 20° | 2700K | 2800lm |
| 034009103 | ● | 36W | 95 | 20° | 2700K | 2800lm |
| 034009201 | ○ | 36W | 95 | 56° | 2700K | 2800lm |
| 034009202 | ● | 36W | 95 | 56° | 2700K | 2800lm |
| 034009203 | ● | 36W | 95 | 56° | 2700K | 2800lm |
| 034009301 | ○ | 36W | 95 | 20° | 3000K | 2850lm |
| 034009302 | ● | 36W | 95 | 20° | 3000K | 2850lm |
| 034009303 | ● | 36W | 95 | 20° | 3000K | 2850lm |
| 034009401 | ○ | 36W | 95 | 56° | 3000K | 2850lm |
| 034009402 | ● | 36W | 95 | 56° | 3000K | 2850lm |
| 034009403 | ● | 36W | 95 | 56° | 3000K | 2850lm |
| 034009501 | ○ | 36W | 95 | 20° | 4000K | 2950lm |
| 034009502 | ● | 36W | 95 | 20° | 4000K | 2950lm |
| 034009503 | ● | 36W | 95 | 20° | 4000K | 2950lm |
| 034009601 | ○ | 36W | 95 | 56° | 4000K | 2950lm |
| 034009602 | ● | 36W | 95 | 56° | 4000K | 2950lm |
| 034009603 | ● | 36W | 95 | 56° | 4000K | 2950lm |
| 034009701 | ○ | 36W | 82 | 20° | 2700K | 2950lm |
| 034009702 | ● | 36W | 82 | 20° | 2700K | 2950lm |
| 034009703 | ● | 36W | 82 | 20° | 2700K | 2950lm |
| 034009801 | ○ | 36W | 82 | 56° | 2700K | 2950lm |
| 034009802 | ● | 36W | 82 | 56° | 2700K | 2950lm |
| 034009803 | ● | 36W | 82 | 56° | 2700K | 2950lm |
| 034009901 | ○ | 36W | 85 | 20° | 3000K | 3000lm |
| 034009902 | ● | 36W | 85 | 20° | 3000K | 3000lm |
| 034009903 | ● | 36W | 85 | 20° | 3000K | 3000lm |
| 034010001 | ○ | 36W | 85 | 56° | 3000K | 3000lm |
| 034010002 | ● | 36W | 85 | 56° | 3000K | 3000lm |
| 034010003 | ● | 36W | 85 | 56° | 3000K | 3000lm |
| 034010101 | ○ | 36W | 85 | 20° | 4000K | 3100lm |
| 034010102 | ● | 36W | 85 | 20° | 4000K | 3100lm |
| 034010103 | ● | 36W | 85 | 20° | 4000K | 3100lm |
| 034010201 | ○ | 36W | 85 | 56° | 4000K | 3100lm |
| 034010202 | ● | 36W | 85 | 56° | 4000K | 3100lm |
| 034010203 | ● | 36W | 85 | 56° | 4000K | 3100lm |

HIGH EFFICIENCY LED



*36W Driver not incl.

98310444


*DALI Driver not incl.

98310536

*CASAMBI Driver not incl.

98310538

TECH / TÉCNICO




Colin QR-111 LED

| | | P | SOCKET | V |
|----------|---|---------|--------|----|
| 03400401 | ○ | MAX 12W | G53 | 12 |
| 03400402 | ● | MAX 12W | G53 | 12 |
| 03400403 | ● | MAX 12W | G53 | 12 |



*Electronic Gear not incl.

98111020



Colin 2L 36/50W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|-------|-------------|
| 034011101 | ○ | 36/50W | 82 | 20° | 2700K | 2700/3700lm |
| 034011102 | ● | 36/50W | 82 | 20° | 2700K | 2700/3700lm |
| 034011103 | ● | 36/50W | 82 | 20° | 2700K | 2700/3700lm |
| 034011201 | ○ | 36/50W | 82 | 56° | 2700K | 2700/3700lm |
| 034011202 | ● | 36/50W | 82 | 56° | 2700K | 2700/3700lm |
| 034011203 | ● | 36/50W | 82 | 56° | 2700K | 2700/3700lm |
| 034011301 | ○ | 36/50W | 85 | 20° | 3000K | 2800/3800lm |
| 034011302 | ● | 36/50W | 85 | 20° | 3000K | 2800/3800lm |
| 034011303 | ● | 36/50W | 85 | 20° | 3000K | 2800/3800lm |
| 034011401 | ○ | 36/50W | 85 | 56° | 3000K | 2800/3800lm |
| 034011402 | ● | 36/50W | 85 | 56° | 3000K | 2800/3800lm |
| 034011403 | ● | 36/50W | 85 | 56° | 3000K | 2800/3800lm |
| 034011501 | ○ | 36/50W | 85 | 20° | 4000K | 3000/4000lm |
| 034011502 | ● | 36/50W | 85 | 20° | 4000K | 3000/4000lm |
| 034011503 | ● | 36/50W | 85 | 20° | 4000K | 3000/4000lm |
| 034011601 | ○ | 36/50W | 85 | 56° | 4000K | 3000/4000lm |
| 034011602 | ● | 36/50W | 85 | 56° | 4000K | 3000/4000lm |
| 034011603 | ● | 36/50W | 85 | 56° | 4000K | 3000/4000lm |



*36W Driver not incl.

2x 98310321

*TRIAC 36W Driver not incl.

2x 98310321LC

*50W Driver not incl.

2x 98310233

*TRIAC 50W Driver not incl.


2x 98310236C

*DALI 36/50W Driver not incl.

2x 98310536

*CASAMBI 36/50W Driver not incl.

2x 98310538




Colin 2L 48/72W

FOOD
LIGHTING
LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|----------|-------------|
| 034012901 | ○ | 48/72W | 85 | 20° | fruits ● | 3200/4700lm |
| 034012902 | ● | 48/72W | 85 | 20° | fruits ● | 3200/4700lm |
| 034012903 | ● | 48/72W | 85 | 20° | fruits ● | 3200/4700lm |
| 034013001 | ○ | 48/72W | 85 | 56° | fruits ● | 3200/4700lm |
| 034013002 | ● | 48/72W | 85 | 56° | fruits ● | 3200/4700lm |
| 034013003 | ● | 48/72W | 85 | 56° | fruits ● | 3200/4700lm |
| 034013101 | ○ | 48/72W | 85 | 20° | fish ● | 3400/4900lm |
| 034013102 | ● | 48/72W | 85 | 20° | fish ● | 3400/4900lm |
| 034013103 | ● | 48/72W | 85 | 20° | fish ● | 3400/4900lm |
| 034013201 | ○ | 48/72W | 85 | 56° | fish ● | 3400/4900lm |
| 034013202 | ● | 48/72W | 85 | 56° | fish ● | 3400/4900lm |
| 034013203 | ● | 48/72W | 85 | 56° | fish ● | 3400/4900lm |
| 034013301 | ○ | 48/72W | 70 | 20° | meat ● | 3000/4500lm |
| 034013302 | ● | 48/72W | 70 | 20° | meat ● | 3000/4500lm |
| 034013303 | ● | 48/72W | 70 | 20° | meat ● | 3000/4500lm |
| 034013401 | ○ | 48/72W | 70 | 56° | meat ● | 3000/4500lm |
| 034013402 | ● | 48/72W | 70 | 56° | meat ● | 3000/4500lm |
| 034013403 | ● | 48/72W | 70 | 56° | meat ● | 3000/4500lm |
| 034013501 | ○ | 48/72W | 95 | 20° | 3100K | 3600/5400lm |
| 034013502 | ● | 48/72W | 95 | 20° | 3100K | 3600/5400lm |
| 034013503 | ● | 48/72W | 95 | 20° | 3100K | 3600/5400lm |
| 034013601 | ○ | 48/72W | 95 | 56° | 3100K | 3600/5400lm |
| 034013602 | ● | 48/72W | 95 | 56° | 3100K | 3600/5400lm |
| 034013603 | ● | 48/72W | 95 | 56° | 3100K | 3600/5400lm |

RETAIL
LIGHTING
LED



*48W Driver not incl.

2x 98310233

*TRIAC 48W Driver not incl.

2x 98310236C

*72W Driver not incl.


2x 98310444

*DALI 48/72W Driver not incl.

2x 98310536

*CASAMBI 48/72W Driver not incl.

2x 98310538



Colin 2L 72W

CRI95

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 034011701 | ○ | 72W | 95 | 20° | 2700K | 5600lm |
| 034011702 | ● | 72W | 95 | 20° | 2700K | 5600lm |
| 034011703 | ● | 72W | 95 | 20° | 2700K | 5600lm |
| 034011801 | ○ | 72W | 95 | 56° | 2700K | 5600lm |
| 034011802 | ● | 72W | 95 | 56° | 2700K | 5600lm |
| 034011803 | ● | 72W | 95 | 56° | 2700K | 5600lm |
| 034011901 | ○ | 72W | 95 | 20° | 3000K | 5700lm |
| 034011902 | ● | 72W | 95 | 20° | 3000K | 5700lm |
| 034011903 | ● | 72W | 95 | 20° | 3000K | 5700lm |
| 034012001 | ○ | 72W | 95 | 56° | 3000K | 5700lm |
| 034012002 | ● | 72W | 95 | 56° | 3000K | 5700lm |
| 034012003 | ● | 72W | 95 | 56° | 3000K | 5700lm |
| 034012101 | ○ | 72W | 95 | 20° | 4000K | 5900lm |
| 034012102 | ● | 72W | 95 | 20° | 4000K | 5900lm |
| 034012103 | ● | 72W | 95 | 20° | 4000K | 5900lm |
| 034012201 | ○ | 72W | 95 | 56° | 4000K | 5900lm |
| 034012202 | ● | 72W | 95 | 56° | 4000K | 5900lm |
| 034012203 | ● | 72W | 95 | 56° | 4000K | 5900lm |
| 034012301 | ○ | 72W | 82 | 20° | 2700K | 5900lm |
| 034012302 | ● | 72W | 82 | 20° | 2700K | 5900lm |
| 034012303 | ● | 72W | 82 | 20° | 2700K | 5900lm |
| 034012401 | ○ | 72W | 82 | 56° | 2700K | 5900lm |
| 034012402 | ● | 72W | 82 | 56° | 2700K | 5900lm |
| 034012403 | ● | 72W | 82 | 56° | 2700K | 5900lm |
| 034012501 | ○ | 72W | 85 | 20° | 3000K | 6000lm |
| 034012502 | ● | 72W | 85 | 20° | 3000K | 6000lm |
| 034012503 | ● | 72W | 85 | 20° | 3000K | 6000lm |
| 034012601 | ○ | 72W | 85 | 56° | 3000K | 6000lm |
| 034012602 | ● | 72W | 85 | 56° | 3000K | 6000lm |
| 034012603 | ● | 72W | 85 | 56° | 3000K | 6000lm |
| 034012701 | ○ | 72W | 85 | 20° | 4000K | 6200lm |
| 034012702 | ● | 72W | 85 | 20° | 4000K | 6200lm |
| 034012703 | ● | 72W | 85 | 20° | 4000K | 6200lm |
| 034012801 | ○ | 72W | 85 | 56° | 4000K | 6200lm |
| 034012802 | ● | 72W | 85 | 56° | 4000K | 6200lm |
| 034012803 | ● | 72W | 85 | 56° | 4000K | 6200lm |

HIGH EFFICIENCY LED



*72W Driver not incl.


2x 98310444

*DALI Driver not incl.

2x 98310536


*CASAMBI Driver not incl.

2x 98310538



Colin 2L QR-111 LED

| | | P | SOCKET | V |
|----------|---|---------|--------|----|
| 03400501 | ○ | MAX 12W | 2x G53 | 12 |
| 03400502 | ● | MAX 12W | 2x G53 | 12 |
| 03400503 | ● | MAX 12W | 2x G53 | 12 |



*Electronic Gear not incl.

2x 98111020



Colin 3L 54/75W

| | P | CRI | BEAM | CCT | FLUX |
|-----------|----------|-----|------|-------|-------------|
| 034013701 | ○ 54/75W | 82 | 20° | 2700K | 4050/3700lm |
| 034013702 | ● 54/75W | 82 | 20° | 2700K | 4050/3700lm |
| 034013703 | ● 54/75W | 82 | 20° | 2700K | 4050/3700lm |
| 034013801 | ○ 54/75W | 82 | 56° | 2700K | 4050/3700lm |
| 034013802 | ● 54/75W | 82 | 56° | 2700K | 4050/3700lm |
| 034013803 | ● 54/75W | 82 | 56° | 2700K | 4050/3700lm |
| 034013901 | ○ 54/75W | 85 | 20° | 3000K | 4200/5700lm |
| 034013902 | ● 54/75W | 85 | 20° | 3000K | 4200/5700lm |
| 034013903 | ● 54/75W | 85 | 20° | 3000K | 4200/5700lm |
| 034014001 | ○ 54/75W | 85 | 56° | 3000K | 4200/5700lm |
| 034014002 | ● 54/75W | 85 | 56° | 3000K | 4200/5700lm |
| 034014003 | ● 54/75W | 85 | 56° | 3000K | 4200/5700lm |
| 034014101 | ○ 54/75W | 85 | 20° | 4000K | 4500/6000lm |
| 034014102 | ● 54/75W | 85 | 20° | 4000K | 4500/6000lm |
| 034014103 | ● 54/75W | 85 | 20° | 4000K | 4500/6000lm |
| 034014201 | ○ 54/75W | 85 | 56° | 4000K | 4500/6000lm |
| 034014202 | ● 54/75W | 85 | 56° | 4000K | 4500/6000lm |
| 034014203 | ● 54/75W | 85 | 56° | 4000K | 4500/6000lm |



*54W Driver not incl.

3x 98310321

*TRIAC 54W Driver not incl.

3x 98310321LC

*75W Driver not incl.

3x 98310233

*TRIAC 75W Driver not incl.

3x 98310236C

*DALI 54/75W Driver not incl.

3x 98310536

*CASAMBI 54/75W Driver not incl.


3x 98310538



Colin 3L 72/108W

FOOD
LIGHTING
LED

| | P | CRI | BEAM | CCT | FLUX |
|-----------|-----------|-----|------|----------|-------------|
| 034015501 | ○ 72/108W | 85 | 20° | fruits ● | 4800/7050lm |
| 034015502 | ● 72/108W | 85 | 20° | fruits ● | 4800/7050lm |
| 034015503 | ● 72/108W | 85 | 20° | fruits ● | 4800/7050lm |
| 034015601 | ○ 72/108W | 85 | 56° | fruits ● | 4800/7050lm |
| 034015602 | ● 72/108W | 85 | 56° | fruits ● | 4800/7050lm |
| 034015603 | ● 72/108W | 85 | 56° | fruits ● | 4800/7050lm |
| 034015701 | ○ 72/108W | 85 | 20° | fish ● | 5100/7350lm |
| 034015702 | ● 72/108W | 85 | 20° | fish ● | 5100/7350lm |
| 034015703 | ● 72/108W | 85 | 20° | fish ● | 5100/7350lm |
| 034015801 | ○ 72/108W | 85 | 56° | fish ● | 5100/7350lm |
| 034015802 | ● 72/108W | 85 | 56° | fish ● | 5100/7350lm |
| 034015803 | ● 72/108W | 85 | 56° | fish ● | 5100/7350lm |
| 034015901 | ○ 72/108W | 70 | 20° | meat ● | 4500/6750lm |
| 034015902 | ● 72/108W | 70 | 20° | meat ● | 4500/6750lm |
| 034015903 | ● 72/108W | 70 | 20° | meat ● | 4500/6750lm |
| 034016001 | ○ 72/108W | 70 | 56° | meat ● | 4500/6750lm |
| 034016002 | ● 72/108W | 70 | 56° | meat ● | 4500/6750lm |
| 034016003 | ● 72/108W | 70 | 56° | meat ● | 4500/6750lm |
| 034016101 | ○ 72/108W | 95 | 20° | 3100K | 5400/8100lm |
| 034016102 | ● 72/108W | 95 | 20° | 3100K | 5400/8100lm |
| 034016103 | ● 72/108W | 95 | 20° | 3100K | 5400/8100lm |
| 034016201 | ○ 72/108W | 95 | 56° | 3100K | 5400/8100lm |
| 034016202 | ● 72/108W | 95 | 56° | 3100K | 5400/8100lm |
| 034016203 | ● 72/108W | 95 | 56° | 3100K | 5400/8100lm |

RETAIL
LIGHTING
LED

*72W Driver not incl.

3x 98310233

*TRIAC 72W Driver not incl.

3x 98310236C

*108W Driver not incl.


3x 98310444

*DALI 72/108W Driver not incl.

3x 98310536

*CASAMBI 72/108W Driver not incl.

3x 98310538



Colin 3L 108W
CRI95

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|------|-----|------|-------|--------|
| 034014301 | ○ | 108W | 95 | 20° | 2700K | 8400lm |
| 034014302 | ● | 108W | 95 | 20° | 2700K | 8400lm |
| 034014303 | ● | 108W | 95 | 20° | 2700K | 8400lm |
| 034014401 | ○ | 108W | 95 | 56° | 2700K | 8400lm |
| 034014402 | ● | 108W | 95 | 56° | 2700K | 8400lm |
| 034014403 | ● | 108W | 95 | 56° | 2700K | 8400lm |
| 034014501 | ○ | 108W | 95 | 20° | 3000K | 8550lm |
| 034014502 | ● | 108W | 95 | 20° | 3000K | 8550lm |
| 034014503 | ● | 108W | 95 | 20° | 3000K | 8550lm |
| 034014601 | ○ | 108W | 95 | 56° | 3000K | 8550lm |
| 034014602 | ● | 108W | 95 | 56° | 3000K | 8550lm |
| 034014603 | ● | 108W | 95 | 56° | 3000K | 8550lm |
| 034014701 | ○ | 108W | 95 | 20° | 4000K | 8850lm |
| 034014702 | ● | 108W | 95 | 20° | 4000K | 8850lm |
| 034014703 | ● | 108W | 95 | 20° | 4000K | 8850lm |
| 034014801 | ○ | 108W | 95 | 56° | 4000K | 8850lm |
| 034014802 | ● | 108W | 95 | 56° | 4000K | 8850lm |
| 034014803 | ● | 108W | 95 | 56° | 4000K | 8850lm |
| 034014901 | ○ | 108W | 82 | 20° | 2700K | 8850lm |
| 034014902 | ● | 108W | 82 | 20° | 2700K | 8850lm |
| 034014903 | ● | 108W | 82 | 20° | 2700K | 8850lm |
| 034015001 | ○ | 108W | 82 | 56° | 2700K | 8850lm |
| 034015002 | ● | 108W | 82 | 56° | 2700K | 8850lm |
| 034015003 | ● | 108W | 82 | 56° | 2700K | 8850lm |
| 034015101 | ○ | 108W | 85 | 20° | 3000K | 9000lm |
| 034015102 | ● | 108W | 85 | 20° | 3000K | 9000lm |
| 034015103 | ● | 108W | 85 | 20° | 3000K | 9000lm |
| 034015201 | ○ | 108W | 85 | 56° | 3000K | 9000lm |
| 034015202 | ● | 108W | 85 | 56° | 3000K | 9000lm |
| 034015203 | ● | 108W | 85 | 56° | 3000K | 9000lm |
| 034015301 | ○ | 108W | 85 | 20° | 4000K | 9300lm |
| 034015302 | ● | 108W | 85 | 20° | 4000K | 9300lm |
| 034015303 | ● | 108W | 85 | 20° | 4000K | 9300lm |
| 034015401 | ○ | 108W | 85 | 56° | 4000K | 9300lm |
| 034015402 | ● | 108W | 85 | 56° | 4000K | 9300lm |
| 034015403 | ● | 108W | 85 | 56° | 4000K | 9300lm |

HIGH EFFICIENCY LED



*108W Driver not incl.
3x 98310444


*DALI Driver not incl.
3x 98310536

*CASAMBI Driver not incl.
3x 98310538



Colin 3L QR-111 LED

| | | P | SOCKET | V |
|----------|---|---------|--------|----|
| 03400601 | ○ | MAX 12W | 3x G53 | 12 |
| 03400602 | ● | MAX 12W | 3x G53 | 12 |
| 03400603 | ● | MAX 12W | 3x G53 | 12 |




*Electronic Gear not incl.
3x 98111020



Teko



Teko




Teko 2L



Teko 3L





Teko 12/18W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|-------|-------------|
| 050400101 | ○ | 12/18W | 82 | 20° | 2700K | 950/1450lm |
| 050400102 | ● | 12/18W | 82 | 20° | 2700K | 950/1450lm |
| 050400201 | ○ | 12/18W | 82 | 56° | 2700K | 950/1450lm |
| 050400202 | ● | 12/18W | 82 | 56° | 2700K | 950/1450lm |
| 050400301 | ○ | 12/18W | 85 | 20° | 3000K | 1000/1500lm |
| 050400302 | ● | 12/18W | 85 | 20° | 3000K | 1000/1500lm |
| 050400401 | ○ | 12/18W | 85 | 56° | 3000K | 1000/1500lm |
| 050400402 | ● | 12/18W | 85 | 56° | 3000K | 1000/1500lm |
| 050400501 | ○ | 12/18W | 85 | 20° | 4000K | 1100/1600lm |
| 050400502 | ● | 12/18W | 85 | 20° | 4000K | 1100/1600lm |
| 050400601 | ○ | 12/18W | 85 | 56° | 4000K | 1100/1600lm |
| 050400602 | ● | 12/18W | 85 | 56° | 4000K | 1100/1600lm |



*12W Driver not incl.

98310116

*TRIAC 12W Driver not incl.

98310114C

*18W Driver not incl.

98310321

*TRIAC 18W Driver not incl.


98310321LC

*DALI 12/18W Driver not incl.

98310536

*CASAMBI 12/25W Driver not incl.

98310538



Teko 17/24W

CRI95

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|-------|-------------|
| 050400701 | ○ | 17/24W | 95 | 20° | 2700K | 1250/1800lm |
| 050400702 | ● | 17/24W | 95 | 20° | 2700K | 1250/1800lm |
| 050400801 | ○ | 17/24W | 95 | 56° | 2700K | 1250/1800lm |
| 050400802 | ● | 17/24W | 95 | 56° | 2700K | 1250/1800lm |
| 050400901 | ○ | 17/24W | 95 | 20° | 3000K | 1300/1850lm |
| 050400902 | ● | 17/24W | 95 | 20° | 3000K | 1300/1850lm |
| 050401001 | ○ | 17/24W | 95 | 56° | 3000K | 1300/1850lm |
| 050401002 | ● | 17/24W | 95 | 56° | 3000K | 1300/1850lm |
| 050401101 | ○ | 17/24W | 95 | 20° | 4000K | 1400/1950lm |
| 050401102 | ● | 17/24W | 95 | 20° | 4000K | 1400/1950lm |
| 050401201 | ○ | 17/24W | 95 | 56° | 4000K | 1400/1950lm |
| 050401202 | ● | 17/24W | 95 | 56° | 4000K | 1400/1950lm |



*17W Driver not incl.

98310321

*TRIAC 17W Driver not incl.

98310321LC

*24W Driver not incl.

98310233

*TRIAC 24W Driver not incl.


98310236C

*DALI 17/24W Driver not incl.

98310536

*CASAMBI 17/24W Driver not incl.

98310538



Teko 24W

HIGH EFFICIENCY LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 050401301 | ○ | 24W | 82 | 20° | 2700K | 2000lm |
| 050401302 | ● | 24W | 82 | 20° | 2700K | 2000lm |
| 050401401 | ○ | 24W | 82 | 56° | 2700K | 2000lm |
| 050401402 | ● | 24W | 82 | 56° | 2700K | 2000lm |
| 050401501 | ○ | 24W | 85 | 20° | 3000K | 2050lm |
| 050401502 | ● | 24W | 85 | 20° | 3000K | 2050lm |
| 050401601 | ○ | 24W | 85 | 56° | 3000K | 2050lm |
| 050401602 | ● | 24W | 85 | 56° | 3000K | 2050lm |
| 050401701 | ○ | 24W | 85 | 20° | 4000K | 2150lm |
| 050401702 | ● | 24W | 85 | 20° | 4000K | 2150lm |
| 050401801 | ○ | 24W | 85 | 56° | 4000K | 2150lm |
| 050401802 | ● | 24W | 85 | 56° | 4000K | 2150lm |

FOOD LIGHTING LED

| | | | | | | |
|-----------|---|-----|----|-----|----------|--------|
| 050401901 | ○ | 24W | 82 | 20° | fruits ● | 1600lm |
| 050401902 | ● | 24W | 82 | 20° | fruits ● | 1600lm |
| 050402001 | ○ | 24W | 82 | 56° | fruits ● | 1600lm |
| 050402002 | ● | 24W | 82 | 56° | fruits ● | 1600lm |
| 050402101 | ○ | 24W | 85 | 20° | fish ● | 1700lm |
| 050402102 | ● | 24W | 85 | 20° | fish ● | 1700lm |
| 050402201 | ○ | 24W | 85 | 56° | fish ● | 1700lm |
| 050402202 | ● | 24W | 85 | 56° | fish ● | 1700lm |
| 050402301 | ○ | 24W | 85 | 20° | meat ● | 1500lm |
| 050402302 | ● | 24W | 85 | 20° | meat ● | 1500lm |
| 050402401 | ○ | 24W | 85 | 56° | meat ● | 1500lm |
| 050402402 | ● | 24W | 85 | 56° | meat ● | 1500lm |



*36W Driver not incl.

98310233

*TRIAC Driver not incl.


98310236C

*DALI Driver not incl.

98310536

*CASAMBI Driver not incl.

98310538



Teko 17/24W

RETAIL LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|-------|-------------|
| 050402501 | ○ | 17/24W | 95 | 20° | 3100K | 1300/1800lm |
| 050402502 | ● | 17/24W | 95 | 20° | 3100K | 1300/1800lm |
| 050402601 | ○ | 17/24W | 95 | 56° | 3100K | 1300/1800lm |
| 050402602 | ● | 17/24W | 95 | 56° | 3100K | 1300/1800lm |



*17W Driver not incl.

98310321

*TRIAC 17W Driver not incl.

98310321LC

*24W Driver not incl.

98310233

*TRIAC 24W Driver not incl.


98310236C

*DALI 17/24W Driver not incl.

98310536

*CASAMBI 17/24W Driver not incl.

98310538



Teko 2L 24/36W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|----------|----|-----|-------|-------------|------|
| 050500101 | ○ 24/36W | 82 | 20° | 2700K | 1900/2900lm | |
| 050500102 | ● 24/36W | 82 | 20° | 2700K | 1900/2900lm | |
| 050500201 | ○ 24/36W | 82 | 56° | 2700K | 1900/2900lm | |
| 050500202 | ● 24/36W | 82 | 56° | 2700K | 1900/2900lm | |
| 050500301 | ○ 24/36W | 85 | 20° | 3000K | 2000/3000lm | |
| 050500302 | ● 24/36W | 85 | 20° | 3000K | 2000/3000lm | |
| 050500401 | ○ 24/36W | 85 | 56° | 3000K | 2000/3000lm | |
| 050500402 | ● 24/36W | 85 | 56° | 3000K | 2000/3000lm | |
| 050500501 | ○ 24/36W | 85 | 20° | 4000K | 2200/3200lm | |
| 050500502 | ● 24/36W | 85 | 20° | 4000K | 2200/3200lm | |
| 050500601 | ○ 24/36W | 85 | 56° | 4000K | 2200/3200lm | |
| 050500602 | ● 24/36W | 85 | 56° | 4000K | 2200/3200lm | |



*24W Driver not incl.

2x 98310116

*TRIAC 24W Driver not incl.

2x 98310114C

*36W Driver not incl.

2x 98310321

*TRIAC 36W Driver not incl.


2x 98310321LC

*DALI 24/36W Driver not incl.

2x 98310536

*CASAMBI 24/36W Driver not incl.

2x 98310538



Teko 2L 17/24W

CRI95

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|----------|----|-----|-------|-------------|------|
| 050500701 | ○ 34/48W | 95 | 20° | 2700K | 2500/3600lm | |
| 050500702 | ● 34/48W | 95 | 20° | 2700K | 2500/3600lm | |
| 050500801 | ○ 34/48W | 95 | 56° | 2700K | 2500/3600lm | |
| 050500802 | ● 34/48W | 95 | 56° | 2700K | 2500/3600lm | |
| 050500901 | ○ 34/48W | 95 | 20° | 3000K | 2600/3700lm | |
| 050500902 | ● 34/48W | 95 | 20° | 3000K | 2600/3700lm | |
| 050501001 | ○ 34/48W | 95 | 56° | 3000K | 2600/3700lm | |
| 050501002 | ● 34/48W | 95 | 56° | 3000K | 2600/3700lm | |
| 050501101 | ○ 34/48W | 95 | 20° | 4000K | 2800/3900lm | |
| 050501102 | ● 34/48W | 95 | 20° | 4000K | 2800/3900lm | |
| 050501201 | ○ 34/48W | 95 | 56° | 4000K | 2800/3900lm | |
| 050501202 | ● 34/48W | 95 | 56° | 4000K | 2800/3900lm | |



*34W Driver not incl.

2x 98310321

*TRIAC 34W Driver not incl.

2x 98310321LC

*48W Driver not incl.

2x 98310233

*TRIAC 48W Driver not incl.


2x 98310236C

*DALI 34/48W Driver not incl.

2x 98310536

*CASAMBI 34/48W Driver not incl.

2x 98310538



Teko 2L 48W

HIGH EFFICIENCY LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|-------|--------|
| 050501301 | ○ | 48W | 82 | 20° | 2700K | 4000lm |
| 050501302 | ● | 48W | 82 | 20° | 2700K | 4000lm |
| 050501401 | ○ | 48W | 82 | 56° | 2700K | 4000lm |
| 050501402 | ● | 48W | 82 | 56° | 2700K | 4000lm |
| 050501501 | ○ | 48W | 85 | 20° | 3000K | 4100lm |
| 050501502 | ● | 48W | 85 | 20° | 3000K | 4100lm |
| 050501601 | ○ | 48W | 85 | 56° | 3000K | 4100lm |
| 050501602 | ● | 48W | 85 | 56° | 3000K | 4100lm |
| 050501701 | ○ | 48W | 85 | 20° | 4000K | 4300lm |
| 050501702 | ● | 48W | 85 | 20° | 4000K | 4300lm |
| 050501801 | ○ | 48W | 85 | 56° | 4000K | 4300lm |
| 050501802 | ● | 48W | 85 | 56° | 4000K | 4300lm |

FOOD LIGHTING LED

| | | | | | | |
|-----------|---|-----|----|-----|----------|--------|
| 050501901 | ○ | 48W | 82 | 20° | fruits ● | 3200lm |
| 050501902 | ● | 48W | 82 | 20° | fruits ● | 3200lm |
| 050502001 | ○ | 48W | 82 | 56° | fruits ● | 3200lm |
| 050502002 | ● | 48W | 82 | 56° | fruits ● | 3200lm |
| 050502101 | ○ | 48W | 85 | 20° | fish ● | 3400lm |
| 050502102 | ● | 48W | 85 | 20° | fish ● | 3400lm |
| 050502201 | ○ | 48W | 85 | 56° | fish ● | 3400lm |
| 050502202 | ● | 48W | 85 | 56° | fish ● | 3400lm |
| 050502301 | ○ | 48W | 85 | 20° | meat ● | 3000lm |
| 050502302 | ● | 48W | 85 | 20° | meat ● | 3000lm |
| 050502401 | ○ | 48W | 85 | 56° | meat ● | 3000lm |
| 050502402 | ● | 48W | 85 | 56° | meat ● | 3000lm |



*48W Driver not incl.

2x 98310233

*TRIAC Driver not incl.


2x 98310236C

*DALI Driver not incl.

2x 98310536

*CASAMBI Driver not incl.

2x 98310538



Teko 2L 34/48W

RETAIL LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|-------|-------------|
| 050502501 | ○ | 34/48W | 95 | 20° | 3100K | 2600/3600lm |
| 050502502 | ● | 34/48W | 95 | 20° | 3100K | 2600/3600lm |
| 050502601 | ○ | 34/48W | 95 | 56° | 3100K | 2600/3600lm |
| 050502602 | ● | 34/48W | 95 | 56° | 3100K | 2600/3600lm |



*34W Driver not incl.

2x 98310321

*TRIAC 34W Driver not incl.

2x 98310321LC

*48W Driver not incl.

2x 98310233

*TRIAC 48W Driver not incl.


2x 98310236C

*DALI 34/48W Driver not incl.

2x 98310536

*CASAMBI 34/48W Driver not incl.

2x 98310538



Teko 3L 36/54W

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|-------|-------------|
| 050600101 | ○ | 36/54W | 82 | 20° | 2700K | 2850/4350lm |
| 050600102 | ● | 36/54W | 82 | 20° | 2700K | 2850/4350lm |
| 050600201 | ○ | 36/54W | 82 | 56° | 2700K | 2850/4350lm |
| 050600202 | ● | 36/54W | 82 | 56° | 2700K | 2850/4350lm |
| 050600301 | ○ | 36/54W | 85 | 20° | 3000K | 3000/4500lm |
| 050600302 | ● | 36/54W | 85 | 20° | 3000K | 3000/4500lm |
| 050600401 | ○ | 36/54W | 85 | 56° | 3000K | 3000/4500lm |
| 050600402 | ● | 36/54W | 85 | 56° | 3000K | 3000/4500lm |
| 050600501 | ○ | 36/54W | 85 | 20° | 4000K | 3300/4800lm |
| 050600502 | ● | 36/54W | 85 | 20° | 4000K | 3300/4800lm |
| 050600601 | ○ | 36/54W | 85 | 56° | 4000K | 3300/4800lm |
| 050600602 | ● | 36/54W | 85 | 56° | 4000K | 3300/4800lm |



*36W Driver not incl.

3x 98310116

*TRIAC 36W Driver not incl.

3x 98310114C

*54W Driver not incl.

3x 98310321

*TRIAC 54W Driver not incl.


3x 98310321LC

*DALI 36/54W Driver not incl.

3x 98310536

*CASAMBI 36/54W Driver not incl.

3x 98310538



Teko 3L 51/72W

CRI95

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|-------|-------------|
| 050600701 | ○ | 51/72W | 95 | 20° | 2700K | 3750/5400lm |
| 050600702 | ● | 51/72W | 95 | 20° | 2700K | 3750/5400lm |
| 050600801 | ○ | 51/72W | 95 | 56° | 2700K | 3750/5400lm |
| 050600802 | ● | 51/72W | 95 | 56° | 2700K | 3750/5400lm |
| 050600901 | ○ | 51/72W | 95 | 20° | 3000K | 3900/5550lm |
| 050600902 | ● | 51/72W | 95 | 20° | 3000K | 3900/5550lm |
| 050601001 | ○ | 51/72W | 95 | 56° | 3000K | 3900/5550lm |
| 050601002 | ● | 51/72W | 95 | 56° | 3000K | 3900/5550lm |
| 050601101 | ○ | 51/72W | 95 | 20° | 4000K | 4200/5850lm |
| 050601102 | ● | 51/72W | 95 | 20° | 4000K | 4200/5850lm |
| 050601201 | ○ | 51/72W | 95 | 56° | 4000K | 4200/5850lm |
| 050601202 | ● | 51/72W | 95 | 56° | 4000K | 4200/5850lm |



*51W Driver not incl.

3x 98310321

*TRIAC 51W Driver not incl.

3x 98310321LC

*72W Driver not incl.

3x 98310233

*TRIAC 72W Driver not incl.

3x 98310236C

*DALI 51/72W Driver not incl.

3x 98310536

*CASAMBI 51/72W Driver not incl.


3x 98310538

Teko 3L 72W

HIGH EFFICIENCY LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|-----|-----|------|----------|--------|
| 050601301 | ○ | 72W | 82 | 20° | 2700K | 6000lm |
| 050601302 | ● | 72W | 82 | 20° | 2700K | 6000lm |
| 050601401 | ○ | 72W | 82 | 56° | 2700K | 6000lm |
| 050601402 | ● | 72W | 82 | 56° | 2700K | 6000lm |
| 050601501 | ○ | 72W | 85 | 20° | 3000K | 6150lm |
| 050601502 | ● | 72W | 85 | 20° | 3000K | 6150lm |
| 050601601 | ○ | 72W | 85 | 56° | 3000K | 6150lm |
| 050601602 | ● | 72W | 85 | 56° | 3000K | 6150lm |
| 050601701 | ○ | 72W | 85 | 20° | 4000K | 6450lm |
| 050601702 | ● | 72W | 85 | 20° | 4000K | 6450lm |
| 050601801 | ○ | 72W | 85 | 56° | 4000K | 6450lm |
| 050601802 | ● | 72W | 85 | 56° | 4000K | 6450lm |
| 050601901 | ○ | 72W | 82 | 20° | fruits ● | 4800lm |
| 050601902 | ● | 72W | 82 | 20° | fruits ● | 4800lm |
| 050602001 | ○ | 72W | 82 | 56° | fruits ● | 4800lm |
| 050602002 | ● | 72W | 82 | 56° | fruits ● | 4800lm |
| 050602101 | ○ | 72W | 85 | 20° | fish ● | 5100lm |
| 050602102 | ● | 72W | 85 | 20° | fish ● | 5100lm |
| 050602201 | ○ | 72W | 85 | 56° | fish ● | 5100lm |
| 050602202 | ● | 72W | 85 | 56° | fish ● | 5100lm |
| 050602301 | ○ | 72W | 85 | 20° | meat ● | 4500lm |
| 050602302 | ● | 72W | 85 | 20° | meat ● | 4500lm |
| 050602401 | ○ | 72W | 85 | 56° | meat ● | 4500lm |
| 050602402 | ● | 72W | 85 | 56° | meat ● | 4500lm |

FOOD LIGHTING LED



*72W Driver not incl.

3x 98310233

*TRIAC Driver not incl.

3x 98310236C

*DALI Driver not incl.

3x 98310536



*CASAMBI Driver not incl.

3x 98310538

Teko 3L 51/72W

RETAIL LIGHTING LED

| | | P | CRI | BEAM | CCT | FLUX |
|-----------|---|--------|-----|------|-------|-------------|
| 050602501 | ○ | 51/72W | 95 | 20° | 3100K | 3900/5400lm |
| 050602502 | ● | 51/72W | 95 | 20° | 3100K | 3900/5400lm |
| 050602601 | ○ | 51/72W | 95 | 56° | 3100K | 3900/5400lm |
| 050602602 | ● | 51/72W | 95 | 56° | 3100K | 3900/5400lm |



*51W Driver not incl.

3x 98310321

*TRIAC 51W Driver not incl.

3x 98310321LC

*72W Driver not incl.

3x 98310233

*TRIAC 72W Driver not incl.

3x 98310236C

*DALI 51/72W Driver not incl.

3x 98310536



*CASAMBI 51/72W Driver not incl.

3x 98310538




Via


1
Choose your Via
Escoge tu Via



2
Join them to build continuous lines
Únelos para construir líneas continuas



CONTINUOUS ACCESSORY
For surface, pendant and recessed.
Para superficie, colgante y empotrado




L-SHAPE
Only for surface and pendant.
Solo usrs superficie y colgante.

3
Turn your via surface into pendant
Convierte tu via superficie en colgante

Use the pendant accessory for the first unit.
Usa el accesorio colgante para la primera unidad.


Use the steelWires for the following units.
Usa los tensores de acero para las siguientes unidades.



Don't forget your continuous accessory!
¡No te olvides de tu accesorio continuo!

VS LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.



*PRISMATIC 12W option

Add a U at the end of the ref.

Via Surface 560 12W


| | | P | P/m | CRI | CCT | FLUX |
|-----------|---|-----|---------|-----|-------|--------|
| 041000901 | ○ | 12W | 21,4W/m | 80 | 3000K | 1000lm |
| 041000902 | ● | 12W | 21,4W/m | 80 | 3000K | 1000lm |
| 041000903 | ● | 12W | 21,4W/m | 80 | 3000K | 1000lm |
| 041001801 | ○ | 12W | 21,4W/m | 80 | 4000K | 1100lm |
| 041001802 | ● | 12W | 21,4W/m | 80 | 4000K | 1100lm |
| 041001803 | ● | 12W | 21,4W/m | 80 | 4000K | 1100lm |

Via Surface 560 17W

| | | | | | | |
|-----------|---|-----|---------|----|-------|--------|
| 041000801 | ○ | 17W | 30,3W/m | 80 | 3000K | 1200lm |
| 041000802 | ● | 17W | 30,3W/m | 80 | 3000K | 1200lm |
| 041000803 | ● | 17W | 30,3W/m | 80 | 3000K | 1200lm |
| 041001701 | ○ | 17W | 30,3W/m | 80 | 4000K | 1300lm |
| 041001702 | ● | 17W | 30,3W/m | 80 | 4000K | 1300lm |
| 041001703 | ● | 17W | 30,3W/m | 80 | 4000K | 1300lm |

Via Surface 560 24W

| | | | | | | |
|-----------|---|-----|---------|----|-------|--------|
| 041000701 | ○ | 24W | 42,8W/m | 80 | 3000K | 1900lm |
| 041000702 | ● | 24W | 42,8W/m | 80 | 3000K | 1900lm |
| 041000703 | ● | 24W | 42,8W/m | 80 | 3000K | 1900lm |
| 041001601 | ○ | 24W | 42,8W/m | 80 | 4000K | 2000lm |
| 041001602 | ● | 24W | 42,8W/m | 80 | 4000K | 2000lm |
| 041001603 | ● | 24W | 42,8W/m | 80 | 4000K | 2000lm |



*PRISMATIC 17W option

Add a U at the end of the ref.

*PRISMATIC 24W option


Add a U at the end of the ref.

*DALI/PUSH 24W option

Add a D at the end of the ref.

*DALI/PUSH&PRISMATIC 24W option

Add DU at the end of the ref.



*PRISMATIC 17W option

Add a U at the end of the ref.

Via Surface 840 17W


| | | P | P/m | CRI | CCT | FLUX |
|-----------|---|-----|---------|-----|-------|--------|
| 041000601 | ○ | 17W | 21,4W/m | 80 | 3000K | 1500lm |
| 041000602 | ● | 17W | 21,4W/m | 80 | 3000K | 1500lm |
| 041000603 | ● | 17W | 21,4W/m | 80 | 3000K | 1500lm |
| 041001501 | ○ | 17W | 21,4W/m | 80 | 4000K | 1600lm |
| 041001502 | ● | 17W | 21,4W/m | 80 | 4000K | 1600lm |
| 041001503 | ● | 17W | 21,4W/m | 80 | 4000K | 1600lm |

Via Surface 840 25W

| | | | | | | |
|-----------|---|-----|---------|----|-------|--------|
| 041000501 | ○ | 25W | 30,3W/m | 80 | 3000K | 1800lm |
| 041000502 | ● | 25W | 30,3W/m | 80 | 3000K | 1800lm |
| 041000503 | ● | 25W | 30,3W/m | 80 | 3000K | 1800lm |
| 041001401 | ○ | 25W | 30,3W/m | 80 | 4000K | 1900lm |
| 041001402 | ● | 25W | 30,3W/m | 80 | 4000K | 1900lm |
| 041001403 | ● | 25W | 30,3W/m | 80 | 4000K | 1900lm |

Via Surface 840 36W

| | | | | | | |
|-----------|---|-----|---------|----|-------|--------|
| 041000401 | ○ | 36W | 42,8W/m | 80 | 3000K | 2800lm |
| 041000402 | ● | 36W | 42,8W/m | 80 | 3000K | 2800lm |
| 041000403 | ● | 36W | 42,8W/m | 80 | 3000K | 2800lm |
| 041001301 | ○ | 36W | 42,8W/m | 80 | 4000K | 3000lm |
| 041001302 | ● | 36W | 42,8W/m | 80 | 4000K | 3000lm |
| 041001303 | ● | 36W | 42,8W/m | 80 | 4000K | 3000lm |



*PRISMATIC 25W option

Add a U at the end of the ref.

*PRISMATIC 36W option


Add a U at the end of the ref.

*DALI/PUSH 36W option

Add a D at the end of the ref.

*DALI/PUSH&PRISMATIC 36W option

Add DU at the end of the ref.



Via Surface 1120 25W


| | | P | P/m | CRI | CCT | FLUX |
|-----------|---|-----|---------|-----|-------|--------|
| 041000301 | ○ | 25W | 21,4W/m | 80 | 3000K | 2000lm |
| 041000302 | ● | 25W | 21,4W/m | 80 | 3000K | 2000lm |
| 041000303 | ● | 25W | 21,4W/m | 80 | 3000K | 2000lm |
| 041001201 | ○ | 25W | 21,4W/m | 80 | 4000K | 2100lm |
| 041001202 | ● | 25W | 21,4W/m | 80 | 4000K | 2100lm |
| 041001203 | ● | 25W | 21,4W/m | 80 | 4000K | 2100lm |

Via Surface 1120 37W

| | | | | | | |
|-----------|---|-----|---------|----|-------|--------|
| 041000201 | ○ | 37W | 30,3W/m | 80 | 3000K | 2300lm |
| 041000202 | ● | 37W | 30,3W/m | 80 | 3000K | 2300lm |
| 041000203 | ● | 37W | 30,3W/m | 80 | 3000K | 2300lm |
| 041001101 | ○ | 37W | 30,3W/m | 80 | 4000K | 2500lm |
| 041001102 | ● | 37W | 30,3W/m | 80 | 4000K | 2500lm |
| 041001103 | ● | 37W | 30,3W/m | 80 | 4000K | 2500lm |

Via Surface 1120 52W

| | | | | | | |
|-----------|---|-----|---------|----|-------|--------|
| 041000101 | ○ | 52W | 42,8W/m | 80 | 3000K | 3700lm |
| 041000102 | ● | 52W | 42,8W/m | 80 | 3000K | 3700lm |
| 041000103 | ● | 52W | 42,8W/m | 80 | 3000K | 3700lm |
| 041001001 | ○ | 52W | 42,8W/m | 80 | 4000K | 4600lm |
| 041001002 | ● | 52W | 42,8W/m | 80 | 4000K | 4600lm |
| 041001003 | ● | 52W | 42,8W/m | 80 | 4000K | 4600lm |



*PRISMATIC 25W option

Add a U at the end of the ref.

*PRISMATIC 37W option

Add a U at the end of the ref.

*PRISMATIC 52W option

Add a U at the end of the ref.

*DALI/PUSH 52W option

Add a D at the end of the ref.

*DALI/PUSH&PRISMATIC 52W option

Add DU at the end of the ref.

L-SHAPE

| | | P/m | CRI | CCT |
|-----------|---|--------------|-----|-------|
| 041009601 | ○ | 21,4W/m | 80 | 3000K |
| 041009602 | ● | 21,4W/m | 80 | 3000K |
| 041009603 | ● | 21,4W/m | 80 | 3000K |
| 041009701 | ○ | 21,4W/m | 80 | 4000K |
| 041009702 | ● | 21,4W/m | 80 | 4000K |
| 041009703 | ● | 21,4W/m | 80 | 4000K |
| 041009801 | ○ | 30,3-42,8W/m | 80 | 3000K |
| 041009802 | ● | 30,3-42,8W/m | 80 | 3000K |
| 041009803 | ● | 30,3-42,8W/m | 80 | 3000K |
| 041009901 | ○ | 30,3-42,8W/m | 80 | 4000K |
| 041009902 | ● | 30,3-42,8W/m | 80 | 4000K |
| 041009903 | ● | 30,3-42,8W/m | 80 | 4000K |




*PRISMATIC 21,4W/m option

Add a U at the end of the ref.

*PRISMATIC 30,3-42,8W/m option

Add a U at the end of the ref.



Accessories



Pendant Canopy + 2 x steelWires

| | |
|----------|---|
| 04100101 | ○ |
| 04100102 | ● |
| 04100103 | ● |



Pendant Canopy + 2 x steelWires

| | | |
|------|-----------|---|
| Dali | 04100101D | ○ |
| Dali | 04100102D | ● |
| Dali | 04100103D | ● |


Continuous accessory 1pc

| | |
|----------|---|
| 04100201 | ● |
|----------|---|



Steelwires 2pcs

| | |
|----------|---|
| 04100100 | ● |
|----------|---|



*PRISMATIC 12W option

Add a U at the end of the ref.

Via Recessed 560 12W


| | | P | P/m | CRI | CCT | FLUX |
|-----------|---|-----|---------|-----|-------|--------|
| 041002701 | ○ | 12W | 21,4W/m | 80 | 3000K | 1000lm |
| 041002702 | ● | 12W | 21,4W/m | 80 | 3000K | 1000lm |
| 041003001 | ○ | 12W | 21,4W/m | 80 | 4000K | 1100lm |
| 041003002 | ● | 12W | 21,4W/m | 80 | 4000K | 1100lm |

Via Recessed 560 17W

| | | | | | | |
|-----------|---|-----|---------|----|-------|--------|
| 041002601 | ○ | 17W | 30,3W/m | 80 | 3000K | 1200lm |
| 041002602 | ● | 17W | 30,3W/m | 80 | 3000K | 1200lm |
| 041002901 | ○ | 17W | 30,3W/m | 80 | 4000K | 1300lm |
| 041002902 | ● | 17W | 30,3W/m | 80 | 4000K | 1300lm |

Via Recessed 560 24W

| | | | | | | |
|-----------|---|-----|---------|----|-------|--------|
| 041002501 | ○ | 24W | 42,8W/m | 80 | 3000K | 1900lm |
| 041002502 | ● | 24W | 42,8W/m | 80 | 3000K | 1900lm |
| 041002801 | ○ | 24W | 42,8W/m | 80 | 4000K | 2000lm |
| 041002802 | ● | 24W | 42,8W/m | 80 | 4000K | 2000lm |



*PRISMATIC 17W option

Add a U at the end of the ref.

*DALI/PUSH 24W option



Add a D at the end of the ref.

*PRISMATIC 24W option

Add a U at the end of the ref.

*DALI/PUSH&PRISMATIC 24W option

Add DU at the end of the ref.



*PRISMATIC 17W option

Add a U at the end of the ref.

Via Recessed 840 17W


| | | P | P/m | CRI | CCT | FLUX |
|------------|---|-----|---------|-----|-------|--------|
| 0410003301 | ○ | 17W | 21,4W/m | 80 | 3000K | 1500lm |
| 0410003302 | ● | 17W | 21,4W/m | 80 | 3000K | 1500lm |
| 0410003601 | ○ | 17W | 21,4W/m | 80 | 4000K | 1600lm |
| 0410003602 | ● | 17W | 21,4W/m | 80 | 4000K | 1600lm |

Via Recessed 840 25W

| | | | | | | |
|------------|---|-----|---------|----|-------|--------|
| 0410003201 | ○ | 25W | 30,3W/m | 80 | 3000K | 1800lm |
| 0410003202 | ● | 25W | 30,3W/m | 80 | 3000K | 1800lm |
| 0410003501 | ○ | 25W | 30,3W/m | 80 | 4000K | 1900lm |
| 0410003502 | ● | 25W | 30,3W/m | 80 | 4000K | 1900lm |

Via Recessed 840 36W

| | | | | | | |
|------------|---|-----|---------|----|-------|--------|
| 0410003101 | ○ | 36W | 42,8W/m | 80 | 3000K | 2800lm |
| 0410003102 | ● | 36W | 42,8W/m | 80 | 3000K | 2800lm |
| 0410003401 | ○ | 36W | 42,8W/m | 80 | 4000K | 3000lm |
| 0410003402 | ● | 36W | 42,8W/m | 80 | 4000K | 3000lm |



*PRISMATIC 25W option

Add a U at the end of the ref.

*DALI/PUSH 36W option


Add a D at the end of the ref.

*PRISMATIC 36W option

Add a U at the end of the ref.

*DALI/PUSH&PRISMATIC 36W option


Add DU at the end of the ref.



| Via Recessed 1120 23W | | P | P/m | CRI | CCT | FLUX |
|-----------------------|---|-----|---------|-----|-------|--------|
| 0410003901 | ○ | 23W | 21,4W/m | 80 | 3000K | 2000lm |
| 0410003902 | ● | 23W | 21,4W/m | 80 | 3000K | 2000lm |
| 0410004201 | ○ | 23W | 21,4W/m | 80 | 4000K | 2100lm |
| 0410004202 | ● | 23W | 21,4W/m | 80 | 4000K | 2100lm |

| Via Recessed 1120 34W | | P | P/m | CRI | CCT | FLUX |
|-----------------------|---|-----|---------|-----|-------|--------|
| 0410003801 | ○ | 34W | 30,3W/m | 80 | 3000K | 2300lm |
| 0410003802 | ● | 34W | 30,3W/m | 80 | 3000K | 2300lm |
| 0410004101 | ○ | 34W | 30,3W/m | 80 | 4000K | 2500lm |
| 0410004102 | ● | 34W | 30,3W/m | 80 | 4000K | 2500lm |

| Via Recessed 1120 48W | | P | P/m | CRI | CCT | FLUX |
|-----------------------|---|-----|---------|-----|-------|--------|
| 0410003701 | ○ | 48W | 42,8W/m | 80 | 3000K | 3700lm |
| 0410003702 | ● | 48W | 42,8W/m | 80 | 3000K | 3700lm |
| 0410004001 | ○ | 48W | 42,8W/m | 80 | 4000K | 4600lm |
| 0410004002 | ● | 48W | 42,8W/m | 80 | 4000K | 4600lm |



***PRISMATIC 23W option**

Add a U at the end of the ref.

***PRISMATIC 34W option**

Add a U at the end of the ref.

***PRISMATIC 48W option**

Add a U at the end of the ref.

***DALI/PUSH 48W option**

Add a D at the end of the ref.

***DALI/PUSH&PRISMATIC 48W option**

Add DU at the end of the ref.

Accessories

Continuous accessory 1pc

04100201 ●




Fonovia

Fonovia is a concept of linear light that isolates us from the environment, creating moments of concentration thanks to its fabric with sound-absorbing properties that in turn softens the light creating spaces of well-being. It accompanies moments of concentration and privacy. Fabric that favours acoustic absorption. Ideal for crowded spaces and meeting rooms.




1

Choose your via pendant composition in page 473
Escoge tu composición de via colgante en la página 473



2

Dress it with fonovia sound absorbing shade system
Vístela con el sistema de pantallas fonoabsorbentes fonovia



TECH / TÉCNICO

3

Create your Fonovia as long as you want
Crea tu Fonovia tan largo como quieras


**Ledstrip Vertical 5Mt
14W/Mt IP67 2700K**

| | |
|-------------|--------|
| 08045001-01 | 10 cm |
| 08045001-02 | 20 cm |
| 08045001-03 | 30 cm |
| 08045001-04 | 40 cm |
| 08045001-05 | 50 cm |
| 08045001-06 | 60 cm |
| 08045001-07 | 70 cm |
| 08045001-08 | 80 cm |
| 08045001-09 | 90 cm |
| 08045001-10 | 100 cm |
| 08045001-11 | 110 cm |
| 08045001-12 | 120 cm |
| 08045001-13 | 130 cm |
| 08045001-14 | 140 cm |
| 08045001-15 | 150 cm |
| 08045001-16 | 160 cm |
| 08045001-17 | 170 cm |
| 08045001-18 | 180 cm |
| 08045001-19 | 190 cm |
| 08045001-20 | 200 cm |
| 08045001-21 | 210 cm |
| 08045001-22 | 220 cm |
| 08045001-23 | 230 cm |
| 08045001-24 | 240 cm |
| 08045001-25 | 250 cm |
| 08045001-26 | 260 cm |
| 08045001-27 | 270 cm |
| 08045001-28 | 280 cm |
| 08045001-29 | 290 cm |
| 08045001-30 | 300 cm |
| 08045001-31 | 310 cm |
| 08045001-32 | 320 cm |
| 08045001-33 | 330 cm |
| 08045001-34 | 340 cm |
| 08045001-35 | 350 cm |
| 08045001-36 | 360 cm |
| 08045001-37 | 370 cm |
| 08045001-38 | 380 cm |
| 08045001-39 | 390 cm |
| 08045001-40 | 400 cm |
| 08045001-41 | 410 cm |
| 08045001-42 | 420 cm |
| 08045001-43 | 430 cm |
| 08045001-44 | 440 cm |
| 08045001-45 | 450 cm |
| 08045001-46 | 460 cm |
| 08045001-47 | 470 cm |
| 08045001-48 | 480 cm |
| 08045001-49 | 490 cm |
| 08045001 | 500 cm |

**Ledstrip Vertical 5Mt
14W/Mt IP67 3000K**




| | |
|-------------|--------|
| 08046001-01 | 10 cm |
| 08046001-02 | 20 cm |
| 08046001-03 | 30 cm |
| 08046001-04 | 40 cm |
| 08046001-05 | 50 cm |
| 08046001-06 | 60 cm |
| 08046001-07 | 70 cm |
| 08046001-08 | 80 cm |
| 08046001-09 | 90 cm |
| 08046001-10 | 100 cm |
| 08046001-11 | 110 cm |
| 08046001-12 | 120 cm |
| 08046001-13 | 130 cm |
| 08046001-14 | 140 cm |
| 08046001-15 | 150 cm |
| 08046001-16 | 160 cm |
| 08046001-17 | 170 cm |
| 08046001-18 | 180 cm |
| 08046001-19 | 190 cm |
| 08046001-20 | 200 cm |
| 08046001-21 | 210 cm |
| 08046001-22 | 220 cm |
| 08046001-23 | 230 cm |
| 08046001-24 | 240 cm |
| 08046001-25 | 250 cm |
| 08046001-26 | 260 cm |
| 08046001-27 | 270 cm |
| 08046001-28 | 280 cm |
| 08046001-29 | 290 cm |
| 08046001-30 | 300 cm |
| 08046001-31 | 310 cm |
| 08046001-32 | 320 cm |
| 08046001-33 | 330 cm |
| 08046001-34 | 340 cm |
| 08046001-35 | 350 cm |
| 08046001-36 | 360 cm |
| 08046001-37 | 370 cm |
| 08046001-38 | 380 cm |
| 08046001-39 | 390 cm |
| 08046001-40 | 400 cm |
| 08046001-41 | 410 cm |
| 08046001-42 | 420 cm |
| 08046001-43 | 430 cm |
| 08046001-44 | 440 cm |
| 08046001-45 | 450 cm |
| 08046001-46 | 460 cm |
| 08046001-47 | 470 cm |
| 08046001-48 | 480 cm |
| 08046001-49 | 490 cm |
| 08046001 | 500 cm |

**Ledstrip Horizontal 5Mt
14W/Mt IP67 2700K**

| | |
|-------------|--------|
| 08047001-01 | 10 cm |
| 08047001-02 | 20 cm |
| 08047001-03 | 30 cm |
| 08047001-04 | 40 cm |
| 08047001-05 | 50 cm |
| 08047001-06 | 60 cm |
| 08047001-07 | 70 cm |
| 08047001-08 | 80 cm |
| 08047001-09 | 90 cm |
| 08047001-10 | 100 cm |
| 08047001-11 | 110 cm |
| 08047001-12 | 120 cm |
| 08047001-13 | 130 cm |
| 08047001-14 | 140 cm |
| 08047001-15 | 150 cm |
| 08047001-16 | 160 cm |
| 08047001-17 | 170 cm |
| 08047001-18 | 180 cm |
| 08047001-19 | 190 cm |
| 08047001-20 | 200 cm |
| 08047001-21 | 210 cm |
| 08047001-22 | 220 cm |
| 08047001-23 | 230 cm |
| 08047001-24 | 240 cm |
| 08047001-25 | 250 cm |
| 08047001-26 | 260 cm |
| 08047001-27 | 270 cm |
| 08047001-28 | 280 cm |
| 08047001-29 | 290 cm |
| 08047001-30 | 300 cm |
| 08047001-31 | 310 cm |
| 08047001-32 | 320 cm |
| 08047001-33 | 330 cm |
| 08047001-34 | 340 cm |
| 08047001-35 | 350 cm |
| 08047001-36 | 360 cm |
| 08047001-37 | 370 cm |
| 08047001-38 | 380 cm |
| 08047001-39 | 390 cm |
| 08047001-40 | 400 cm |
| 08047001-41 | 410 cm |
| 08047001-42 | 420 cm |
| 08047001-43 | 430 cm |
| 08047001-44 | 440 cm |
| 08047001-45 | 450 cm |
| 08047001-46 | 460 cm |
| 08047001-47 | 470 cm |
| 08047001-48 | 480 cm |
| 08047001-49 | 490 cm |
| 08047001 | 500 cm |

**Ledstrip Horizontal 5Mt
14W/Mt IP67 3000K**

| | |
|-------------|--------|
| 08048001-01 | 10 cm |
| 08048001-02 | 20 cm |
| 08048001-03 | 30 cm |
| 08048001-04 | 40 cm |
| 08048001-05 | 50 cm |
| 08048001-06 | 60 cm |
| 08048001-07 | 70 cm |
| 08048001-08 | 80 cm |
| 08048001-09 | 90 cm |
| 08048001-10 | 100 cm |
| 08048001-11 | 110 cm |
| 08048001-12 | 120 cm |
| 08048001-13 | 130 cm |
| 08048001-14 | 140 cm |
| 08048001-15 | 150 cm |
| 08048001-16 | 160 cm |
| 08048001-17 | 170 cm |
| 08048001-18 | 180 cm |
| 08048001-19 | 190 cm |
| 08048001-20 | 200 cm |
| 08048001-21 | 210 cm |
| 08048001-22 | 220 cm |
| 08048001-23 | 230 cm |
| 08048001-24 | 240 cm |
| 08048001-25 | 250 cm |
| 08048001-26 | 260 cm |
| 08048001-27 | 270 cm |
| 08048001-28 | 280 cm |
| 08048001-29 | 290 cm |
| 08048001-30 | 300 cm |
| 08048001-31 | 310 cm |
| 08048001-32 | 320 cm |
| 08048001-33 | 330 cm |
| 08048001-34 | 340 cm |
| 08048001-35 | 350 cm |
| 08048001-36 | 360 cm |
| 08048001-37 | 370 cm |
| 08048001-38 | 380 cm |
| 08048001-39 | 390 cm |
| 08048001-40 | 400 cm |
| 08048001-41 | 410 cm |
| 08048001-42 | 420 cm |
| 08048001-43 | 430 cm |
| 08048001-44 | 440 cm |
| 08048001-45 | 450 cm |
| 08048001-46 | 460 cm |
| 08048001-47 | 470 cm |
| 08048001-48 | 480 cm |
| 08048001-49 | 490 cm |
| 08048001 | 500 cm |




Ledstrip

483

TECH / TÉCNICO





**Ledstrip 5Mt 14.4W/Mt 24V
CRI85 2300K 3000lm**


| | |
|-------------|--------|
| 08040101-01 | 10 cm |
| 08040101-02 | 20 cm |
| 08040101-03 | 30 cm |
| 08040101-04 | 40 cm |
| 08040101-05 | 50 cm |
| 08040101-06 | 60 cm |
| 08040101-07 | 70 cm |
| 08040101-08 | 80 cm |
| 08040101-09 | 90 cm |
| 08040101-10 | 100 cm |
| 08040101-11 | 110 cm |
| 08040101-12 | 120 cm |
| 08040101-13 | 130 cm |
| 08040101-14 | 140 cm |
| 08040101-15 | 150 cm |
| 08040101-16 | 160 cm |
| 08040101-17 | 170 cm |
| 08040101-18 | 180 cm |
| 08040101-19 | 190 cm |
| 08040101-20 | 200 cm |
| 08040101-21 | 210 cm |
| 08040101-22 | 220 cm |
| 08040101-23 | 230 cm |
| 08040101-24 | 240 cm |
| 08040101-25 | 250 cm |
| 08040101-26 | 260 cm |
| 08040101-27 | 270 cm |
| 08040101-28 | 280 cm |
| 08040101-29 | 290 cm |
| 08040101-30 | 300 cm |
| 08040101-31 | 310 cm |
| 08040101-32 | 320 cm |
| 08040101-33 | 330 cm |
| 08040101-34 | 340 cm |
| 08040101-35 | 350 cm |
| 08040101-36 | 360 cm |
| 08040101-37 | 370 cm |
| 08040101-38 | 380 cm |
| 08040101-39 | 390 cm |
| 08040101-40 | 400 cm |
| 08040101-41 | 410 cm |
| 08040101-42 | 420 cm |
| 08040101-43 | 430 cm |
| 08040101-44 | 440 cm |
| 08040101-45 | 450 cm |
| 08040101-46 | 460 cm |
| 08040101-47 | 470 cm |
| 08040101-48 | 480 cm |
| 08040101-49 | 490 cm |
| 08040101 | 500 cm |


**Ledstrip 5Mt 14.4W/Mt 24V CRI85
2700K 3650lm**

| | |
|-------------|--------|
| 08040301-01 | 10 cm |
| 08040301-02 | 20 cm |
| 08040301-03 | 30 cm |
| 08040301-04 | 40 cm |
| 08040301-05 | 50 cm |
| 08040301-06 | 60 cm |
| 08040301-07 | 70 cm |
| 08040301-08 | 80 cm |
| 08040301-09 | 90 cm |
| 08040301-10 | 100 cm |
| 08040301-11 | 110 cm |
| 08040301-12 | 120 cm |
| 08040301-13 | 130 cm |
| 08040301-14 | 140 cm |
| 08040301-15 | 150 cm |
| 08040301-16 | 160 cm |
| 08040301-17 | 170 cm |
| 08040301-18 | 180 cm |
| 08040301-19 | 190 cm |
| 08040301-20 | 200 cm |
| 08040301-21 | 210 cm |
| 08040301-22 | 220 cm |
| 08040301-23 | 230 cm |
| 08040301-24 | 240 cm |
| 08040301-25 | 250 cm |
| 08040301-26 | 260 cm |
| 08040301-27 | 270 cm |
| 08040301-28 | 280 cm |
| 08040301-29 | 290 cm |
| 08040301-30 | 300 cm |
| 08040301-31 | 310 cm |
| 08040301-32 | 320 cm |
| 08040301-33 | 330 cm |
| 08040301-34 | 340 cm |
| 08040301-35 | 350 cm |
| 08040301-36 | 360 cm |
| 08040301-37 | 370 cm |
| 08040301-38 | 380 cm |
| 08040301-39 | 390 cm |
| 08040301-40 | 400 cm |
| 08040301-41 | 410 cm |
| 08040301-42 | 420 cm |
| 08040301-43 | 430 cm |
| 08040301-44 | 440 cm |
| 08040301-45 | 450 cm |
| 08040301-46 | 460 cm |
| 08040301-47 | 470 cm |
| 08040301-48 | 480 cm |
| 08040301-49 | 490 cm |
| 08040301 | 500 cm |

**Ledstrip 5Mt 14.4W/Mt 24V
CRI85 3000K 3640lm**

| | |
|-------------|--------|
| 08040201-01 | 10 cm |
| 08040201-02 | 20 cm |
| 08040201-03 | 30 cm |
| 08040201-04 | 40 cm |
| 08040201-05 | 50 cm |
| 08040201-06 | 60 cm |
| 08040201-07 | 70 cm |
| 08040201-08 | 80 cm |
| 08040201-09 | 90 cm |
| 08040201-10 | 100 cm |
| 08040201-11 | 110 cm |
| 08040201-12 | 120 cm |
| 08040201-13 | 130 cm |
| 08040201-14 | 140 cm |
| 08040201-15 | 150 cm |
| 08040201-16 | 160 cm |
| 08040201-17 | 170 cm |
| 08040201-18 | 180 cm |
| 08040201-19 | 190 cm |
| 08040201-20 | 200 cm |
| 08040201-21 | 210 cm |
| 08040201-22 | 220 cm |
| 08040201-23 | 230 cm |
| 08040201-24 | 240 cm |
| 08040201-25 | 250 cm |
| 08040201-26 | 260 cm |
| 08040201-27 | 270 cm |
| 08040201-28 | 280 cm |
| 08040201-29 | 290 cm |
| 08040201-30 | 300 cm |
| 08040201-31 | 310 cm |
| 08040201-32 | 320 cm |
| 08040201-33 | 330 cm |
| 08040201-34 | 340 cm |
| 08040201-35 | 350 cm |
| 08040201-36 | 360 cm |
| 08040201-37 | 370 cm |
| 08040201-38 | 380 cm |
| 08040201-39 | 390 cm |
| 08040201-40 | 400 cm |
| 08040201-41 | 410 cm |
| 08040201-42 | 420 cm |
| 08040201-43 | 430 cm |
| 08040201-44 | 440 cm |
| 08040201-45 | 450 cm |
| 08040201-46 | 460 cm |
| 08040201-47 | 470 cm |
| 08040201-48 | 480 cm |
| 08040201-49 | 490 cm |
| 08040201 | 500 cm |








**Ledstrip 5Mt 19.2W/Mt 24V
CRI85 2700K 5082lm**

| | |
|-------------|--------|
| 08030301-01 | 10 cm |
| 08030301-02 | 20 cm |
| 08030301-03 | 30 cm |
| 08030301-04 | 40 cm |
| 08030301-05 | 50 cm |
| 08030301-06 | 60 cm |
| 08030301-07 | 70 cm |
| 08030301-08 | 80 cm |
| 08030301-09 | 90 cm |
| 08030301-10 | 100 cm |
| 08030301-11 | 110 cm |
| 08030301-12 | 120 cm |
| 08030301-13 | 130 cm |
| 08030301-14 | 140 cm |
| 08030301-15 | 150 cm |
| 08030301-16 | 160 cm |
| 08030301-17 | 170 cm |
| 08030301-18 | 180 cm |
| 08030301-19 | 190 cm |
| 08030301-20 | 200 cm |
| 08030301-21 | 210 cm |
| 08030301-22 | 220 cm |
| 08030301-23 | 230 cm |
| 08030301-24 | 240 cm |
| 08030301-25 | 250 cm |
| 08030301-26 | 260 cm |
| 08030301-27 | 270 cm |
| 08030301-28 | 280 cm |
| 08030301-29 | 290 cm |
| 08030301-30 | 300 cm |
| 08030301-31 | 310 cm |
| 08030301-32 | 320 cm |
| 08030301-33 | 330 cm |
| 08030301-34 | 340 cm |
| 08030301-35 | 350 cm |
| 08030301-36 | 360 cm |
| 08030301-37 | 370 cm |
| 08030301-38 | 380 cm |
| 08030301-39 | 390 cm |
| 08030301-40 | 400 cm |
| 08030301-41 | 410 cm |
| 08030301-42 | 420 cm |
| 08030301-43 | 430 cm |
| 08030301-44 | 440 cm |
| 08030301-45 | 450 cm |
| 08030301-46 | 460 cm |
| 08030301-47 | 470 cm |
| 08030301-48 | 480 cm |
| 08030301-49 | 490 cm |
| 08030301 | 500 cm |

**Ledstrip 5Mt 19.2W/Mt 24V
CRI85 3000K 4280lm**

| | |
|-------------|--------|
| 08030201-01 | 10 cm |
| 08030201-02 | 20 cm |
| 08030201-03 | 30 cm |
| 08030201-04 | 40 cm |
| 08030201-05 | 50 cm |
| 08030201-06 | 60 cm |
| 08030201-07 | 70 cm |
| 08030201-08 | 80 cm |
| 08030201-09 | 90 cm |
| 08030201-10 | 100 cm |
| 08030201-11 | 110 cm |
| 08030201-12 | 120 cm |
| 08030201-13 | 130 cm |
| 08030201-14 | 140 cm |
| 08030201-15 | 150 cm |
| 08030201-16 | 160 cm |
| 08030201-17 | 170 cm |
| 08030201-18 | 180 cm |
| 08030201-19 | 190 cm |
| 08030201-20 | 200 cm |
| 08030201-21 | 210 cm |
| 08030201-22 | 220 cm |
| 08030201-23 | 230 cm |
| 08030201-24 | 240 cm |
| 08030201-25 | 250 cm |
| 08030201-26 | 260 cm |
| 08030201-27 | 270 cm |
| 08030201-28 | 280 cm |
| 08030201-29 | 290 cm |
| 08030201-30 | 300 cm |
| 08030201-31 | 310 cm |
| 08030201-32 | 320 cm |
| 08030201-33 | 330 cm |
| 08030201-34 | 340 cm |
| 08030201-35 | 350 cm |
| 08030201-36 | 360 cm |
| 08030201-37 | 370 cm |
| 08030201-38 | 380 cm |
| 08030201-39 | 390 cm |
| 08030201-40 | 400 cm |
| 08030201-41 | 410 cm |
| 08030201-42 | 420 cm |
| 08030201-43 | 430 cm |
| 08030201-44 | 440 cm |
| 08030201-45 | 450 cm |
| 08030201-46 | 460 cm |
| 08030201-47 | 470 cm |
| 08030201-48 | 480 cm |
| 08030201-49 | 490 cm |
| 08030201 | 500 cm |





Ledstrip 5Mt RGB


Controller

Amplifier

08041001 500 cm


98324812 24V

98324813 24V



Surface Profile 45°

| | |
|-------------|--------|
| 08050101-01 | 10 cm |
| 08050101-02 | 20 cm |
| 08050101-03 | 30 cm |
| 08050101-04 | 40 cm |
| 08050101-05 | 50 cm |
| 08050101-06 | 60 cm |
| 08050101-07 | 70 cm |
| 08050101-08 | 80 cm |
| 08050101-09 | 90 cm |
| 08050101-10 | 100 cm |
| 08050101-11 | 110 cm |
| 08050101-12 | 120 cm |
| 08050101-13 | 130 cm |
| 08050101-14 | 140 cm |
| 08050101-15 | 150 cm |
| 08050101-16 | 160 cm |
| 08050101-17 | 170 cm |
| 08050101-18 | 180 cm |
| 08050101-19 | 190 cm |
| 08050101 | 200 cm |




Surface Profile

| | |
|-------------|--------|
| 08060101-01 | 10 cm |
| 08060101-02 | 20 cm |
| 08060101-03 | 30 cm |
| 08060101-04 | 40 cm |
| 08060101-05 | 50 cm |
| 08060101-06 | 60 cm |
| 08060101-07 | 70 cm |
| 08060101-08 | 80 cm |
| 08060101-09 | 90 cm |
| 08060101-10 | 100 cm |
| 08060101-11 | 110 cm |
| 08060101-12 | 120 cm |
| 08060101-13 | 130 cm |
| 08060101-14 | 140 cm |
| 08060101-15 | 150 cm |
| 08060101-16 | 160 cm |
| 08060101-17 | 170 cm |
| 08060101-18 | 180 cm |
| 08060101-19 | 190 cm |
| 08060101 | 200 cm |




Surface Profile 8mm

| | |
|-------------|--------|
| 08080101-01 | 10 cm |
| 08080101-02 | 20 cm |
| 08080101-03 | 30 cm |
| 08080101-04 | 40 cm |
| 08080101-05 | 50 cm |
| 08080101-06 | 60 cm |
| 08080101-07 | 70 cm |
| 08080101-08 | 80 cm |
| 08080101-09 | 90 cm |
| 08080101-10 | 100 cm |
| 08080101-11 | 110 cm |
| 08080101-12 | 120 cm |
| 08080101-13 | 130 cm |
| 08080101-14 | 140 cm |
| 08080101-15 | 150 cm |
| 08080101-16 | 160 cm |
| 08080101-17 | 170 cm |
| 08080101-18 | 180 cm |
| 08080101-19 | 190 cm |
| 08080101 | 200 cm |




Recessed Profile

| | |
|-------------|--------|
| 08070101-01 | 10 cm |
| 08070101-02 | 20 cm |
| 08070101-03 | 30 cm |
| 08070101-04 | 40 cm |
| 08070101-05 | 50 cm |
| 08070101-06 | 60 cm |
| 08070101-07 | 70 cm |
| 08070101-08 | 80 cm |
| 08070101-09 | 90 cm |
| 08070101-10 | 100 cm |
| 08070101-11 | 110 cm |
| 08070101-12 | 120 cm |
| 08070101-13 | 130 cm |
| 08070101-14 | 140 cm |
| 08070101-15 | 150 cm |
| 08070101-16 | 160 cm |
| 08070101-17 | 170 cm |
| 08070101-18 | 180 cm |
| 08070101-19 | 190 cm |
| 08070101 | 200 cm |



Endcap (2 Pcs)

08050104 ●



Endcap (2 Pcs)

08060104 ●




Endcap (2 Pcs)

08080104 ●




Endcap (2 Pcs)

08070104 ●




Surface profile clip

08050105 ●



Recessed clip

08060105 ●



Opal Diffuser

| | |
|-------------|--------|
| 08060102-01 | 10 cm |
| 08060102-02 | 20 cm |
| 08060102-03 | 30 cm |
| 08060102-04 | 40 cm |
| 08060102-05 | 50 cm |
| 08060102-06 | 60 cm |
| 08060102-07 | 70 cm |
| 08060102-08 | 80 cm |
| 08060102-09 | 90 cm |
| 08060102-10 | 100 cm |
| 08060102-11 | 110 cm |
| 08060102-12 | 120 cm |
| 08060102-13 | 130 cm |
| 08060102-14 | 140 cm |
| 08060102-15 | 150 cm |
| 08060102-16 | 160 cm |
| 08060102-17 | 170 cm |
| 08060102-18 | 180 cm |
| 08060102-19 | 190 cm |
| 08060102 | 200 cm |

Transparent Diffuser

| | |
|-------------|--------|
| 08060103-01 | 10 cm |
| 08060103-02 | 20 cm |
| 08060103-03 | 30 cm |
| 08060103-04 | 40 cm |
| 08060103-05 | 50 cm |
| 08060103-06 | 60 cm |
| 08060103-07 | 70 cm |
| 08060103-08 | 80 cm |
| 08060103-09 | 90 cm |
| 08060103-10 | 100 cm |
| 08060103-11 | 110 cm |
| 08060103-12 | 120 cm |
| 08060103-13 | 130 cm |
| 08060103-14 | 140 cm |
| 08060103-15 | 150 cm |
| 08060103-16 | 160 cm |
| 08060103-17 | 170 cm |
| 08060103-18 | 180 cm |
| 08060103-19 | 190 cm |
| 08060103 | 200 cm |

Power Supply

| | | P | V | P.Factor | Rated V | Temp. Range | Tc | Size (mm) | |
|------------|-----------|----|------|----------|---------|-------------|-------------|-----------|---------------|
| | 98324020U | II | 20W | 24 Vdc | 0,55 | 100-240 V | -25< + 50°C | 80°C | 146 x 55 x 19 |
| | 98324030 | II | 30W | 24 Vdc | 0,95 | 220-240 V | -20< + 45°C | 75°C | 168 x 51 x 24 |
| | 98324060 | II | 50W | 24 Vdc | 0,95 | 220-240 V | -20< + 45°C | 75°C | 172 x 63 x 30 |
| | 98324120 | II | 75W | 24 Vdc | 0,95 | 220-240 V | -20< + 45°C | 75°C | 193 x 63 x 30 |
| | 98324180 | II | 100W | 24 Vdc | 0,90 | 220-240 V | -20< + 45°C | 75°C | 380 x 49 x 32 |
| | 98324150U | II | 150W | 24 Vdc | 0,90 | 220-240 V | -20< + 45°C | 75°C | 180 x 65 x 31 |
| Dali-DMX | 97308 | II | 100W | 24 Vdc | 0,90 | 100-240 V | -20< + 45°C | 75°C | 207 x 76 x 35 |
| Triac IP66 | 97397 | II | 200W | 24 Vdc | 0,90 | 220-240 V | -20< + 45°C | 75°C | 256 x 78 x 47 |
| Casambi | 98324599 | II | 120W | 24 Vdc | 0,98 | 220-240 V | -25< + 50°C | 75°C | 240 x 60 x 49 |

IP67 Power Supply



| | | | | | | | | | |
|--|----------|----|------|--------|------|-----------|-------------|------|---------------|
| | 98324031 | II | 30W | 24 Vdc | 0,90 | 220-240 V | -20< + 45°C | 75°C | 132 x 42 x 34 |
| | 98324076 | II | 75W | 24 Vdc | 0,90 | 220-240 V | -20< + 45°C | 75°C | 180 x 49 x 32 |
| | 98324100 | II | 100W | 24 Vdc | 0,90 | 220-240 V | -20< + 45°C | 75°C | 206 x 69 x 37 |
| | 98324151 | II | 150W | 24 Vdc | 0,90 | 220-240 V | -20< + 45°C | 75°C | 206 x 69 x 37 |


Dimmer for 12-24V LED Power Supply



| | | | | | | | | | |
|--|-------|----|---------|--|--|-----------|-------------|------|---------------|
| | 97052 | II | 12-24 V | | | 220-240 V | -25< + 50°C | 75°C | 156 x 52 x 30 |
|--|-------|----|---------|--|--|-----------|-------------|------|---------------|

Drivers



200mA



| | | | | |
|-----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 98310509C | Constant current LED driver of 6-8W, 220-240V - 50/60Hz, With 200mA | Controlador LED de corriente constante de 6-8W, 220-240V - 50/60Hz, con 200mA |  |  |
|-----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|



| | | | | |
|----------|----------------------------------------------------------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| 98310620 | Constant current LED driver of 1-20W, 100-240V - 50/60Hz, With 200mA | Controlador LED de corriente constante de 1-20W, 100-240V - 50/60Hz, con 200mA |  | |
|----------|----------------------------------------------------------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|



| | | | | |
|-----------|----------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 98310510C | Constant current LED driver of 10W, 220-240V - 50/60Hz, With 250mA TRIAC C | Controlador LED de corriente constante de 10W, 220-240V - 50/60Hz, con 250mA |  |  |
|-----------|----------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|


350mA



| | | | | |
|------------|----------------------------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 98310110LC | Constant current LED driver of 3-10W, 220-240V - 50/60Hz, With 350mA TRIAC | Controlador LED de corriente constante de 3-10W, 220-240V - 50/60Hz, con 350mA |  |  |
|------------|----------------------------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

| | | | | |
|-----------|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 98310114C | Constant current LED driver of 10-14W, 220-240V - 50/60Hz, With 350mA TRIAC C | Controlador LED de corriente constante de 10-14W, 220-240V - 50/60Hz, con 350mA |  |  |
|-----------|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|









| | | | | |
|------------|-------------------------------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 98310118LC | Constant current LED driver of 9-18W, 220-240V - 50/60Hz, With 350mA TRIAC LC | Controlador LED de corriente constante de 9-18W, 220-240V - 50/60Hz, con 350mA |  |  |
|------------|-------------------------------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

| | | | | |
|----------|----------------------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 98310116 | Constant current LED driver of 8-16W, 100-240V - 50/60Hz, With 350mA | Controlador LED de corriente constante de 8-16W, 100-240V - 50/60Hz, con 350mA |  |  |
|----------|----------------------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|









| | | | | |
|----------|----------------------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| 98310620 | Constant current LED driver of 1-20W, 100-240V - 50/60Hz, With 350mA | Controlador LED de corriente constante de 1-20W, 100-240V - 50/60Hz, con 350mA |  | |
|----------|----------------------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|

| | | | | |
|----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 98310103 | Constant current LED driver of 1-3W, 100-240V - 50/60Hz, With 350mA | Controlador LED de corriente constante de 1-3W, 100-240V - 50/60Hz, con 350mA |  |  |
|----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

500mA



| | | | | |
|------------|-------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 98310307C | Constant current LED driver of 4,5-7W, 220-240V - 50/60Hz, With 500mA TRIAC C | Controlador LED de corriente constante de 4,5-7W, 220-240V - 50/60Hz, con 500mA |  |  |
| 98310321LC | Constant current LED driver of 8-21W, 220-240V - 50/60Hz, With 500mA TRIAC LC | Controlador LED de corriente constante de 8-21W, 220-240V - 50/60Hz, con 500mA |  |  |
| 98310321 | Constant current LED driver of 10,5-21W, 100-240V - 50/60Hz, With 500mA | Controlador LED de corriente constante de 10,5-21W, 100-240V - 50/60Hz, con 500mA |  |  |
| 98310306 | Constant current LED driver of 3-6W, 100-240V - 50/60Hz, With 500mA | Controlador LED de corriente constante de 3-6W, 100-240V - 50/60Hz, con 500mA |  |  |



700mA

| | | | | |
|------------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 98310210 | Constant current LED driver of 4-10W, 220-240V - 50/60Hz, With 700mA TRIAC LC | Controlador LED de corriente constante de 4-10W, 220-240V - 50/60Hz, con 700mA |  |  |
| 98310220LC | Constant current LED driver of 11-20W, 220-240V - 50/60Hz, With 700mA TRIAC LC | Controlador LED de corriente constante de 11-20W, 220-240V - 50/60Hz, con 700mA |  |  |
| 98310236C | Constant current LED driver of 21-31W, 220-240V - 50/60Hz, With 700mA TRIAC C | Controlador LED de corriente constante de 21-31W, 220-240V - 50/60Hz, con 700mA |  |  |
| 98310233 | Constant current LED driver of 14-30W, 100-240V - 50/60Hz, With 700mA | Controlador LED de corriente constante de 14-30W, 100-240V - 50/60Hz, con 700mA |  |  |
| 98310228 | Constant current LED driver of 21-30W, 220-240V - 50/60Hz, With 700mA | Controlador LED de corriente constante de 21-30W, 220-240V - 50/60Hz, con 700mA |  |  |
| 98310203 | Constant current LED driver of 3W, 100-240V - 50/60Hz, With 700mA | Controlador LED de corriente constante de 3W, 100-240V - 50/60Hz, con 700mA |  |  |
| 98310206E | Constant current LED driver of 1-6W, 100-240V - 50/60Hz, With 700mA | Controlador LED de corriente constante de 1-6W, 100-240V - 50/60Hz, con 700mA |  |  |

| | | | | |
|----------|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 98310444 | Dimmable constant current LED driver up to 40W, 100-240, 50/60Hz. | <i>Controlador LED de corriente constante regulable hasta 40W, 100-240, 50/60Hz. Multi-corriente con dip-switch.</i> |  |  |
|----------|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|



MULTICURRENT & SPECIAL DIM

| | | | | |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 98311320 | Dimmable constant current LED driver up to 20W, 100-240, 50/60Hz. Multi-currentWith dip-switch. Currents available: 250-900mA in steps of 50mA. Dimmable options are: PUSH and 0/1-10V | <i>Controlador LED de corriente constante regulable hasta 20W, 100-240, 50/60Hz. Multi-corriente con dip-switch. Corrientes disponibles: 250-900mA en pasos de 50mA. Las opciones regulables son: PUSH y 0/1-10V</i> |  |  |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|



| | | | | |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 98310599 | Dimmable constant current LED driver up to 50W, 100-240, 50/60Hz. Multi-currentWith dip-switch. Currents available: 350-500-550-650-700-750-850-900-1050mA. Dimmable options are: PUSH, 1-10V and DALI | <i>Controlador LED de corriente constante regulable hasta 50W, 100-240, 50/60Hz. Multi-corriente con dip-switch. Corrientes disponibles: 350-500-550-650-700-750-850-900-1050mA. Las opciones regulables son: PUSH, 1-10V y DALI</i> |  |  |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|



| | | | | |
|----------|---------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 98311315 | Constant current LED driver of 10-20W, 220-240V - 50/60Hz, With 250-700mA | <i>Controlador LED de corriente constante de 10-20W, 220-240V - 50/60Hz, con 250-700mA</i> |  |  |
|----------|---------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|



| | | | | |
|----------|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 98310538 | Constant current LED driver of 30-60W, 100-240V - 50/60Hz, With 1200mA | <i>Controlador LED de corriente constante de 30-60W, 100-240V - 50/60Hz, con 1200mA</i> |  |  |
|----------|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|























| | | | | |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 98310536 | Dimmable constant current LED driver up to 38W, 220-240, 50/60Hz. Multi-currentWith dip-switch. Currents available: 300-1050mA in steps of 50mA. Dimmable options are: PUSH and DALI | <i>Controlador LED de corriente constante regulable hasta 38W, 220-240, 50/60Hz. Multi-corriente con dip-switch. Corrientes disponibles: 300-1050mA en pasos de 50mA. Las opciones regulables son: PUSH y DALI</i> |  |  |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

12V

| | | | | |
|----------|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 98111012 | Constant voltage power supply for 12V DC. Supplies up to 12W, 220-240V, 50/60Hz | <i>Fuente de alimentación de voltaje constante para 12V DC. Suministra hasta 12W, 220-240V, 50/60Hz.</i> |  |  |
|----------|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

| | | | | |
|----------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 98111020 | Constant voltage power supply for 12V DC. Supplies up to 20W, 220-240V, 50/60Hz. | <i>Fuente de alimentación de voltaje constante para 12V DC. Suministra hasta 20W, 220-240V, 50/60Hz.</i> |  |  |
|----------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

| | | | | |
|-------|---------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 97197 | Constant voltage power supply for SORAA lampsWorking at 12V. Supplies up to 20W, 100-240V, 50/60Hz. Dimmable options are: DALI. | <i>Fuente de alimentación de voltaje constante para lámparas SORAA que funcionan a 12V. Suministra hasta 20W, 100-240V, 50/60Hz. Las opciones regulables son: DALI.</i> |  |  |
|-------|---------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|

| | | | | |
|-----------|-----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 98324006 | Constant voltage power supply for 24V DC. Supplies up to 6W, 100-240V, 50/60Hz | <i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 6W, 100-240V, 50/60Hz</i> |  |  |
| 98324020U | Constant voltage power supply for 24V DC. Supplies up to 20W, 100-240V, 50/60Hz | <i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 20W, 100-240V, 50/60Hz</i> |  |  |
| 98324030 | Constant voltage power supply for 24V DC. Supplies up to 30W, 220-240V, 50/60Hz | <i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 30W, 220-240V, 50/60Hz</i> |  |  |
| 98324031 | Constant voltage power supply for 24V DC. Supplies up to 30W, 220-240V, 50/60Hz. With protection rated at IP67 | <i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 30W, 220-240V, 50/60Hz. Con protección clasificada en IP67</i> |  |  |
| 98324060 | Constant voltage power supply for 24V DC. Supplies up to 75W, 220-240V, 50/60Hz | <i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 75W, 220-240V, 50/60Hz</i> |  |  |
| 98324076 | Constant voltage power supply for 24V DC. Supplies up to 75W, 220-240V, 50/60Hz. With protection rated at IP67 | <i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 75W, 220-240V, 50/60Hz. Con protección clasificada en IP67</i> |  |  |
| 98324100 | Constant voltage power supply for 24V DC. Supplies up to 100W, 220-240V, 50/60Hz. With protection rated at IP67 | <i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 100W, 220-240V, 50/60Hz. Con protección clasificada en IP67</i> |  |  |
| 98324151 | Constant voltage power supply for 24V DC. Supplies up to 150W, 220-240V, 50/60Hz. With protection rated at IP67 | <i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 150W, 220-240V, 50/60Hz. Con protección clasificada en IP67</i> |  |  |
| 98324120 | Constant voltage power supply for 24V DC. Supplies up to 120W, 220-240V, 50/60Hz | <i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 120W, 220-240V, 50/60Hz</i> |  |  |
| 98324180 | Constant voltage power supply for 24V DC. Supplies up to 180W, 220-240V, 50/60Hz | <i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 180W, 220-240V, 50/60Hz</i> |  |  |
| 98324150U | Constant voltage power supply for 24V DC. Supplies up to 150-200W, 120-240V, 50/60Hz | <i>Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 150-200W, 120-240V, 50/60Hz</i> |  |  |

PRICES




Prices established in this price list cancel all the previous ones and can be modified without notice. Conditions, characteristics and product prices set in this price list are the current ones on the printing date unless misprint and are subject to possible modifications. Prices set in this price list cancel all the previous ones and can be modified without notice. Taxes and rates charged in our invoices will be met by the buyer.

The catalogue prices are public prices.

VAT IS NOT INCLUDED IN THIS PRICE LIST.

Valid prices for Germany, Belgium, Spain, France, Greece, Holland and Portugal.

COLOR CODE OF EURO COLUMN

| | |
|----------------------------------------------------------------------------------|-------------------------------|
|  | Products from standard range. |
|  | Products of the range 1. |
|  | Products of the range 2. |

DELIVERIES AND INSURANCE

Before taking on the expedition, the buyer should make sure that all bulks are in perfect conditions. If any anomaly, waste or breakage is detected, opening in the presence of a transport company agent or an insurance company agent should be done.

DELIVERY TERMS

Delivery terms are approximate and start from the order approval date on the part of LOREFAR, S.L.

CLAIMS AND RETURNS

Claims should be done within 8 days from the merchandise reception. No returns which have not previously been accepted by LOREFAR, S.L. will be admitted. Merchandise not delivered in perfect conditions and free of charge will not be accepted. Returns will be accepted if faulty merchandise, not due to broken glass or missing components previous notice to LOREFAR S.L. In such cases, please get in touch with us so that we can urgently deliver required parts.

Changes or returns of merchandise in good conditions will not be accepted. In case of explicit acceptance by LOREFAR, S.L., 20% for depreciation and merchandise sorting will be charged when receiving and checking.

SAMPLES

Samples will be completely paid when returning provided that they are in perfect conditions.

PRODUCTS

All products shown in this catalogue are supplied individually (accessories, equipments and lamps). Acceptance of our invoices or delivery notes and mentioned merchandise by the buyer, means implicit consent to our general sales conditions.

PRECIOS

Las condiciones, características y precios de los productos que aparecen en esta tarifa son los vigentes a la fecha de impresión salvo error tipográfico y están sujetos a posibles modificaciones. Los precios señalados en esta tarifa anulan todos los anteriores y pueden ser modificados sin previo aviso. Serán a cargo del comprador cuantos impuestos y tasas gravan la operación objeto de nuestras facturas. Los precios mostrados son precios de venta al público (PVP).

IVA NO INCLUIDO EN TARIFA.

Tarifa válida para Alemania, Bélgica, España, Francia, Grecia, Holanda y Portugal.

CÓDIGO DE COLORES DE LA COLUMNA EURO

| | |
|-----------------------------------------------------------------------------------|--------------------------|
|  | Productos gama estándar. |
|  | Productos gama 1. |
|  | Productos gama 2. |

ENVIOS Y SEGUROS

Antes de hacerse cargo de la expedición, el comprador deberá asegurarse de que los bultos están en perfectas condiciones. En caso de detectar alguna anomalía, merma o rotura deberá exigir su apertura en presencia de algún agente de la compañía de transportes o de la compañía aseguradora en su caso.

PLAZOS DE ENTREGA

Los plazos de entrega se entienden aproximados y empiezan a contar desde la fecha de aceptación del pedido por parte de LOREFAR S.L.

RECLAMACIONES Y DEVOLUCIONES

Las reclamaciones deberán hacerse dentro de los ocho días siguientes a la recepción de la mercancía. No se admitirá ninguna devolución que no haya sido previamente aceptada por LOREFAR S.L., ni mercancía que no sea entregada en perfecto estado y libre de todo gasto. Previa comunicación a LOREFAR S.L. se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas. No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de LOREFAR S.L., a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.

MUESTRAS

Las muestras se abonarán completamente a su devolución, siempre que se encuentren en perfecto estado.

PRODUCTOS

Todos los productos que se muestran en este catálogo se suministran unitariamente (accesorios, equipos y lámparas). La aceptación por parte del comprador de nuestras facturas o albaranes y de las mercancías allí reseñadas, supone su conformidad implícita a nuestras condiciones generales de venta.




PRIX

Les conditions, caractéristiques et prix des produits qui apparaissent dans ces tarifs sont ceux en vigueur à la date d'impression sauf erreur typographique et sont susceptibles de modifications. Les prix indiqués dans ces tarifs annulent tous les prix antérieurs et peuvent être modifiés sans préavis. Les impôts et les taxes seront à la charge de l'acheteur grévant l'opération objet de nos factures. Les prix du catalogue sont les prix de vente public.

TVA NON COMPRISE DANS LES TARIFS

Tarifs valables pour l'Allemagne, la Belgique, l'Espagne, la France, la Grèce, la Hollande et le Portugal.

CODE COULEUR DE LA COLONNE EURO

| | |
|-------------------------------------------------------------------------------------|--------------------------------|
|  | Produits de la gamme standard. |
|  | Produits gamme 1. |
|  | Produits gamme 2. |

ENVOIS ET ASSURANCES

Avant de se faire responsable de l'expédition, l'acheteur devra s'assurer que les colis sont en parfaites conditions. S'il détecte une anomalie, une perte ou une rupture, celui-ci devra exiger l'ouverture en présence d'un agent de l'entreprise de transport ou de la compagnie d'assurance.

DÉLAIS DE LIVRAISON

Les délais de livraison sont approximatifs et commencent à courir à partir de la date d'acceptation de la commande de la part de LOREFAR S.L.

RÉCLAMATIONS ET RENVOIS

Les réclamations devront être réalisées dans les huit jours suivants la réception de la marchandise. Aucun renvoi non préalablement accepté par LOREFAR S.L. ne sera admis, ni aucune marchandise non livrée en parfait état et libre de tout frais. Après communication préalable à LOREFAR S.L. la marchandise défectueuse sera renvoyée, mais dans le cas de verres brisés ou de l'absence d'un composant. Dans ces cas nous vous prions de prendre contact avec nous afin que nous vous envoyions de manière urgente les pièces demandées. Les changements ou les retours de marchandises en bon état ne seront pas admis. En cas d'acceptation explicite de la part de LOREFAR S.L., lors de sa réception et de sa vérification un coût de 20% en concept de dépréciation et de classification de la marchandise sera facturé.

ÉCHANTILLONS

Les échantillons seront complètement payés lors de leur renvoi, toujours à condition qu'ils soient en bon état.

PRODUITS

Tous les produits de ce catalogue sont fournis unitairement (accessoires, équipements et lampes). L'acceptation de la part de l'acheteur de nos factures ou bordereaux et des marchandises signalées sur celles-ci, suppose sa conformité implicite à nos conditions générales de vente.

Ceiling fans are practical and efficient solutions for creating comfortable and welcoming areas. With a wide selection of designs and finishes to choose from, you will find the perfect ceiling fan to express your personal style and create a comfortable and stylish environment.

Los ventiladores de techo son soluciones prácticas y eficientes para crear áreas confortables y acogedoras. Con una amplia selección de diseños y acabados para elegir, encontrarás el ventilador de techo perfecto que te permitirá expresar tu gusto personal y crear un ambiente confortable y con estilo.




FAN

FAN

Ceiling fan projects *Proyectos de ventilación*

As experts and leaders in fan, we can customize and adapt fan functions to your needs.
Como expertos y líderes en ventilación, podemos personalizar y adaptar las funciones del ventilador a tus necesidades.



How you want to control your fan

Elige cómo controlar tu ventilador

on/off

voice / voz

remote control / mando a distancia

wall control / regulador de pared

KNX



Our fans around the world

Nuestros ventiladores en todo el mundo

We adapt the electrical voltage and frequency you need in your country

Adaptamos la tensión y frecuencia eléctrica que necesites en tu región



We adapt fan speeds to your needs

Adaptamos las velocidades del ventilador a tus necesidades



We modify the memory of your fan

Modificamos la memoria de tu ventilador

What do you need? ¿Qué necesitas?

Send your demand on/envíanos tu petición a fanprojects@faro.es

Smart Fan

Ventiladores inteligentes

Control your fan with your mobile or your voice
Controla tu ventilador con tu móvil o tu voz



Search for the fans with **Smart Fan** symbol
*Busca los ventiladores con el símbolo **Smart Fan***




It works with WiFi *Funciona con WiFi*

Download app
Descarga la app



Available on the iPhone
App Store

ANDROID APP ON
Google play



Watch video
Ver el vídeo



Compatible: Alexa, Google & Siri

Size it to your space

El tamaño del espacio

Size is really important when selecting your ceiling fan. If a fan is too large, it can overwhelm the space. On the flip side, if the fan is too small, the airflow may be inadequate for that area.

El tamaño es realmente importante al seleccionar el ventilador de techo. Si un ventilador es demasiado grande, puede saturar el espacio. Por otro lado, si el ventilador es demasiado pequeño, el flujo de aire puede ser inadecuado para esa área.



XL

28 m2 o más/or more
300 SQ.FT or more



más/over ø165 CM.
over ø56 INCH.



L

17,6-28 m2
190-300 SQ.FT



más/over ø132 CM.
ø50-54 INCH.



M

13-17,6 m2
140-190 SQ.FT



ø107-132 CM.
ø44-48 INCH.



S

13 m2 o menos/or less
140 SQ.FT or less



ø107 CM. o menos/or less
ø42 INCH. or less





Faro fans.
Best choice.
La mejor elección.

- / 01 Summer/Winter. Useful throughout the year.**
Verano/invierno. Útil durante todo el año.
- / 02 Healthy & environmental friendly.**
Saludable y respetuosos con el medio ambiente.
- / 03 High performance.**
Alta calidad.
- / 04 Cost-effective. Over 50% energy saving compared to other systems.**
Eficiente. Más del 50% de ahorro de energía en comparación con otros sistemas.
- / 05 Engine guaranteed for 15 years.**
Motor con garantía de 15 años.
- / 06 DC Motor. The engine with the most performance.**
Motor DC. Un mejor rendimiento.
- / 07 Wide range. Over 80 designs.**
Amplia gama. Más de 80 diseños.

| | S | M | L | XL | Motor | IP44 | Summer Winter | With light | Without light | LED | Optional | Control remote | Wall control | Chain | Ceiling mounted | Inclining roof |
|----------------------|---|---|---|----|-------|------|---------------|------------|---------------|-----|----------|----------------|--------------|-------|-----------------|----------------|
| Alo (Light) | | | • | | | | • | • | | • | | incl. | | | | • |
| Alo | | | • | | | | • | | • | | | incl. | | | | • |
| Aloha | | | • | | | | • | | • | | • | incl. | | | | • |
| Andros | | | | • | • | | • | | • | | | incl. | | | | • |
| Aoba | | | | • | • | | • | | • | | | incl. | | | | |
| Attos | | | | • | • | | • | • | | • | | incl. | | | | • |
| Cebu | • | | | | | | • | • | | | | incl. | | | | • |
| Century | | | | • | • | | • | • | | • | | incl. | | | | • |
| Chicago | • | | | | | | | • | | | | incl. | | | | • |
| Cies | | | | • | • | | • | | • | | • | incl. | | | | • |
| Cocos | | | • | | • | | • | • | | • | | incl. | | | | • |
| Cooper NEW | | • | | | • | | • | | • | | | incl. | | | | |
| Corso | | | • | | | | • | • | | | | optional | | incl. | • | • |
| Cuba | | | • | | | | • | | • | | | optional | | incl. | • | • |
| Decofan | • | | | | • | | • | | • | | • | incl. | | | | |
| Disc | | | • | | • | | • | • | | • | | incl. | | | | • |
| Easy | • | | | | | | • | • | | | | incl. | | | • | • |
| Eco Indus | | • | | | | | • | | • | | | optional | incl. | | | • |
| Eterfan | | • | | | • | | • | | • | | • | incl. | | | | |
| Factory | • | | | | | | • | | • | | | | | incl. | | • |
| Fraser NEW | • | | | | • | | • | • | | • | | incl. | | | | |
| Grid | | | • | | • | | • | | • | | • | incl. | | | | |
| Gotland NEW | | | • | | • | | • | | • | | | incl. | | | | • |
| Hydra | | | • | | • | | • | • | | | • | incl. | | | | • |
| Ibiza | | | • | | | | • | | • | | | incl. | | | | • |
| Icaria | | | • | | | | • | • | | | | incl. | | | | • |
| Ice | | | • | | | | • | • | | • | | incl. | | | | • |
| Indus | | | • | | | | | | • | | | | incl. | | | |
| Islot | | | • | | • | | • | | • | | | incl. | | | | |
| Izaro | | | • | | • | | • | • | | • | | incl. | | | | • |
| Just Fan S | • | | | | • | | • | | • | | • | incl. | | | | • |
| Just Fan M | | • | | | • | | • | | • | | • | incl. | | | | • |
| Just Fan XL | | | | • | • | | • | | • | | • | incl. | | | | • |
| Kauai NEW | | | | • | • | | • | | • | | | incl. | | | | • |
| Keiki | • | | | | | | • | | • | | | | incl. | | | • |
| Khios XXL NEW | | | | • | • | | • | • | | • | | incl. | | | | |
| Komodo | | • | | | | | • | • | | | | | | incl. | | • |
| Lama | | | • | | | | • | | • | | | incl. | | | | |
| Lantau L | | | • | | | | • | | • | | | incl. | | | | • |
| Lantau L (Light) | | | • | | | | • | • | | • | | incl. | | | | • |
| Lantau XL | | | | • | | | • | | • | | | incl. | | | | • |
| Lantau XL (Light) | | | | • | | | • | • | | • | | incl. | | | | • |
| Leyte | | | • | | • | | • | • | | • | | incl. | | | | |
| Lisboa | • | | | | | | • | • | | | | optional | | incl. | • | • |
| Lombok | | | • | | | | • | • | | | | optional | | incl. | | • |
| Luzon | | | • | | | | | | • | | | incl. | | | | • |

| | S | M | L | XL | Motor | IP44 | Summer Winter | With light | Without light | LED | Optional | Control remote | Wall control | Chain | Ceiling mounted | Inclining roof |
|------------------|---|---|---|----|-------|------|---------------|------------|---------------|-----|----------|----------------|--------------|-------|-----------------|----------------|
| Mallorca | | | • | | | | • | | • | | | incl. | | | | • |
| Malvinas | | | • | | • | | • | | • | | | | incl. | | | • |
| Manhattan | | | | • | • | | • | • | | • | | incl. | | | | • |
| Mediterráneo | • | | | | | | | • | | | | | | incl. | | |
| Meno | | | | • | | | • | | • | | | incl. | | | | • |
| Milos NEW | | | • | | • | | • | | • | | | incl. | | | | • |
| Mini Eterfan | | • | | | • | | • | | • | | • | incl. | | | | |
| Mini Icaria | • | | | | | | • | • | | | | incl. | | | | • |
| Mini Indus | • | | | | | | | | • | | | | incl. | | | |
| Mini Lantau | • | | | | | | • | | • | | | incl. | | | | • |
| Mini Mallorca | • | | | | | | • | | • | | | incl. | | | | • |
| Mini Tube | | • | | | • | | • | | • | | • | incl. | | | | |
| Mini Ufo | • | | | | | | • | • | | | | incl. | | | | |
| Molokai | | • | | | • | | • | | • | | | incl. | | | | • |
| Morea | | | • | | • | | • | | • | | | incl. | | | | • |
| Nassau | | • | | | • | | • | | • | | | incl. | | | | • |
| Nias | | | • | | • | | • | | • | | | incl. | | | • | |
| Nisos | | | | • | | | • | | • | | | optional | | incl. | • | • |
| Nuu | | | • | | • | | • | | • | | | incl. | | | | • |
| Nuu (Light) | | | • | | • | | • | • | | • | | incl. | | | | • |
| Oboe | • | | | | | | • | | • | | | | | | | • |
| Palao | • | | | | | | • | • | | | | optional | | incl. | | • |
| Palk | | | • | | • | | • | • | | | | incl. | | | | • |
| Panay | | • | | | | | | • | | | | incl. | | | | • |
| Pemba | | | • | | • | | • | | • | | • | incl. | | | | |
| Polaris | | | • | | • | | • | • | | • | | incl. | | | | • |
| Polea | | | • | | • | | • | | • | | | incl. | | | | • |
| Poros | | | • | | • | | • | • | | • | | incl. | | | | • |
| Samos NEW | | | • | | • | | • | | • | | | incl. | | | | |
| Saona | | | • | | • | | • | • | | • | | incl. | | | | • |
| Sioux | | | • | | • | • | • | | • | | | incl. | | | | • |
| Siros | | | • | | • | | • | | • | | | incl. | | | | • |
| Rodas | | | • | | • | | • | • | | • | | incl. | | | | • |
| Tabarca | | | • | | | | • | • | | | | incl. | | | | • |
| Tilos | | | | • | • | | • | • | | | | incl. | | | | • |
| Timor | | | • | | | | • | • | | • | | incl. | | | | |
| Tonic | | | • | | • | | • | | • | • | | incl. | | | | • |
| Tonsay | | | • | | | | • | • | | | | incl. | | | | |
| Tube | | • | | | | | | | • | | • | incl. | | | | |
| Typhoon | | | • | | • | • | • | | | | • | incl. | | | | • |
| Vanu | | | | • | | | • | • | | | | incl. | | | • | • |
| Vedra | • | | | | | | • | | • | | | optional | incl. | | | • |
| Vulcano | | | • | | | | • | • | | • | | incl. | | | | • |
| Winch | | | • | | | | • | • | | | | incl. | | | • | • |
| Winche | | | • | | • | • | • | | | | • | incl. | | | | • |
| Yakarta | | • | | | | | • | | • | | | optional | | incl. | | • |



| | | | | | | |
|--------------------|------------------|--------------------|--------------------------------------------|--------------------|--------------------------------|---------------------------------|
| XXL SIZE | 305 CM | 120 INCH | > 28 M2 > 300 SQ.FT | DC MOTOR | SUMMER WINTER | REMOTE CONTROL |
|--------------------|------------------|--------------------|--------------------------------------------|--------------------|--------------------------------|---------------------------------|




34250
Body matt black/negro mate
Blades matt black/negro mate

FAN EXTRA LARGE / EXTRA GRANDE

Body Steel/Acero
Blades Aluminium/Aluminio
W 16-47-70-93-116-140
RPM 38-56-64-70-74-77
Voltage (V/Hz) 220-240/50-60

LED SMD 30W 2700K 1700lm
 CRI>80 Driver
Diff Opal Polycarbonate/
 Policarbonato opal



| | |
|-----------|------------|
| A | A I |
| 670/26.3" | 630/24.8" |
| B | C |
| 200/7.9" | 300/11.8" |
| D | E |
| 170/6.7" | 240/9.4" |
| F | G |
| 3050/120" | 1400/55.1" |



MANHATTAN


| | | | | | | |
|------------------|-------------------|------------------------|--------------------|------------------|-------------------|-------------------|
| 244 CM | 96 INCH | > 28 M2 > 300 SQ.FT | DC MOTOR | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF |
|------------------|-------------------|------------------------|--------------------|------------------|-------------------|-------------------|



33496
Body satin nickel/níquel satinado
Blades satin inox/inox satinado

Body Steel/Acero
Blades Aluminium/Aluminio
W 15-20-25-30-35-56
RPM 50-55-60-65-70-78
Airflow 269,12 m3 min/9500 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636

LED SMD 16W
 CRI>80 Driver
Diff Polycarbonate/
 Policarbonato
Dimmable
Temperature
 2700K 795lm
 3300K 2250lm
 4600K 1400lm



| | |
|------------|-------------|
| A | AI |
| 360/14.17" | 325/12.79" |
| B | C |
| 200/7.87" | 130/5.12" |
| D | E |
| 55/2.16" | 130/5.12" |
| F | G |
| 2440/96" | 1160/45.67" |






| | | | | | | | |
|--------------------|---------------------|-----------------------------------------------------|---------------------|---------------------------------|-----------------------------------------------|--------------------------------------------|---------------------------------------------------|
| <p>ø240 CM</p> | <p>ø94 INCH</p> | <p>House icon > 28 M2 > 300 SQ.FT</p> | <p>DC MOTOR</p> | <p>SMART FAN OPTION</p> | <p>SUN/WINTER icons SUMMER WINTER</p> | <p>Remote icon WITH PROGRAMMER</p> | <p>Inclining roof icon INCLINING ROOF</p> |
|--------------------|---------------------|-----------------------------------------------------|---------------------|---------------------------------|-----------------------------------------------|--------------------------------------------|---------------------------------------------------|



34200
34200WP *Smart Fan
 Body dark brown/marrón oscuro
 Blades pine tree/pino

FAN EXTRA LARGE / EXTRA GRANDE

Body Steel/Acero
 Blades Wood/Madera
 With timer/Con temporizador 1-4-8hr
 W 13-17-21-36-54
 RPM 79-86-93-110-126
 Airflow 254,85 m3 min/9000 CFM
 Voltage (V/Hz) 220-240/50-60
 Voltage *Smart Fan (V/Hz) 100-240/50-60
 Downrods (2) ✓
 125mm/4.9" | 250mm/9.8"



| | |
|------------|------------|
| A | AI |
| 480/18.9" | 430/16.9" |
| B | C |
| 170/6.7" | 210/8.3" |
| D | E |
| 65/2.5" | 150/5.9" |
| F | G |
| 2400/94.5" | 1000/39.4" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



ATTOS

| | | | | | | | |
|------------------|-------------------|------------------------|--------------------|----------------------------|------------------|-------------------|-------------------|
| 213 CM | 84 INCH | > 28 M2 > 300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF |
|------------------|-------------------|------------------------|--------------------|----------------------------|------------------|-------------------|-------------------|



33494
33494WP *Smart Fan
Body white/blanco
Blades white/blanco




33495
33495WP *Smart Fan
Body brown/marrón
Blades brown/marrón



Body Steel/Acero
Blades ABS
W 5-7-12-18-28-44
RPM 30-44-58-72-86-103
Voltage (V/Hz) 220-240/60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Optional downrod p. 636

LED SMD 18W
CRI>80 Driver
Diff Polycarbonate/
Policarbonato
Dimmable
Temperature
2700K 1000lm
3300K 1100lm
4600K 1200lm



| | |
|----------|------------|
| A | AI |
| 340/3.3" | 210/8.2" |
| B | C |
| 120/4.7" | 130/5.1" |
| D | E |
| 60/2.3" | 130/5.1" |
| F | G |
| 2130/84" | 1020/40.1" |

FAN EXTRA LARGE / EXTRA GRANDE

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



ANDROS

| | | | | | | |
|-------------------|--------------------|--------------------------------------------|--------------------|--------------------------------|---------------------------------|---------------------------------|
| ∅213 CM | ∅84 INCH | > 28 M2 > 300 SQ.FT | DC MOTOR | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF |
|-------------------|--------------------|--------------------------------------------|--------------------|--------------------------------|---------------------------------|---------------------------------|



33461
Body white/blanco
Blades white/blanco



33462
Body brown/marrón
Blades brown/marrón



33465
Body satin nickel/níquel satinado
Blades satin nickel/níquel satinado

Optional downrod/Tijas opcionales



34002 1220mm/48in matt nickel níquel mate



34007 900mm/35in brown marrón



34009 600mm/23in white blanco


34008 1220mm/48in brown marrón

34010 900mm/35in white blanco

34006 600mm/23in brown marrón

34011 1220mm/48in white blanco

Body Steel/Acero
Blades Aluminium/Aluminio
W 4-6-10-15-22-35
RPM 30-41-53-64-74-88
Airflow 406,40 m3 min/14352 CFM
Voltage (V/Hz) 220-240/50-60



| | |
|-------------|-----------|
| A | AI |
| 460/18.1" | 425/16.7" |
| B | C |
| 220/8.6" | 240/9.4" |
| D | E |
| 50/1.96" | ∅150/5.9" |
| F | G |
| ∅2133/83.9" | 950/37.4" |



CIES

| | | | | | | | |
|------------------|-------------------|------------------------|--------------------|----------------------------|------------------|--------------------|-------------------|
| 210 CM | 83 INCH | > 28 M2 > 300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF |
|------------------|-------------------|------------------------|--------------------|----------------------------|------------------|--------------------|-------------------|



33512
33512WP *Smart Fan
Body shiny white/blanco brillo
Blades white/blanco




with light/con luz

DIMMABLE SMD LED 18W 3000K 900lm CRI>80 Driver
Diff ABS+Polycarbonate/ABS+Policarbonato

33512-1
33512WP-1 *Smart Fan
Body shiny white/blanco brillo
Blades white/blanco

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 6-9-15-28-44
RPM 54-67-79-98-112
Airflow 344.4 m3 min/12159 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60





| | |
|------------|------------|
| A | AI |
| 430/16.92" | 380/14.96" |
| B | C |
| 250/9.84" | 230/9.05" |
| D | E |
| 50/1.96" | 148/5.83" |
| F | G |
| 2108/83" | 930/36.61" |

FAN EXTRA LARGE / EXTRA GRANDE

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.





AOBA

| | | | |
|----------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <p>∅ 180 CM</p> | <p>∅ 71 INCH</p> | <p> > 28 M2 > 300 SQ.FT</p> | <p> REMOTE CONTROL</p> |
|----------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|



33349
Body black/negro
Blades wood/madera

Body Steel/Acero
Blades Wood/Madera
W 30-70-88
RPM 74-125-152
Airflow 120m3 min/4237,7CFM
Voltage (V/Hz) 220-240/50
Downrods (3) 
 203mm/8" | 305mm/12" | 510mm/20"



| | |
|-------------|------------|
| A | AI |
| 520/20.47" | 410/16.14" |
| B | C |
| 200/7.87" | 230/9.05" |
| D | E |
| 145/5.70" | 160/6.29" |
| F | G |
| 1800/70.86" | 780/30.70" |




| | | | | | | | |
|--------------------|---------------------|----------------------------------------------------------------------------------------------------------|--------------------|----------------------------|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| ∅ 178 CM | ∅ 70 INCH |  > 28 M2 > 300 SQ.FT | DC MOTOR | SMART FAN OPTION |  SUMMER WINTER |  REMOTE CONTROL |  INCLINING ROOF |
|--------------------|---------------------|----------------------------------------------------------------------------------------------------------|--------------------|----------------------------|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|




33430
33430WP *Smart Fan
Body matt black/negro mate
Blades dark walnut/nogal oscuro



33432
33432WP *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate

Body Steel/Acero
Blades ABS
W 4-6-9-12-17-31
RPM 48-64-82-98-114-145
Airflow 175,28 m3 min/6190,01 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan** (V/Hz) 100-240/50-60
Downrods (3) 
101mm/3.9" | 203mm/7.8" | 457mm/17.7"



| | |
|-----------|-----------|
| A | AI |
| 640/25.2" | 630/24.8" |
| B | C |
| 180/7.05" | ∅130/5.1" |
| D | E |
| 55/2.1" | ∅130/5.1" |
| F | G |
| ∅1780/70" | 890/35" |

FAN EXTRA LARGE / EXTRA GRANDE

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



NISOS

| | | | | | | |
|--------------------|---------------------|--------------------------------------|--------------------------|---------------------------|----------------------------------------|---------------------------------|
| <p>Ø178 CM</p> | <p>Ø70 INCH</p> | <p>> 28 M2 > 300 SQ.FT</p> | <p>SUMMER WINTER</p> | <p>INCLINING ROOF</p> | <p>DIRECT CEILING MOUNTING</p> | <p>CONTROLLED BY CHAINS</p> |
|--------------------|---------------------|--------------------------------------|--------------------------|---------------------------|----------------------------------------|---------------------------------|




33363
Body dark brown/marrón oscuro
Blades cherry+dark walnut/cerezo+nogal oscuro



FAN EXTRA LARGE / EXTRA GRANDE

Body Steel/Acero
Blades Plywood
W 26-50-88
RPM 59-83-113
Voltage (V/Hz) 220-240/50
Airflow 154 m3 min/5500 CFM
Optional downrod p. 636
Remote control [33929/33937] ⊗



| | |
|-------------|-----------|
| A | AI |
| 860/33.8" | 820/31.6" |
| B | C |
| 200/7.87" | 300/11.8" |
| D | E |
| 60/2.35" | Ø130/5.1" |
| F | G |
| Ø1780/70.1" | 750/29.5" |

| | |
|-------------|-----------|
| A | AI |
| 260/10.2" | 230/9" |
| B | C |
| 200/7.87" | 300/11.8" |
| D | E |
| 60/2.35" | Ø130/5.1" |
| F | G |
| Ø1780/70.1" | 750/29.5" |



LANTAU

| | | | | | |
|----------------------------|-----------------------------|------------------------------------------------|---------------------------------------------|-----------------------|-----------------------|
| <p>Ø 168 CM</p> | <p>Ø 66 INCH</p> | <p>HOUSE > 28 M2 > 300 SQ.FT</p> | <p>SUN & SNOW SUMMER WINTER</p> | <p>REMOTE CONTROL</p> | <p>INCLINING ROOF</p> |
|----------------------------|-----------------------------|------------------------------------------------|---------------------------------------------|-----------------------|-----------------------|



33464
Body satin nickel/níquel satinado
Blades dark walnut/nogal oscuro



33504
Body satin nickel/níquel satinado
Blades pine/pino




with light/con luz

33463
Body satin nickel/níquel satinado
Blades dark walnut/nogal oscuro

AC LED SMD 15W 3000K 900lm CRI>80
 Diff Opal Glass/Cristal Opal

33505
Body satin nickel/níquel satinado
Blades pine/pino

Body Steel/Acero
Blades Wood/Madera
W 24-39-82
RPM 70-95-135
Airflow 261,6 m3 min/9235 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



| P.553 L | P.619 S |
|-------------|------------|
| | |
| A | AI |
| 410/16.1" | 335/13.2" |
| B | C |
| 180/7.05" | 180/7.05" |
| D | E |
| 70/2.79" | Ø150/5.9" |
| F | G |
| Ø1680/66.1" | 840/33" |



TILOS

| | | | | | | |
|-------------------|--------------------|------------------------|--------------------|------------------|-------------------|-------------------|
| ∅168 CM | ∅66 INCH | > 28 M2 > 300 SQ.FT | DC MOTOR | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF |
|-------------------|--------------------|------------------------|--------------------|------------------|-------------------|-------------------|



33466
Body dark brown/marrón oscuro
Blades dark brown/marrón oscuro

Optional downrod/Tijas opcionales ☒



34005
 dark brown/marrón oscuro
 1220mm/48"




34004
 dark brown/marrón oscuro
 900mm/35"



34003
 dark brown/marrón oscuro
 600mm/23"

Body Steel/Acero
Blades ABS
W 4-6-9-14-21-35
RPM 31-43-55-67-78-95
Airflow 264,05 m3 min/9325 CFM
Voltage (V/Hz) 220-240/50-60

2 E27 MAX 15W
LED ☒ [17463]
Diff Opal Glass/
 Cristal Opal



| | |
|-------------|------------|
| A | A1 |
| 500/19.6" | 440/17.3" |
| B | C |
| 290/11.4" | 220/8.6" |
| D | E |
| 60/2.3" | ∅140/5.51" |
| F | G |
| ∅1685/66.3" | 750/29.5" |



CENTURY

| | | | | | | | |
|--------------------|---------------------|------------------------|--------------------|----------------------------|------------------|-------------------|-------------------|
| Ø 165 CM | Ø 65 INCH | > 28 M2 > 300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF |
|--------------------|---------------------|------------------------|--------------------|----------------------------|------------------|-------------------|-------------------|




33553
33553WP *Smart Fan
Body white/blanco
Blades white/blanco



33554
33554WP *Smart Fan
Body satin nickel/níquel satinado
Blades grey/gris

Body Steel/Acero
Blades Plywood
W 5-8-12-17-25-35
RPM 60-80-95-110-125-140
Airflow 233,41 m3 min/8243 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Optional downrod p. 636

LED SMD
15W 3000K
400-1200lm
CRI>80 Driver
✓
Diff Opal
PMMA/PMMA
Opal



| | |
|-------------|------------|
| A | AI |
| 330/12.6" | 250/9.8" |
| B | C |
| 170/6.7" | 150/5.9" |
| D | E |
| 50/1.96" | Ø130/5.11" |
| F | G |
| Ø1650/64.9" | 750/29.5" |

FAN EXTRA LARGE / EXTRA GRANDE

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



ALO

| | | | | | |
|----------------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| <p>Ø 152 CM</p> | <p>Ø 60 INCH</p> | <p> > 17,6-28 M2 190-300 SQ.FT </p> | <p> SUMMER WINTER </p> | <p> REMOTE CONTROL </p> | <p> INCLINING ROOF </p> |
|----------------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|



33718
Body matt black/negro mate
Blades rustic pine/pino rústico



33728
Body white/blanco
Blades rustic pine/pino rústico




with light/con luz

LED SMD 17W 3000K 600lm CRI>80 Driver ✓
 Diff Opal Glass/Cristal Opal

33719
Body black/negro
Blades rustic pine/pino rústico

33727
Body white/blanco
Blades rustic pine/pino rústico

Body Steel/Acero
Blades Wood/Madera
W 14-30-56
RPM 80-113-155
Airflow 129,29 m3 min/4564 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



| | |
|-------------|-----------|
| A | AI |
| 335/13.2" | 320/12.6" |
| B | C |
| 180/70.8" | 160/6.29" |
| D | E |
| 60/23.6" | Ø130/5.1" |
| F | G |
| Ø1520/59.8" | 760/29.9" |


VULCANO



33549
33549WP *Smart Fan
 Body white/blanco
 Blades white/blanco

Body Steel/Acero
Blades ABS
W 5-8-10,5-14,7-16,9-21,4
RPM 80-108-126-149-161-180
Airflow 177,88 m3 min/6281,77 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Optional downrod p. 636

LED SMD 25W 3000K
 2000lm CRI>80
 Driver ✓
Diff Opal Glass/Cristal
 Opal



| | |
|-----------|-----------|
| A | AI |
| 330/13" | 250/9.8" |
| B | C |
| 123/4.84" | 284/11.2" |
| D | E |
| 55/2.16" | ø139/5.5" |
| F | G |
| ø1524/6" | 645/25.4" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

TONIC

∅ **152**
CM

∅ **60**
INCH

 **> 17,6-28 M2**
190-300 SQ.FT

DC
MOTOR

SMART FAN
OPTION

 **SUMMER WINTER**

 **REMOTE CONTROL**

 **INCLINING ROOF**



Thanks to MIKMAX

FAN LARGE / GRANDE

33552

33552WP *Smart Fan

Body dark brown/marrón oscuro

Blades dark brown/marrón oscuro

Body Steel/Acero

Blades ABS

Accessory cap/Tapa accesorio ✓

W 5-7-9-11-14-18

RPM 100-120-140-160-180-200

Airflow 180,57 m3 min/6377 CFM

Voltage (V/Hz) 220-240/50-60

Voltage *Smart Fan (V/Hz)

100-240/50-60


Optional downrod p. 636

LED SMD 15W 3000K

400-1200lm CRI>80

Driver ✓

Diff Polycarbonate/
Policarbonato



| | |
|-------------|------------|
| A | AI |
| 310/12.2" | 250/9.8" |
| B | C |
| 190/7.48" | 180/7.05" |
| D | E |
| 50/1.9" | ∅130/5.11" |
| F | G |
| ∅1520/59.8" | 870/34.2" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



MOREA

| | | | | | | | |
|----------------------------|-----------------------------|-------------------------------------------|----------------------------|------------------------------------|---------------------------|-----------------------------|----------------------------|
| <p>Ø 152 CM</p> | <p>Ø 60 INCH</p> | <p> > 17,6-28 M2 190-300 SQ.FT</p> | <p>DC MOTOR</p> | <p>SMART FAN OPTION</p> | <p> SUMMER WINTER</p> | <p> WITH PROGRAMMER</p> | <p> INCLINING ROOF</p> |
|----------------------------|-----------------------------|-------------------------------------------|----------------------------|------------------------------------|---------------------------|-----------------------------|----------------------------|




33511
33511WP *Smart Fan
Body brown/marrón
Blades nogal wood/madera nogal



33519
33519WP *Smart Fan
Body brown/marrón
Blades pine wood/madera pino

FAN LARGE / GRANDE

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 3-7-12-17-38
RPM 58-105-131-148-195
Airflow 211,7 m3 min/7473 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Optional downrod p. 636



| | |
|------------|------------|
| A | AI |
| 280/11.02" | 215/8.46" |
| B | C |
| 130/5.12" | 170/6.69" |
| D | E |
| 50/1.96" | 148/5.83" |
| F | G |
| 152/60" | 750/29.52" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



LAMA

| | | | | |
|--------------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>∅143 CM</p> | <p>∅56 INCH</p> | <p>  > 17,6-28 M2 190-300 SQ.FT </p> | <p>  SUMMER WINTER </p> | <p>  REMOTE CONTROL </p> |
|--------------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|




33506
Body matt nickel/níquel mate
Blades pine wood/madera pino



33507
Body black/negro
Blades nogal wood/madera nogal

Body Steel/Acero
Blades Wood/Madera
W 16-27-44
RPM 84-114-143
Airflow 178,83 m3 min/6313 CFM
Voltage (V/Hz) 220-240/50



| | |
|-------------|-----------|
| A | AI |
| 272/10.6" | 220/8.6" |
| B | C |
| 120/4.7" | ∅180/7.1" |
| D | E |
| 25/1" | ∅190/7.5" |
| F | G |
| ∅1430/56.3" | 610/24" |

INDUS

| | | | |
|----------------------------|-----------------------------|-------------------------------------------|----------------------|
| <p>∅ 140 CM</p> | <p>∅ 55 INCH</p> | <p> > 17,6-28 M2 190-300 SQ.FT</p> | <p> WALL CONTROL</p> |
|----------------------------|-----------------------------|-------------------------------------------|----------------------|



33001
Body white/blanco
Blades white/blanco




33002
Body chrome/cromado
Blades chrome/cromado

| | |
|--------------|--------------|
| P.612 | P.627 |
| M | S |







Body Steel/Acero
Blades Steel/Acero
W 16-21-26-32-48
RPM 113-142-173-203-260
Airflow 155,52 m3 min/5492 CFM
Voltage (V/Hz) 220-240/50



| | |
|-------------|-----------|
| A | AI |
| 483/19" | 440/17.3" |
| B | C |
| 160/6.29" | 180/7.05" |
| D | E |
| 120/4.71" | ∅145/5.7" |
| F | G |
| ∅1400/55.1" | 555/21.9" |

MALVINAS

| | | | | | |
|---------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Ø 140 CM</p> | <p>Ø 55 INCH</p> | <p>  > 17,6-28 M2 190-300 SQ.FT </p> | <p>  SUMMER WINTER </p> | <p>  WALL CONTROL </p> | <p>  INCLINING ROOF </p> |
|---------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|




33110
Body dark grey/gris oscuro
Blades walnut+reddish mahogany/
 nogal+caoba rojizo



33111
Body dark brown/marrón oscuro
Blades mahogany+reddish mahogany/
 caoba+caoba rojizo

FAN LARGE / GRANDE

Body Steel/Acero
Blades MDF
W 24-37-48-57-80
RPM 111-145-170-187-229
Airflow 176,22 m3 min/6223 CFM
Voltage (V/Hz) 220-240/50



| | |
|-------------|-----------|
| A | AI |
| 600/23.6" | 500/19.6" |
| B | C |
| 160/6.59" | 200/7.87" |
| D | E |
| 60/2.35" | Ø130/5.1" |
| F | G |
| Ø1400/55.1" | 590/23.2" |


LEYTE



33780
33780WP *Smart Fan
 Body brown/marrón
 Blades brown/marrón

Body Steel/Acero
 Blades ABS
 With timer/Con temporizador 1-4-8hr
 W 6-10-15-23-39
 RPM 81-102-122-140-165
 Airflow 166,32 m3 min/5803 CFM
 Voltage (V/Hz) 220-240/50-60
 Voltage *Smart Fan (V/Hz) 100-240/50-60
 Optional downrod p. 636

LED SMD 20W
 CRI>80 Driver
 Diff ABS
DIMMABLE
 3000K 990lm
 4000K 2250lm
 6000K 1400lm



| | |
|-------------|-----------|
| A | AI |
| 380/14.9" | 270/10.6" |
| B | C |
| 240/94.4" | 350/13.7" |
| D | E |
| 60/23.6" | Ø170/6.7" |
| F | G |
| Ø1380/54.3" | 590/11.4" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

COCOS

| | | | | | | | |
|-------------------|--------------------|-------------------------------|--------------------|----------------------------|---------------|----------------|----------------|
| ∅137 CM | ∅54 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF |
|-------------------|--------------------|-------------------------------|--------------------|----------------------------|---------------|----------------|----------------|




FAN LARGE / GRANDE

33548
33548WP *Smart Fan
 Body white/blanco
 Blades white/blanco

Body Steel/Acero
 Blades ABS
 W 7-10-13-17-24-29
 RPM 66-88-104-115-138-146
 Airflow 234 m3 min/8266 CFM
 Voltage (V/Hz) 230/50-60
 Voltage *Smart Fan (V/Hz)
 100-240/50-60
 Optional downrod p. 636

LED SMD 20W 3000K
 1600lm CRI>80
 Driver
 Diff Opal Polycarbona-
 te/Polycarbonato Opal



| | |
|-----------|-----------|
| A | Ai |
| 500/19.6" | 260/10.2" |
| B | C |
| 140/5.5" | 200/78.7" |
| D | E |
| 55/21.6" | ∅140/5.5" |
| F | G |
| ∅1370/52" | 585/23" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



HYDRA

| | | | | | | |
|------------------|-------------------|-------------------------------|--------------------|------------------|--------------------|-------------------|
| 133 CM | 52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF |
|------------------|-------------------|-------------------------------|--------------------|------------------|--------------------|-------------------|




33725
Body black/negro
Blades dark walnut+black/nogal oscuro+negro



33726
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades Plywood
With timer/Con temporizador 1-4-8hr
W 5-7-10-13-18-25
RPM 99-116-134-154-172-193
Airflow 175,99m3min / 6213 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

LED SMD
 22W 3000K
 1200lm
 CRI>80
 Driver
Diff Acrylic/
 Acrilico



| | |
|----------|-----------|
| A | AI |
| 310/5.1" | 270/10.6" |
| B | C |
| 130/5.1" | 250/9.8" |
| D | E |
| 52/2.04" | 130/5.1" |
| F | G |
| 1330/52" | 540/21.2" |



NEW MILOS


| | | | | | | | |
|----------------------------|-----------------------------|-------------------------------------------|----------------------------|------------------------------------|---------------------------|----------------------------|----------------------------|
| <p>∅ 132 CM</p> | <p>∅ 52 INCH</p> | <p> > 17,6-28 M2 190-300 SQ.FT</p> | <p>DC MOTOR</p> | <p>SMART FAN OPTION</p> | <p> SUMMER WINTER</p> | <p> REMOTE CONTROL</p> | <p> INCLINING ROOF</p> |
|----------------------------|-----------------------------|-------------------------------------------|----------------------------|------------------------------------|---------------------------|----------------------------|----------------------------|



34100
34100WP *Smart Fan
 Body matt black/negro mate
 Blades matt black/negro mate

FAN LARGE / GRANDE

Body Steel/Acero
 Blades Plywood
 W 4-6-10-16-28-34
 RPM 50-73-96-118-143-188
 Airflow 140,14 m3 min/4949 CFM
 Voltage (V/Hz) 220-240/50-60
 Voltage *Smart Fan (V/Hz) 100-240/50-60



| | |
|-----------|-----------|
| A | AI |
| 270/10.6" | 260/10.2" |
| B | C |
| 120/4.7" | 70/2.7" |
| D | E |
| 60/2.3" | 140/5.5" |
| F | G |
| 1320/52" | 600/23.6" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

MENO

Ø 135
CM

Ø 53
INCH

> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER

WITH
PROGRAMMER


INCLINING
ROOF



33782

Body white/blanco
Blades white/blanco

Body ABS
Blades ABS
With timer/Con temporizador 1-2-4-8hr
W 22-43-85
RPM 108-162-235
Airflow 192 m3 min/6795 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



| | |
|-------------|------------|
| A | AI |
| 320/12.59" | 275/10.82" |
| B | C |
| 160/6.29" | 260/10.23" |
| D | E |
| 60/2.36" | 150/5.9" |
| F | G |
| 1350/53.14" | 540/21.25" |

| | | | | | | | |
|-------------------|--------------------|-------------------------------|--------------------|----------------------------|---------------|-----------------|----------------|
| ∅132 CM | ∅52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF |
|-------------------|--------------------|-------------------------------|--------------------|----------------------------|---------------|-----------------|----------------|




33446
33446WP *Smart Fan
Body matt white/blanco mate
Blades matt white/blanco mate



33447
33447WP *Smart Fan
Body matt black/negro mate
Blades walnut/nogal

FAN LARGE / GRANDE

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 4-6-10-17-23-30
RPM 95-121-148-177-198-214
Airflow 218,8 m3 min/7730 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Optional downrod p. 636



| | |
|-----------|-----------|
| A | AI |
| 290/11.4" | 250/9.8" |
| B | C |
| 130/5.1" | 170/6.7" |
| D | E |
| 55/2.2" | 130/5.1" |
| F | G |
| 1320/52" | 582/22.8" |


*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

SIROS



33804
 33804WP *Smart Fan
 Body white/blanco
 Blades white/blanco

Body Steel/Acero
 Blades ABS
 With timer/Con temporizador 1-4-8hr
 W 6-12-19-25-38
 RPM 85-108-129-150-180
 Airflow 6650 CFM/188m3min
 Voltage (V/Hz) 220-240/50-60
 Voltage *Smart Fan (V/Hz) 100-240/50-60



| | |
|----------|-------------|
| A | AI |
| 250/9.8" | 230/9.05" |
| B | C |
| 80/3.1" | Ø20.4/8.03" |
| D | E |
| 60/2.4" | 150/6" |
| F | G |
| 1320/52" | 560/22.04" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.


| | | | | | | |
|-------------------|--------------------|-------------------------------|--------------------|----------------------------|------------------|-------------------|
| ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL |
|-------------------|--------------------|-------------------------------|--------------------|----------------------------|------------------|-------------------|



FAN LARGE / GRANDE

33729
33729WP *Smart Fan
Body matt white/blanco mate
Blades matt white/blanco mate

Body Steel/Acero
Blades ABS
W 7-10-13-19-25-33
RPM 95-112-129-146-163-180
Airflow 125,4 m3 min/4430 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Optional downrod p. 636



| | |
|-----------|-----------|
| A | AI |
| 340/13.4" | 300/11.8" |
| B | C |
| 170/6.7" | 165/6.5" |
| D | E |
| 70/2.7" | 130/5.1" |
| F | G |
| 1310/52" | 570/22.4" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.


SAONA



33803
33803WP *Smart Fan
 Body white/blanco
 Blades white/blanco

Body Steel/Acero
 Blades ABS
 With timer/Con temporizador 1-4-8hr
 W 5-8-14-21-38
 RPM 85-105-126-155-180
 Airflow 188 m3 min 6643 CFM
 Voltage (V/Hz) 220-240/50-60
 Voltage *Smart Fan (V/Hz)
 100-240/50-60

LED SMD 24W
 3000K 990lm CRI>80
 Driver ✓
 Diff ABS
DIMMABLE
 3000K 1089lm
 4000K 2475lm
 6000K 1540lm



| | |
|-------------|------------|
| A | AI |
| 330/12.99" | 250/9.84" |
| B | C |
| 150/5.90" | 330/12.99" |
| D | E |
| 58/2.29" | 150/5.90" |
| F | G |
| ø1320/51.9" | 490/19.29" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

ISLOT

| | | | | | | | |
|------------------|-------------------|-------------------------------|--------------------|----------------------------|------------------|--------------------|-------------------|
| 132 CM | 52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF |
|------------------|-------------------|-------------------------------|--------------------|----------------------------|------------------|--------------------|-------------------|




Thanks to MIKMAX

FAN LARGE / GRANDE

33802
33802WP *Smart Fan
 Body white/blanco
 Blades white/blanco

Body Steel/Acero
Blades ABS
Diff ABS
With timer/Con temporizador 1-4-8hr
W 6-9-15-23-38
RPM 109-140-168-200-235
Airflow 185 m3 min/6550 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60



| | |
|------------|-----------|
| A | A1 |
| 280/11" | 230/9.1" |
| B | C |
| 100/3.9" | 300/11.8" |
| D | E |
| 70/2.7" | 150/5.9" |
| F | G |
| 1320/51.9" | 520/20.4" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



RODAS

| | | | | | | | | |
|------------------|-------------------|-------------------------------|--------------------|----------------------------|------------|------------------|--------------------|-------------------|
| 132 CM | 52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | DIM | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF |
|------------------|-------------------|-------------------------------|--------------------|----------------------------|------------|------------------|--------------------|-------------------|




33522
33522WP *Smart Fan
Body white/white
Blades pine+white/pino+blanco



33523
33523WP *Smart Fan
Body dark brown/marrón oscuro
Blades dark brown/marrón oscuro

Body Steel/Acero
Blades Plywood
With timer/Con temporizador 1-4-8hr
W 7-9-12-16-21-26
RPM 130-145-160-178-194-210
Airflow 246 m3 min/6300 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz)
100-240/50-60
Optional downrod p. 636

LED SMD 5-20W
3000K 1200 lm
CRI>80
Driver ✓
Diff Glass/Cristal



| | |
|------------|-----------|
| A | AI |
| 370/14.5" | 250/9.8" |
| B | C |
| 230/9.1" | 310/12.2" |
| D | E |
| 70/2.7" | 160/6.3" |
| F | G |
| 1320/51.9" | 580/22.8" |

FAN LARGE / GRANDE

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



POROS


| | | | | | | | | |
|------------------|-------------------|-------------------------------|--------------------|----------------------------|------------|------------------|--------------------|-------------------|
| 132 CM | 52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | DIM | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF |
|------------------|-------------------|-------------------------------|--------------------|----------------------------|------------|------------------|--------------------|-------------------|



33524
33524WP *Smart Fan
 Body white/blanco
 Blades pine/pino

Body Steel/Acero
 Blades Wood/Madera
 With timer/Con temporizador 1-4-8hr
 W 7-9-12-15-20-26
 RPM 120-132-145-160-174-185
 Airflow 240 m3 min/6244 CFM
 Voltage (V/Hz) 220-240/50-60
 Voltage *Smart Fan (V/Hz)
 100-240/50-60
 Optional downrod p. 636

LED SMD
 5-19W 2700K
 1200lm CRI>80
 Driver
 Diff Glass/
 Cristal



| | |
|------------|-----------|
| A | AI |
| 370/14.6" | 280/11" |
| B | C |
| 160/6.3" | 180/7.1" |
| D | E |
| 70/2.7" | 160/6.3" |
| F | G |
| 1320/51.9" | 560/22.1" |

FAN LARGE / GRANDE

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



LANTAU

| | | | | | |
|---------------------|----------------------|------------------------------------------|--------------------------|---------------------------|---------------------------|
| <p>Ø 132 CM</p> | <p>Ø 52 INCH</p> | <p>> 17,6-28 M2 190-300 SQ.FT</p> | <p>SUMMER WINTER</p> | <p>REMOTE CONTROL</p> | <p>INCLINING ROOF</p> |
|---------------------|----------------------|------------------------------------------|--------------------------|---------------------------|---------------------------|



33370
Body satin nickel/níquel satinado
Blades dark walnut/nogal oscuro



33373
Body satin nickel/níquel satinado
Blades pine/pino



33516
Body matt black/negro mate
Blades dark walnut/nogal oscuro




with light/con luz

AC LED SMD 15W 3000K 900lm CRI>80
 Diff Opal Glass/Cristal Opal

33518
Body satin nickel/níquel satinado
Blades dark walnut/nogal oscuro

Body Steel/Acero
Blades Wood/Madera
W 14-30-65
RPM 90-140-180
Airflow 147,56 m3 min/5211 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



| P.521 XL | P.619 S |
|-------------|------------|
| | |
| A | A1 |
| 330/13" | 320/12.6" |
| B | C |
| 165.6.46" | 160/6.29" |
| D | E |
| 70/2.79" | Ø160/6.3" |
| F | G |
| Ø1320/51.9" | 660/26" |



GRID

| | | | | | | | |
|--------------------|---------------------|-------------------------------|--------------------|----------------------------|------------------|--------------------|-------------------|
| Ø 132 CM | Ø 52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF |
|--------------------|---------------------|-------------------------------|--------------------|----------------------------|------------------|--------------------|-------------------|



33341
33341WP *Smart Fan
Body white/blanco
Blades cherry/cerezo



33345
33345WP *Smart Fan
Body black/negro
Blades brown/marrón



with light/con luz


LED SMD 18W 3000K 1500lm CRI>80 Driver Diff ABS

33341-2
33341WP-2 *Smart Fan
Body white/blanco
Blades cherry/cerezo

33345-2
33345WP-2 *Smart Fan
Body black/negro
Blades brown/marrón

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 5-9-17-20-30
RPM 86-135-159-175-197
Airflow 134 m3 min/4802 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz)
100-240/50-60



| | |
|-------------|------------|
| A | A I |
| 340/13.38" | 290/11.41" |
| B | C |
| 130/5.18" | 190/7.48" |
| D | E |
| 50/1.96" | 140/5.51" |
| F | G |
| 1320/51.96" | 560/22.04" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



NUU

— Estudi Ribaudí



| | | | | | | | |
|--------------------|---------------------|-------------------------------|--------------------|----------------------------|------------------|--------------------|-------------------|
| Ø 132 CM | Ø 52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF |
|--------------------|---------------------|-------------------------------|--------------------|----------------------------|------------------|--------------------|-------------------|



33721
33721WP *Smart Fan
Body matt white/blanco mate
Blades matt white/blanco mate




with light/con luz

LED SMD 15W 3000K 600lm CRI>80 Driver ✓
Diff Steel+Acrylic/Acero+Acrílico

33722
33722WP *Smart Fan
Body matt white/blanco mate
Blades matt white/blanco mate

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 5-8-11-14-21-35
RPM 106-126-147-165-186-212
Airflow 104,58m3 min/3693,43 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60



| | |
|-------------|------------|
| A | AI |
| 330/12.99" | 290/11.41" |
| B | C |
| 160/6.29" | 110/4.33" |
| D | E |
| 55/2.16" | 130/5.12" |
| F | G |
| 1320/51.96" | 600/23.62" |

FAN LARGE / GRANDE

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



ICE

— Estudi Ribaudí



| | | | | | |
|----------------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| <p>Ø 132 CM</p> | <p>Ø 52 INCH</p> | <p> > 17,6-28 M2 190-300 SQ.FT </p> | <p> SUMMER WINTER </p> | <p> REMOTE CONTROL </p> | <p> INCLINING ROOF </p> |
|----------------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|




33460 wireless speaker
Body white/blanco
Blades white+maple/blanco+arce



FAN LARGE / GRANDE

Body Steel/Acero
Blades MDF
W 13-25-55 [**33460**]
RPM 75-135-180
Airflow 157,52 m3 min/5563 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

LED SMD 15W 3000K 800lm CRI>80
Driver ✓
Diff Opal Glass/Cristal Opal



| | |
|-------------|-----------|
| A | AI |
| 385/15.1" | 270/10.6" |
| B | C |
| 210/8.24" | 230/7.68" |
| D | E |
| 65/2.51" | Ø150/5.9" |
| F | G |
| Ø1320/51.9" | 555/21.9" |



DISC

— Conillas



∅132
CM

∅52
INCH

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



33397

Body shiny white/blanco brillo


Blades white+maple/blanco+arce



LIGHT DOWN
22W 962lm



LIGHT UP
11W 396lm



LIGHT UP & DOWN
33W 1351lm

Body Steel/Acero

Blades MDF

With timer/Con temporizador 1-4-8hr

W 6-10-13-23-37

RPM 100-135-160-195-230

Airflow 211,72 m3 min/7477 CFM

Voltage (V/Hz) 220-240/50-60


Optional downrod p. 636

LED SMD 19W 2700K

CRI>80 Driver

Diff Polycarbonate/

Policarbonato



| | |
|-------------|-----------|
| A | AI |
| 460/18.1" | 330/13" |
| B | C |
| 280/11" | ∅145/5.7" |
| D | E |
| 55/2.1" | ∅150/5.9" |
| F | G |
| ∅1320/51.9" | 576/22.7" |



POLEA

— Conillas



| | | | | | | | |
|----------------------------|-----------------------------|-------------------------------------------|----------------------------|------------------------------------|---------------------------|-----------------------------|----------------------------|
| <p>∅ 132 CM</p> | <p>∅ 52 INCH</p> | <p> > 17,6-28 M2 190-300 SQ.FT</p> | <p>DC MOTOR</p> | <p>SMART FAN OPTION</p> | <p> SUMMER WINTER</p> | <p> WITH PROGRAMMER</p> | <p> INCLINING ROOF</p> |
|----------------------------|-----------------------------|-------------------------------------------|----------------------------|------------------------------------|---------------------------|-----------------------------|----------------------------|



33724

33724WP ***Smart Fan**

Body brown+black/marrón+negro

Blades walnut+black/nogal+negro



Body Steel/Acero

Blades Plywood

With timer/Con temporizador 1-4-8hr

W 5-7-10-14-20-33


RPM 86-102-119-131-151-167

Airflow 111,3 m3min/3929CFM

Voltage (V/Hz) 220-240/50-60

Voltage ***Smart Fan** (V/Hz) 100-240/50-60

Optional downrod p. 636



| | |
|-----------|-----------|
| A | AI |
| 372/14.6" | 254/10" |
| B | C |
| 118/4.6" | 228/9" |
| D | E |
| 56/2.2" | 130/5.12" |
| F | G |
| 1322/52" | 547/21" |





FAN LARGE / GRANDE

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



WINCH

— Faro Lab 


| | | | | | |
|--------------------|---------------------|-------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| Ø 132 CM | Ø 52 INCH |  > 17,6-28 M2 190-300 SQ.FT |  REMOTE CONTROL |  INCLINING ROOF |  DIRECT CEILING MOUNTING |
|--------------------|---------------------|-------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|




33396


Body dark brown/marrón oscuro
Blades dark brown/marrón oscuro

Body Steel/Acero
Blades MDF
W 15-30-60
RPM 90-145-190
Airflow 151,38 m3 min/5346 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E27 MAX 15W LED 
[17463]
Diff Opal glass/Cristal opal



| A | AI |
|-------------|-----------|
| 520/20.4" | 370/14.5" |
| B | C |
| 350/13.7" | Ø400/16" |
| D | E |
| 60/2.4" | Ø130/5.1" |
| F | G |
| Ø1320/51.9" | 560/22" |



| A | AI |
|-------------|-----------|
| 500/19.7" | 330/13" |
| B | C |
| 350/13.7" | Ø400/16" |
| D | E |
| 60/2.4" | Ø130/5.1" |
| F | G |
| Ø1320/51.9" | 560/22" |



LUZON

| | | | | |
|--------------------|---------------------|------------------------------------------|-----------------------|-----------------------|
| <p>∅132 CM</p> | <p>∅52 INCH</p> | <p>> 17,6-28 M2 190-300 SQ.FT</p> | <p>REMOTE CONTROL</p> | <p>INCLINING ROOF</p> |
|--------------------|---------------------|------------------------------------------|-----------------------|-----------------------|




33750
Body white/blanco
Blades white/blanco



33751
Body brown/marrón
Blades brown/marrón

FAN LARGE / GRANDE

Body Steel/Acero
Blades ABS
W 23-42-65
RPM 90-120-155
Airflow 215,73 m3 min/7615 CFM
Voltage (V/Hz) 220-240/50
Downrods (3)
 105mm/3.99" | 152mm/60"
Optional downrod p. 636




| | |
|-----------|-----------|
| A | A1 |
| 285/11.2" | 235/9.2" |
| B | C |
| 180/70.8" | ∅160/6.3" |
| D | E |
| 60/23.6" | ∅140/5.5" |
| F | G |
| ∅1320/52" | 590/23.2" |

SIoux



33770
33770WP *Smart Fan
 Body white/blanco
 Blades white/blanco

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 5-10-16-23-38
RPM 106-143-174-198-233
Airflow 164,32 m3 min/5803 CFM
Voltage (V/Hz) 110-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Downrods (2) ✓
 127mm/5" | 254mm/10"
Optional downrod p. 636



| | |
|-----------|-----------|
| A | AI |
| 320/12.6" | 260/10.2" |
| B | C |
| 200/78.7" | Ø220/8.6" |
| D | E |
| 70/27.7" | Ø170/6.7" |
| F | G |
| Ø1320/52" | 590/23.2" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

POLARIS

| | | | | | | | |
|-------------------|--------------------|-------------------------------|--------------------|----------------------------|------------------|--------------------|-------------------|
| ∅132 CM | ∅52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF |
|-------------------|--------------------|-------------------------------|--------------------|----------------------------|------------------|--------------------|-------------------|




FAN LARGE / GRANDE

33346
33346WP *Smart Fan
 Body white/blanco
 Blades white/blanco

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 4-9-16-23-35
RPM 86-108-130-145-175
Airflow 163 m3 min/4900 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz)
 100-240/50-60
Optional downrod p. 636

LED SMD 18W
 2700K 1500lm
 CRI>80 Driver
Diff Polycarbonate/
 Policarbonato



| | |
|-------------|-----------|
| A | AI |
| 350/13.7" | 275/10.8" |
| B | C |
| 180/7.1" | 170/7" |
| D | E |
| 50/2" | ∅130/5.1" |
| F | G |
| ∅1320/51.9" | 555/21.8" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

TIMOR

∅132
CM

∅52
INCH

> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL



33372

Body white/blanco

Blades white+maple/blanco+arce



Body Steel/Acero

Blades Plywood

W 17-30-50

RPM 90-130-170


Airflow 134,28 m3 min/4742 CFM

Voltage (V/Hz) 220-240/50

LED SMD 12W 2300K 900lm

CRI>80 Driver

Diff Opal Acrylic/Acrílico Opal



| | |
|-------------|------------|
| A | AI |
| 270/10.6" | 240/9.4" |
| B | C |
| 80/3.1" | ∅175/6.88" |
| D | E |
| 50/1.9" | ∅175/6.9" |
| F | G |
| ∅1320/51.9" | 570/22.4" |

PALK

| | | | | | | |
|-------------------|--------------------|-------------------------------|--------------------|------------------|-------------------|-------------------|
| ∅132 CM | ∅52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF |
|-------------------|--------------------|-------------------------------|--------------------|------------------|-------------------|-------------------|




FAN LARGE / GRANDE

33470
Body satin nickel/níquel satinado
Blades maple/arce

Body Steel/Acero
Blades Plywood
W 3-5-8-13-21-32
RPM 50-77-104-131-158-185
Airflow 198,22 m3 min/7000 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636

2 E14 MAX 8W LED [17461]
Diff Opal Glass/Cristal Opal



| | |
|-------------|-----------|
| A | AI |
| 390/15.3" | 325/12.8" |
| B | C |
| 140/5.51" | ∅150/5.9" |
| D | E |
| 60/2.35" | ∅130/5.1" |
| F | G |
| ∅1320/51.9" | 570/22.4" |



TONSAY

| | | | | |
|--------------------|---------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| <p>∅132 CM</p> | <p>∅52 INCH</p> | <p> > 17,6-28 M2 190-300 SQ.FT </p> | <p> SUMMER WINTER </p> | <p> REMOTE CONTROL </p> |
|--------------------|---------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|



33384
Body white/blanco
Blades white+maple/blanco+arce



33385
Body matt nickel/níquel mate
Blades grey+mahogany/gris+caoba




33386
Body dark brown/marrón oscuro
Blades cedar+wenge/cedro+wengué



Body Steel/Acero
Blades Plywood
W 10-24-46
RPM 83-132-180
Airflow 145,63 m3 min/5143 CFM
Voltage (V/Hz) 220-240/50

2 E27 MAX 15W LED
 [17463]
Diff Opal Glass/Cristal Opal



| | |
|-------------|------------|
| A | AI |
| 305/12" | 270/10.6" |
| B | C |
| 300/11.8" | ∅238/9.34" |
| D | E |
| - | ∅190/7.5" |
| F | G |
| ∅1320/51.9" | 535/20.06" |



PEMBA

| | | | | | |
|----------------------------|-----------------------------|-------------------------------------------|----------------------------|---------------------------|----------------------------|
| <p>Ø 132 CM</p> | <p>Ø 52 INCH</p> | <p> > 17,6-28 M2 190-300 SQ.FT</p> | <p>DC MOTOR</p> | <p> SUMMER WINTER</p> | <p> REMOTE CONTROL</p> |
|----------------------------|-----------------------------|-------------------------------------------|----------------------------|---------------------------|----------------------------|



33471N
Body white/blanco
Blades white/blanco



33491
Body grey/gris
Blades grey/gris



33492
Body brown/marrón
Blades brown/marrón



with light/con luz

LED SMD 16W 3000K 800lm CRI>80 Driver ✓
Diff Polycarbonate/Polycarbonato


33471N-3
Body white/blanco
Blades white/blanco

33491-4
Body grey/gris
Blades grey/gris

33492-5
Body brown/marrón
Blades brown/marrón

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades ABS
W 3-5-9-14-21-32
RPM 50-76-102-127-157-180
Airflow 191,14 m3 min/6750 CFM
Voltage (V/Hz) 220-240/50-60



| | |
|-------------|-----------|
| A | AI |
| 215/8.46" | 190/7.5" |
| B | C |
| 570/22.4" | 180/70.5" |
| D | E |
| 65/2.51" | Ø170/6.7" |
| F | G |
| Ø1320/51.9" | 570/22.4" |

NIAS

| | | | | | |
|----------------------------|-----------------------------|-------------------------------------------|----------------------------|--------------------------------|------------------------|
| <p>Ø 132 CM</p> | <p>Ø 52 INCH</p> | <p> > 17,6-28 M2 190-300 SQ.FT</p> | <p>DC MOTOR</p> | <p> SUMMER WINTER</p> | <p> REMOTE CONTROL</p> |
|----------------------------|-----------------------------|-------------------------------------------|----------------------------|--------------------------------|------------------------|



33472N
Body satin nickel/níquel satinado
Blades walnut/nogal



with light/con luz


LED SMD 16W 800lm CRI>80
Driver ✓



33472N-6
Body satin nickel/níquel satinado
Blades walnut/nogal
Diff Polycarbonate/Polycarbonato

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades Plywood
W 2-7-9-14-21-32
RPM 50-82-114-146-178-210
Airflow 195,39 m3 min/6900 CFM
Voltage (V/Hz) 220-240/50-60



| | |
|-------------|-----------|
| A | AI |
| 190/7.5" | 155/6.1" |
| B | C |
| — | Ø140/5.5" |
| D | E |
| — | Ø170/6.9" |
| F | G |
| Ø1320/51.9" | 630/24.8" |

| | | | | | | |
|--------------------|---------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| <p>Ø132 CM</p> | <p>Ø52 INCH</p> | <p> > 17,6-28 M2 190-300 SQ.FT </p> | <p> SUMMER WINTER </p> | <p> REMOTE CONTROL </p> | <p> INCLINING ROOF </p> | <p> DIRECT CEILING MOUNTING </p> |
|--------------------|---------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|




FAN LARGE / GRANDE

33314
Body dark brown/marrón oscuro
Blades dark walnut/nogal oscuro

Body Steel/Acero
Blades Plywood
W 14-31-60
RPM 75-120-172
Airflow 163,61 m3 min/5778 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

E27 MAX 15W LED [17463]
Diff Opal Glass/Cristal Opal



| | |
|-------------|-----------|
| A | AI |
| 430/16.9" | 300/11.8" |
| B | C |
| 220/8.63" | 240/9.43" |
| D | E |
| 60/2.35" | Ø130/5.1" |
| F | G |
| Ø1320/51.9" | 540/21.2" |



ICARIA

| | | | | | |
|--------------------|---------------------|-------------------------------|------------------|-------------------|-------------------|
| Ø 132 CM | Ø 52 INCH | > 17,6-28 M2 190-300 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF |
|--------------------|---------------------|-------------------------------|------------------|-------------------|-------------------|



33700
Body white/blanco
Blades white+maple/blanco+arce



33701
Body aluminium/aluminio
Blades grey+maple/gris+arce



33702
Body brown/marrón
Blades brown+mahogany/marrón+caoba




33705
Body antique brass/oro envejecido
Blades brown+oak/marrón+roble



FAN LARGE / GRANDE

Body Steel/Acero
Blades MDF
W 15-30-56
RPM 100-150-205
Airflow 155,62 m3 min/5496 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E27 MAX 15W LED
[17463]
Diff Opal Glass/Cristal Opal



| | |
|-------------|------------|
| A | AI |
| 415/16.3" | 330/12.9" |
| B | C |
| 280/11" | Ø270/10.6" |
| D | E |
| 50/2" | Ø150/5.9" |
| F | G |
| Ø1320/51.9" | 520/20.5" |

P.615
S



IBIZA

Ø 132
CM

Ø 52
INCH

> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33284
Body white/blanco
Blades white/blanco




33287
Body satin nickel/níquel satinado
Blades grey+maple/gris+acere



33288
Body rust brown/marrón óxido
Blades mahogany+bleached oak/
caoba+roble emblanquecido

Body Steel/Acero
Blades Plywood
W 16-29-49
RPM 113-162-212
Airflow 149,57 m3 min/5282 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



| | |
|-------------|------------|
| A | A1 |
| 330/12.9" | 270/10.6" |
| B | C |
| 170/6.9" | 175/6.88" |
| D | E |
| 60/2.35" | Ø130/5.1" |
| F | G |
| Ø1320/51.9" | 570/ 22.4" |

MALLORCA

| | | | | | |
|---------------------|----------------------|------------------------------------------|--------------------------|---------------------------|---------------------------|
| <p>Ø 132 CM</p> | <p>Ø 52 INCH</p> | <p>> 17,6-28 M2 190-300 SQ.FT</p> | <p>SUMMER WINTER</p> | <p>REMOTE CONTROL</p> | <p>INCLINING ROOF</p> |
|---------------------|----------------------|------------------------------------------|--------------------------|---------------------------|---------------------------|



33292
Body matt nickel/níquel mate
Blades grey+maple/gris+acore



33350
Body white/blanco
Blades white+maple/blanco+acore




33351
Body rust brown/marrón óxido
Blades mahogany+bleached oak/
 caoba+roble emblanquecido

FAN LARGE / GRANDE

P.617
S



Body Steel/Acero
Blades MDF
W 15-30-56
RPM 100-150-205
Airflow 154,30 m3 min/5449 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



| | |
|-------------|-----------|
| A | AI |
| 380/15" | 330/12.9" |
| B | C |
| 180/7.05" | 250/9.82" |
| D | E |
| 60/2.35" | Ø130/5.1" |
| F | G |
| Ø1320/51.9" | 520/20.4" |

CUBA

∅ 132
CM

∅ 52
INCH

> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER

INCLINING
ROOF

CONTROLLED
BY CHAINS




33352
Body dark brown/marrón oscuro
Blades dark brown/marrón oscuro



33352B NEW
Body antique brass/oro envejecido
Blades brown/marrón

Body Steel/Acero
Blades ABS
W 20-34-65
RPM 73-99-145
Airflow 127,45 m3 min/4501 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636
Remote control [33929/33937] ⊗



| | |
|-------------|-----------|
| A | AI |
| 510/20.1" | 450/17.7" |
| B | C |
| 350/13.7" | 370/15.5" |
| D | E |
| 60/2.35" | ∅130/5.1" |
| F | G |
| ∅1320/51.9" | 600/23" |

CORSO

Ø132
CM

Ø52
INCH

 > 17,6-28 M2
190-300 SQ.FT

 SUMMER
WINTER

 INCLINING
ROOF

 DIRECT
CEILING
MOUNTING

 CONTROLLED
BY CHAINS



33274

Body dark brown/marrón oscuro

Blades reddish mahogany+pickled oak/aoba rojizo+roble envejecido



Body Steel/Acero

Blades Plywood


W 23-34-57

RPM 87-135-198

Airflow 161,92 m3min/5718 CFM


Voltage (V/Hz) 220-240/50

Optional downrod p. 636

Remote control [33929/33937] 

4 E27 MAX 15W LED  [17463]

Diff Translucent Glass/
Cristal Translúcido



| | |
|-------------|------------|
| A | A1 |
| 520/20.5" | 290/11.4" |
| B | C |
| 400/15.74" | 360/14.17" |
| D | E |
| 60/2.35" | Ø130/5.1" |
| F | G |
| Ø1320/51.9" | 525/20.7" |

LOMBOK

Ø 132
CM

Ø 52
INCH

> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER

INCLINING
ROOF

CONTROLLED
BY CHAINS



33019

Body dark brown/marrón oscuro

Blades rustic pine/pino rústico

Body Steel/Acero

Blades Wood/Madera

W 14-29-58

RPM 85-135-185

Airflow 123,72 m3 min/4369 CFM


Voltage (V/Hz) 220-240/50

Optional downrod p. 636

Remote control [33929/33937] ⊗

2 E27 MAX 15W LED ⊗ [17443]

Diff Opal glass/Cristal opal



| | |
|-------------|-----------|
| A | AI |
| 500/19.7" | 246/9.7" |
| B | C |
| 330/12.9" | 285/11.2" |
| D | E |
| 60/2.35" | Ø130/5.1" |
| F | G |
| Ø1320/51.9" | 541/21.3" |

ALOHA

| | | | | | |
|----------------------------|-----------------------------|------------------------------------------|----------------------------------|---------------------------|---------------------------|
| <p>Ø 132 CM</p> | <p>Ø 52 INCH</p> | <p>> 17,6-28 M2 190-300 SQ.FT</p> | <p>SUN SUMMER WINTER</p> | <p>REMOTE CONTROL</p> | <p>INCLINING ROOF</p> |
|----------------------------|-----------------------------|------------------------------------------|----------------------------------|---------------------------|---------------------------|



33710
Body dark brown/marrón oscuro
Blades walnut+dark walnut/
 nogal+nogal oscuro

with light/con luz

3 E27 MAX 15W LED ⊗ [17426]




33710-13
 dark brown/marrón oscuro

FAN LARGE / GRANDE

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades Plywood
W 15-32-58
RPM 80-125-180
Airflow 128,95 m3 min/4552 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



| | |
|-------------|-----------|
| A | AI |
| 315/12.4" | 285/11.2" |
| B | C |
| 130/5.1" | 240/9.43" |
| D | E |
| 60/2.36" | 130/5.11" |
| F | G |
| Ø1320/51.9" | 530/20.9" |

TABARCA

Ø 132
CM

Ø 52
INCH

> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF




33752
Body shiny white/blanco brillo
Blades white+maple/blanco+arce



33753
Body shiny grey/gris brillo
Blades grey+maple/gris+arce

Body Steel/Acero
Blades Plywood
W 23-34-50
RPM 125-160-200
Airflow 141,95 m3 min/5011 CFM
Voltage (V/Hz) 220-240/50-60

2 E27 MAX 15W
LED [17463]
Diff Glass/Cristal



| | |
|------------|------------|
| A | AI |
| 450/17.72" | 330/13" |
| B | C |
| 300/11.81" | 220/8.66" |
| D | E |
| 60/2.36" | 130/5.12" |
| F | G |
| 1320/52" | 540/21.25" |

IZARO

∅ **130**
CM

∅ **51**
INCH

 13-17 M2
140-190 SQ.FT

DC
MOTOR

SMART FAN
OPTION

 **SUMMER WINTER**

 **WITH PROGRAMMER**

 **INCLINING ROOF**




FAN MEDIUM / MEDIANO

33514
33514WP *Smart Fan
Body shiny white/blanco brillo
Blades white+mapple/blanco+arce

Body Steel/Acero
Blades Plywood
With timer/Con temporizador 1-4-8hr
W 5-10-16-25-37
RPM 100-142-165-192-226
Airflow 190,12 m3 min/6711 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Optional downrod p. 636

LED SMD 15W
3000K 850lm
CRI>80 Driver ✓
Diff Glass/Cristal



| | |
|-------------|------------|
| A | AI |
| 420/16.53" | 270/10.62" |
| B | C |
| 260/10.23" | 230/9.05" |
| D | E |
| 70/2.75" | 150/5.90" |
| F | G |
| 1300/51.18" | 540/21.25" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



TYPHOON

— Jordi Busquets

130
CM

51
INCH


13-17 M2
140-190 SQ.FT

DC
MOTOR

SMART FAN
OPTION


IP44
OUTDOOR


SUMMER
WINTER


REMOTE
CONTROL


INCLINING
ROOF



33480
33480WP *Smart Fan
Body white/blanco
Blades white/blanco



33489
33489WP *Smart Fan
Body grey/gris
Blades grey/gris



33490
33490WP *Smart Fan
Body brown/marrón
Blades brown/marrón



with light/con luz

LED SMD 16W 3000K 900lm CRI>80 Driver ✓
Diff Polycarbonate/Policarbonato

33480-14
33480WP-14 *Smart Fan
white/blanco


33489-15
33489WP-15 *Smart Fan
grey/gris

33490-16
33490WP-16 *Smart Fan
brown/marrón

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Indoor/Outdoor IP44

Body ABS
Blades ABS
W 3-5-8-12-21-31
RPM 50-71-93-115-138-162
Airflow 183,09 m3 min/6463 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636



| | |
|-------------|------------|
| A | AI |
| 390/15.3" | 370/13.77" |
| B | C |
| 200/7.87" | 200/7.87" |
| D | E |
| 55/2.1" | Ø130/5.1" |
| F | G |
| Ø1300/51.8" | 530/20.8" |

FAN MEDIUM / MEDIANO

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



| | | | | | | | |
|--------------------|---------------------|----------------------------------------------------------------------------------------------------------------|--------------------|----------------------------|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| Ø 130 CM | Ø 51 INCH |  13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION |  SUMMER WINTER |  REMOTE CONTROL |  INCLINING ROOF |
|--------------------|---------------------|----------------------------------------------------------------------------------------------------------------|--------------------|----------------------------|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|



33481 Indoor/Outdoor IP44
33481WP *Smart Fan
Body black/negro
Blades dark brown/marrón oscuro



33482
33482WP *Smart Fan
Body chrome/cromado
Blades brown/marrón



with light/con luz


LED SMD 16W 3000K 800lm CRI>80 Driver ✓

33481-7 IP44
33481WP-7 *Smart Fan
Body black/negro
Blades dark brown/marrón oscuro

33482-8
33482WP-8 *Smart Fan
Body chrome/cromado
Blades brown/marrón

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades ABS
Diff Polycarbonate/Polycarbonato
W 3-5-8-12-21-35
RPM 50-71-93-115-138-162
Airflow 183,01 m3 min/6463 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636



| | |
|-----------|------------|
| A | AI |
| 390/15.3" | 355/13.97" |
| B | C |
| 210/8.26" | 190/7.48" |
| D | E |
| 55/2.1" | Ø130/5.11" |
| F | G |
| Ø1270/50" | 530/21.8" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



| | | | | | | | |
|------------------|-------------------|---------------------------|--------------------|----------------------------|------------------|-------------------|-------------------|
| 128 CM | 50 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF |
|------------------|-------------------|---------------------------|--------------------|----------------------------|------------------|-------------------|-------------------|




33451
33451WP *Smart Fan
Body matt black/negro mate
Blades walnut/nogal



FAN MEDIUM / MEDIANO

Body Steel/Acero
Blades Polycarbonate/ Policarbonato
W 4-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Downrods (3) ✓
100mm/3.9" | 200mm/7.8" | 450mm/17.7"



| | |
|------------|-----------|
| A | AI |
| 640/25.2" | 630/24.8" |
| B | C |
| 180/7.05" | 160/6.3" |
| D | E |
| 60/2.3" | 130/5.1" |
| F | G |
| 1280/50.4" | 555/21.8" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



MINI ETERFAN

— Conillas



| | | | | | | |
|-------------------|--------------------|---------------------------|--------------------|----------------------------|------------------|----------------|
| ø128 CM | ø50 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL |
|-------------------|--------------------|---------------------------|--------------------|----------------------------|------------------|----------------|



33382
33382WP *Smart Fan
Body chrome/cromo
Blades transparent/transparente



32020
32020WP *Smart Fan
Body shiny white/blanco brillo
Blades transparent/transparente



32025
32025WP *Smart Fan
Body matt white/blanco mate
Blades transparent/transparente



32026
32026WP *Smart Fan
Body shiny black/negro brillo
Blades transparent/transparente



32027
32027WP *Smart Fan
Body matt black/negro mate
Blades transparent/transparente



32028
32028WP *Smart Fan
Body matt black/negro mate
Blades walnut/nogal



32029
32029WP *Smart Fan
Body shiny red/rojo brillo
Blades transparent/transparente



32030
32030WP *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate



with light/con luz

SMD LED 17W 3000K 600lm CRI>80 Driver Diff Opal Glass/Cristal Opal

33382-9
33382WP-9 *Smart Fan
Body chrome/cromo
Blades transparent/transparente

32020-9
32020WP-9 *Smart Fan
Body shiny white/blanco brillo
Blades transparent/transparente

32025-9
32025WP-9 *Smart Fan
Body matt white/blanco mate
Blades transparent/transparente

32026-10
32026WP-10 *Smart Fan
Body shiny black/negro brillo
Blades transparent/transparente

32027-10
32027WP-10 *Smart Fan
Body matt black/negro mate
Blades transparent/transparente


32028-10
32028WP-10 *Smart Fan
Body matt black/negro mate
Blades walnut/nogal

32029-9
32029WP-9 *Smart Fan
Body shiny red/rojo brillo
Blades transparent/transparente

32030-10
32030WP-10 *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel+Glass/Acero+Cristal
Blades Polycarbonate/Polycarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60



| | |
|-------------|-----------|
| A | AI |
| 450/17.7" | 420/16.5" |
| B | C |
| - | ø160/6.3" |
| D | E |
| 60/2.3" | ø130/5.1" |
| F | G |
| ø1280/50.4" | 555/21.8" |

FAN MEDIUM / MEDIANO

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



| | | | | | | |
|-------------------|--------------------|---------------------------|--------------------|----------------------------|------------------|----------------|
| ø128 CM | ø50 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL |
|-------------------|--------------------|---------------------------|--------------------|----------------------------|------------------|----------------|



33381
33381WP *Smart Fan
Body chrome/cromo
Blades transparent/transparente



32000
32000WP *Smart Fan
Body shiny white/blanco brillo
Blades transparent/transparente



32001
32001WP *Smart Fan
Body matt white/blanco mate
Blades transparent/transparente



32002
32002WP *Smart Fan
Body shiny black/negro brillo
Blades transparent/transparente



32003
32003WP *Smart Fan
Body matt black/negro mate
Blades transparent/transparente



32004
32004WP *Smart Fan
Body matt black/negro mate
Blades walnut/nogal



32005
32005WP *Smart Fan
Body shiny red/rojo brillo
Blades transparent/transparente



32006
32006WP *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate



with light/con luz

33381-9
33381WP-9 *Smart Fan
Body chrome/cromo
Blades transparent/transparente

32002-10
32002WP-10 *Smart Fan
Body shiny black/negro brillo
Blades transparent/transparente

32005-9
32005WP-9 *Smart Fan
Body shiny red/rojo brillo
Blades transparent/transparente

SMD LED 17W 3000K 600lm CRI>80 Driver Diff Opal Glass/Cristal Opal

32000-9
32000WP-9 *Smart Fan
Body shiny white/blanco brillo
Blades transparent/transparente

32003-10
32003WP-10 *Smart Fan
Body matt black/negro mate
Blades transparent/transparente


32006-10
32006WP-10 *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate

32001-9
32001WP-9 *Smart Fan
Body matt white/blanco mate
Blades transparent/transparente

32004-10
32004WP-10 *Smart Fan
Body matt black/negro mate
Blades walnut/nogal

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel+Glass/Acero+Cristal
Blades Polycarbonate/Policarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan** (V/Hz) 100-240/50-60



| | |
|-------------|-----------|
| A | AI |
| 640/25,2" | 630/24,8" |
| B | C |
| - | ø160/6,3" |
| D | E |
| 60/2,3" | ø130/5,1" |
| F | G |
| ø1280/50,4" | 555/21,8" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



JUSTFAN

— Conillas 

| | | | | | | | |
|--------------------|---------------------|-------------------------------------------------------------------------------------------------------------|--------------------|----------------------------|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Ø 128 CM | Ø 50 INCH |  13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION |  SUMMER WINTER |  REMOTE CONTROL |  INCLINING ROOF |
|--------------------|---------------------|-------------------------------------------------------------------------------------------------------------|--------------------|----------------------------|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|



33394
33394WP *Smart Fan
Body chrome/cromo
Blades transparent/transparente



33395
33395WP *Smart Fan
Body black/negro
Blades walnut/nogal



33398
33398WP *Smart Fan
Body antique brass/oro envejecido
Blades walnut/nogal



33399
33399WP *Smart Fan
Body copper/cobre
Blades walnut/nogal



32100
32100WP *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate



33417
33417WP *Smart Fan
Body antique brass/oro envejecido
Blades matt black/negro mate



33418
33418WP *Smart Fan
Body copper/cobre
Blades matt black/negro mate



with light/con luz

33394-9
33394WP-9 *Smart Fan
Body chrome/cromo
Blades transparent/transparente

33399-10
33399WP-10 *Smart Fan
Body copper/cobre
Blades walnut/nogal

33418-10
33418WP-10 *Smart Fan
Body copper/cobre
Blades matt black/negro mate

SMD LED 17W 3000K 600lm CRI>80 Driver  Diff Opal Glass/Cristal Opal


33395-10
33395WP-10 *Smart Fan
Body black/negro
Blades walnut/nogal


32100-10
32100WP-10 *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate

33398-10
33398WP-10 *Smart Fan
Body antique brass/oro envejecido
Blades walnut/nogal

33417-10
33417WP-10 *Smart Fan
Body antique brass/oro envejecido
Blades matt black/negro mate

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades Polycarbonate/ Policarbonato
W 4-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Downrods (3) 
100mm/3.9" | 200mm/7.8" | 450mm/17.7"



| | |
|-------------|-----------|
| A | AI |
| 640/25.2" | 630/24.8" |
| B | C |
| 180/7.05" | Ø160/6.3" |
| D | E |
| 60/2.3" | Ø130/5.1" |
| F | G |
| Ø1280/50.4" | 555/21.8" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



DECOFAN
— Conillas

| | | | | | | |
|------------------|-------------------|---------------------------|--------------------|----------------------------|------------------|-------------------|
| 128 CM | 50 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL |
|------------------|-------------------|---------------------------|--------------------|----------------------------|------------------|-------------------|



33394D
33394DWP *Smart Fan
Body chrome/cromo
Blades transparent/transparents



33395D
33395DWP *Smart Fan
Body black/negro
Blades walnut/nogal



33398D
33398DWP *Smart Fan
Body antique brass/oro envejecido
Blades walnut/nogal



33399D
33399DWP *Smart Fan
Body copper/cobre
Blades walnut/nogal



with light/con luz

33394D-9
33394DWP-9 *Smart Fan
Body chrome/cromo
Blades transparent/transparents

33399D-10
33399DWP-10 *Smart Fan
Body copper/cobre
Blades walnut/nogal


SMD LED 17W 3000K 600lm CRI>80 Driver Diff Opal Glass/Cristal Opal

33395D-10
33395DWP-10 *Smart Fan
Body black/negro
Blades walnut/nogal

33398D-10
33398DWP-10 *Smart Fan
Body antique brass/oro envejecido
Blades walnut/nogal

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel+Glass/Acero+Cristal
Blades Polycarbonate/Policarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan** (V/Hz) 100-240/50-60



| | |
|------------|-----------|
| A | AI |
| 450/17.7" | 420/16.5" |
| B | C |
| - | 160/6.3" |
| D | E |
| 60/2.3" | 130/5.1" |
| F | G |
| 1280/50.4" | 555/21.8" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



MINI TUBE

— Conillas



Ø128
CM

Ø50
INCH

13-17 M2
140-190 SQ.FT

DC
MOTOR

SMART
FAN
OPTION

SUMMER
WINTER

REMOTE
CONTROL



33393
33393WP *Smart Fan
Body chrome/cromo
Blades transparent/transparente



32038
32038WP *Smart Fan
Body shiny white/blanco brillo
Blades transparent/transparente



32039
32039WP *Smart Fan
Body matt white/blanco mate
Blades transparent/transparente



32040
32040WP *Smart Fan
Body shiny black/negro brillo
Blades transparent/transparente



32041
32041WP *Smart Fan
Body matt black/negro mate
Blades transparent/transparente



32042
32042WP *Smart Fan
Body matt black/negro mate
Blades walnut/nogal



32043
32043WP *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate



with light/con luz

33393-9
33393WP-9 *Smart Fan
Body chrome/cromo
Blades transparent/transparente

32040-10
32040WP-10 *Smart Fan
Body shiny black/negro brillo
Blades transparent/transparente

32043-10
32043WP-10 *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate

SMD LED 17W 3000K 600lm CRI>80 Driver Diff Opal Glass/Cristal Opal

32038-9
32038WP-9 *Smart Fan
Body shiny white/blanco brillo
Blades transparent/transparente


32041-10
32041WP-10 *Smart Fan
Body matt black/negro mate
Blades transparent/transparente

32039-9
32039WP-9 *Smart Fan
Body matt white/blanco mate
Blades transparent/transparente

32042-10
32042WP-10 *Smart Fan
Body matt black/negro mate
Blades walnut/nogal

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel+Glass/Acero+Cristal
Blades Polycarbonate/Polycarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60



| | |
|-------------|-----------|
| A | AI |
| 290/11.4" | 250/9.8" |
| B | C |
| - | Ø160/6.3" |
| D | E |
| - | Ø130/5.1" |
| F | G |
| Ø1280/50.4" | 430/16.9" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



TUBE

— Conillas



| | | | | | | |
|-------------------|--------------------|---------------------------|--------------------|----------------------------|------------------|-------------------|
| ø128 CM | ø50 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL |
|-------------------|--------------------|---------------------------|--------------------|----------------------------|------------------|-------------------|



33374
33374WP *Smart Fan
Body chrome/cromo
Blades transparent/transparents



32033
32033WP *Smart Fan
Body shiny white/blanco brillo
Blades transparent/transparents



32034
32034WP *Smart Fan
Body matt white/blanco mate
Blades transparent/transparents



32035
32035WP *Smart Fan
Body shiny black/negro brillo
Blades transparent/transparents



32036
32036WP *Smart Fan
Body matt black/negro mate
Blades transparent/transparents



32037
32037WP *Smart Fan
Body matt black/negro mate
Blades walnut/nogal



32060
32060WP *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate



with light/con luz

33374-9
33374WP-9 *Smart Fan
Body chrome/cromo
Blades transparent/transparents

32035-10
32035WP-10 *Smart Fan
Body shiny black/negro brillo
Blades transparent/transparents

32060-10
32060WP-10 *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate

SMD LED 17W 3000K 600lm CRI>80 Driver Diff Opal Glass/Cristal Opal

32033-9
32033WP-9 *Smart Fan
Body shiny white/blanco brillo
Blades transparent/transparents


32036-10
32036WP-10 *Smart Fan
Body matt black/negro mate
Blades transparent/transparents

32034-9
32034WP-9 *Smart Fan
Body matt white/blanco mate
Blades transparent/transparents

32037-10
32037WP-10 *Smart Fan
Body matt black/negro mate
Blades walnut/nogal

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel+Glass/Acero+Cristal
Blades Polycarbonate/Policarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60



| | |
|-------------|-----------|
| A | AI |
| 450/17.7" | 420/16.5" |
| B | C |
| - | ø160/6.3" |
| D | E |
| - | ø130/5.1" |
| F | G |
| ø1280/50.4" | 430/16.9" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



NASSAU

| | | | | | | | |
|-------------------|--------------------|---------------------------|--------------------|----------------------------|------------------|-------------------|-------------------|
| Ø128 CM | Ø50 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF |
|-------------------|--------------------|---------------------------|--------------------|----------------------------|------------------|-------------------|-------------------|



33478
33478WP *Smart Fan
Body brown/marrón
Blades brown/marrón



33487
33487WP *Smart Fan
Body white/blanco
Blades white/blanco

Optional downrod/Tijas opcionales




33479
brown/marrón



33488
white/blanco

Body Steel/Acero
Blades Plywood
W 4-6-10-16-24-37
RPM 50-87-125-162-199-237
Airflow 222.41 m3 min/7851 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60



| | |
|-------------|------------|
| A | AI |
| 400/15.7" | 370/14.5" |
| B | C |
| 170/6.69" | 120/4.72" |
| D | E |
| 60/2.36" | Ø130/5.11" |
| F | G |
| Ø1280/50.4" | 575/22.6" |

FAN MEDIUM / MEDIANO

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

MOLOKAI

Ø125
CM

Ø49
INCH

13-17 M2
140-190 SQ.FT

DC
MOTOR

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33475
Body matt nickel/níquel mate
Blades dark walnut/nogal oscuro

with light/con luz


LED SMD 18W 3000K 1200lm
CRI>80 Driver ✓



33475-17
dark brown/marrón oscuro

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades Plywood
W 3-5-8-13-21-31
RPM 50-76-102-128-155-180
Airflow 195,66 m3 min/6910 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636



| | |
|-------------|------------|
| A | A1 |
| 335/13.1" | 300/11.8" |
| B | C |
| 200/8.63" | 150/5.90" |
| D | E |
| 65/2.51" | Ø140/5.51" |
| F | G |
| Ø1250/42.9" | 600/23.6" |

PANAY

| | | | | |
|--------------------|---------------------|-----------------------------------|---------------------------|---------------------------|
| <p>Ø122 CM</p> | <p>Ø48 INCH</p> | <p>13-17 M2 140-190 SQ.FT</p> | <p>REMOTE CONTROL</p> | <p>INCLINING ROOF</p> |
|--------------------|---------------------|-----------------------------------|---------------------------|---------------------------|



33607
Body white/blanco
Blades white+maple/blanco+arce




33608
Body matt nickel/níquel mate
Blades matt nickel+mahogany/
níquel mate+caoba

FAN MEDIUM / MEDIANO

Body Steel/Acero
Blades MDF
W 14-30-58
RPM 95-150-200
Airflow 116,2 m3 min/4103 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E14 MAX 8W LED [17461]
Diff Opal Glass/Cristal Opal



| | |
|-----------|-----------|
| A | A1 |
| 280/11" | 180/7.1" |
| B | C |
| 150/5.9" | 210/8.24" |
| D | E |
| 65/2.51" | Ø130/5.1" |
| F | G |
| Ø1220/48" | 495/19.5" |



YAKARTA

| | | | | | | |
|------------------|-------------------|---------------------------|------------------|-------------------|----------------------------|-------------------------|
| 121 CM | 47 INCH | 13-17 M2 140-190 SQ.FT | SUMMER WINTER | INCLINING ROOF | DIRECT CEILING MOUNTING | CONTROLLED BY CHAINS |
|------------------|-------------------|---------------------------|------------------|-------------------|----------------------------|-------------------------|



33711
Body antique brass/oro envejecido
Blades dark oak+bleached oak/roble oscuro+roble emblanquecido



33712
Body white/blanco
Blades white+maple/blanco+arce



33713
Body brown/marrón
Blades mahogany+ dark walnut/caoba+nogal oscuro



with light/con luz

3 E27 MAX 15W LED [17463]


33711-11
Body antique brass/oro envejecido
Blades dark oak+bleached oak/roble oscuro+roble emblanquecido

33712-12
Body white/blanco
Blades white+maple/blanco+arce

33713-13
Body brown/marrón
Blades mahogany+ dark walnut/caoba+nogal oscuro

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades Plywood
W 14-23-51
RPM 115-150-205
Airflow 94,57 m3 min/3340 CFM
Voltage (V/Hz) 220-240/50
Remote control [33929/33937]



| | |
|------------|-----------|
| A | AI |
| 350/13.7" | 300/11.8" |
| B | C |
| 130/5.11" | - |
| D | E |
| 60/2.35" | 130/5.1" |
| F | G |
| 1210/47.6" | 465/18.3" |

ECO INDUS

Ø 120
CM

Ø 47
INCH

13-17 M2
140-190 SQ.FT

WALL
CONTROL


INCLINING
ROOF

EASY
INSTALL



33005
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades Steel/Acero
W 16-26-68
RPM 150-225-322
Airflow 189,47 m3 min/6691 CFM
Voltage (V/Hz) 220-240/50
Remote control [33929/33937]



P,534
L

P,627
S



| A | A I |
|-------------|-----------|
| 320/12.6" | 270/10.6" |
| B | C |
| 160/6.29" | 190/7.5" |
| D | E |
| 60/2.35" | Ø130/5.1" |
| F | G |
| Ø1200/47.2" | 485/19.1" |

How to install the wall control? Visit faro.es / *Visita faro.es para la instalación del regulador de pared*

| | | | | | | |
|-------------------|--------------------|---------------------------|--------------------|----------------------------|------------------|--------------------|
| Ø120 CM | Ø47 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER |
|-------------------|--------------------|---------------------------|--------------------|----------------------------|------------------|--------------------|




FAN SMALL / PEQUEÑO

33756
33756WP *Smart Fan
Body matt white/blanco mate
Blades matt white/blanco mate

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 5-8-11-16-22-32
RPM 103-126-145-166-182-209
Airflow 211,9 m3 min/7484 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Optional downrod p. 636

LED 16W 3000K
 850lm CRI>80
 Driver
Diff
 Opal glass/
 Cristal opal



| | |
|-------------|-----------|
| A | AI |
| 320/12.6" | 230/9" |
| B | C |
| 190/7.5" | 155/6.1" |
| D | E |
| - | 150/5.9" |
| F | G |
| Ø1200/47.2" | 530/20.8" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



MINI ICARIA

| | | | | | |
|---------------------|----------------------|------------------------------------------------|----------------------------------|---------------------------|---------------------------|
| <p>Ø 107 CM</p> | <p>Ø 42 INCH</p> | <p>HOUSE < 13 M2 < 140 SQ.FT</p> | <p>SUN SUMMER WINTER</p> | <p>REMOTE CONTROL</p> | <p>INCLINING ROOF</p> |
|---------------------|----------------------|------------------------------------------------|----------------------------------|---------------------------|---------------------------|



33695
Body antique brass/oro envejecido
Blades brown+oak/marrón+roble



33696
Body matt nickel/níquel mate
Blades transparent/transparents



33697
Body rust brown/marrón rústico
Blades mahogany+oak/caoba+roble



33698
Body white/blanco
Blades white+maple/blanco+arce



33699
Body matt nickel/níquel mate
Blades grey+maple/gris+arce




FAN SMALL / PEQUEÑO

P.579
L



Body Steel/Acero
Blades MDF
W 16-24-35
RPM 135-175-210
Airflow 101,09 m3 min/3568 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E14 MAX 8W LED [17461]
 Diff Opal Glass/Cristal Opal



| | |
|-----------|-----------|
| A | AI |
| 405/15.9" | 270/10.6" |
| B | C |
| 280/11" | 160/6.3" |
| D | E |
| 60/2.35" | Ø130/5.1" |
| F | G |
| Ø1070/42" | 425/16.7" |

FEROE

∅107
CM

∅42
INCH

 < 13 M2
< 140 SQ.FT

 REMOTE
CONTROL

 INCLINING
ROOF




33600
Body white/blanco
Blades white+maple/blanco+arce



Body Steel/Acero
Blades MDF
W10-21-41
RPM 80-145-180
Airflow 64,16 m3 min/2265,7 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E14 MAX 8W LED
⊗ [17461]
Diff Opal glass/
Cristal opal



| | |
|-------------|-----------|
| A | AI |
| 320/12.6" | 210/8.2" |
| B | C |
| 160/6.3" | 200/7.9" |
| D | E |
| 60/2.3" | ∅130/5.1" |
| F | G |
| ∅1070/42.1" | 420/16.5" |

MINI MALLORCA

∅107
CM

∅42
INCH

< 13 M2
< 140 SQ.FT

REMOTE CONTROL

INCLINING ROOF



33603
Body shiny white/blanco brillo
Blades white+maple/blanco+arce



33604
Body matt nickel/níquel mate
Blades grey+black/gris+negro




33605
Body dark brown/marrón oscuro
Blades dark brown+reddish cherry/
marrón oscuro+cerezo rojizo

P.581
L



FAN SMALL / PEQUEÑO

Body Steel/Acero
Blades MDF
W 10-21-41
RPM 80-145-180
Airflow
64,16 m3 min/2265 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



| | |
|------------|-----------|
| A | AI |
| 235/9.3" | 200/7.9" |
| B | C |
| 90/3.5" | ∅220/8.6" |
| D | E |
| 60/2.3" | ∅130/5.1" |
| F | G |
| ∅107/42.1" | 420/16.5" |



MINI LANTAU

| | | | | | |
|--------------------|---------------------|------------------------|------------------|-------------------|-------------------|
| Ø 107 CM | Ø 42 INCH | < 13 M2 < 140 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF |
|--------------------|---------------------|------------------------|------------------|-------------------|-------------------|



33508
Body matt nickel/níquel mate
Blades walnut/nogal




33509
Body matt nickel/níquel mate
Blades pine/pino



33517
Body black/negro
Blades walnut/nogal

Body Steel/Acero
Blades Wood/Madera
W13-26-55
RPM 105-150-210
Airflow 143,2 m3 min/5055 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



P.521 XL **P.553** L



| | |
|-------------|------------|
| A | AI |
| 340/13.38" | 300/11.81" |
| B | C |
| 110/4.33" | 150/5.90" |
| D | E |
| 65/2.56" | 150/5.9" |
| F | G |
| 1070/42.12" | 460/18.11" |

LISBOA

Ø107
CM

Ø42
INCH

 < 13 M2
< 140 SQ.FT

 SUMMER
WINTER

 INCLINING
ROOF

 DIRECT CEIL-
ING
MOUNTING

 CONTROLLED
BY CHAINS



33102

Body dark brown/marrón oscuro

Blades mahogany+dark walnut/caoba+nogal oscuro



Body Steel/Acero

Blades MDF


W 27-35-47

RPM 130-185-235

Airflow 99,96 m3 min/3530 CFM

Voltage (V/Hz) 220-240/50


Optional downrod p. 636

Remote control [33929/33937] 

3 E27 MAX 15W LED 

[17462]

Diff Translucent Glass/
Cristal Translúcido



| | |
|-------------|-----------|
| A | AI |
| 460/8.1" | 240/9.4" |
| B | C |
| 220/8.63" | 300/11.8" |
| D | E |
| 60/2.35" | Ø130/5.1" |
| F | G |
| Ø1070/42.1" | 420/16.5" |

KOMODO

| | | | | | |
|---------------------|----------------------|-----------------------------------------------------|----------------------------------------------------------|-----------------------------------------|------------------------------------------------|
| <p>Ø 106 CM</p> | <p>Ø 42 INCH</p> | <p>House icon < 13 M2 < 140 SQ.FT</p> | <p>Sun icon SUMMER Snowflake icon WINTER</p> | <p>Roof icon INCLINING ROOF</p> | <p>Chair icon CONTROLLED BY CHAINS</p> |
|---------------------|----------------------|-----------------------------------------------------|----------------------------------------------------------|-----------------------------------------|------------------------------------------------|




FAN SMALL / PEQUEÑO

33723
Body matt black/negro mate
Blades black+walnut/negro+nogal



Body Steel/Acero
Blades Plywood
W 15-24-46
RPM 146-182-256
Airflow 88,89m3 min/3138,52 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636
Remote control [33929/33937] ⊗

2 E14 MAX 8W LED ⊗ [17461]
Diff Steel+glass/Acero+cristal



| | |
|-------------|------------|
| A | AI |
| 370/14.56" | 220/8.66" |
| B | C |
| 200/7.87" | 225/8.85" |
| D | E |
| 60/2.36" | 130/5.12" |
| F | G |
| 1070/42.04" | 450/17.71" |

FACTORY

Ø 106
CM

Ø 42
INCH

HOUSE
< 13 M²
< 140 SQ.FT

SUN
WINTER
SUMMER
WINTER

INCLINING
ROOF


CONTROLLED
BY CHAINS



33611
Body aluminium/aluminio
Blades grey+black/gris+negro



Body Steel/Acero
Blades MDF
W 20-29-42
RPM 80-140-190
Airflow 109 m³ min/3849,6 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636
Remote control [33929/33937] ⊗



| | |
|-------------|-----------|
| A | AI |
| 300/11.8" | 157/6.88" |
| B | C |
| 160/6.29" | 170/6.69" |
| D | E |
| 60/2.35" | Ø130/5.1" |
| F | G |
| Ø1060/41.7" | 420/16.5" |

EASY

| | | | | | | |
|-------------------|--------------------|------------------------|------------------|--------------------|-------------------|-----------------|
| Ø105 CM | Ø41 INCH | < 13 M2 < 140 SQ.FT | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF | EASY INSTALL |
|-------------------|--------------------|------------------------|------------------|--------------------|-------------------|-----------------|



33415
Body white/blanco
Blades white/blanco




33416
Body grey/gris
Blades grey/gris

FAN SMALL / PEQUEÑO

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-3-6-9hr
W11-23-68
RPM 105-185-285
Airflow 159,76 m3 min/5642 CFM
Voltage (V/Hz) 220-240/50

2 E27 MAX 15W
LED [17463]
Diff Opal glass/
Cristal opal



| | |
|-------------|-----------|
| A | AI |
| 460/18.1" | 320/12.6" |
| B | C |
| 100/3.93" | 210/8.24" |
| D | E |
| 75/2.91" | Ø140/5.5" |
| F | G |
| Ø1050/41.3" | 420/16.6" |

OBOE

Ø 105
CM

Ø 41
INCH

< 13 M²
< 140 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL


INCLINING
ROOF



33610
Body shiny white/blanco brillo
Blades white+maple/blanco+arce



Body Steel/Acero
Blades MDF
W 8-22-38
RPM 85-140-180
Airflow 64,16 m³ min/3849,6 CFM
Voltage (V/Hz) 220-240/50



| | |
|--------------|-----------|
| A | AI |
| 360/14.17" | 270/10.6" |
| B | C |
| 220/8.63" | 160/6.3" |
| D | E |
| 60/2.35" | Ø130/5.1" |
| F | G |
| Ø1050/41.34" | 420/16.5" |

CEBU

| | | | | | |
|-------------------|--------------------|--------------------------------------------|--------------------------------|---------------------------------|---------------------------------|
| ∅102 CM | ∅40 INCH | < 13 M2 < 140 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF |
|-------------------|--------------------|--------------------------------------------|--------------------------------|---------------------------------|---------------------------------|




FAN SMALL / PEQUEÑO

33606
Body shiny white/blanco brillo
Blades white+maple/blanco+arce



Body Steel/Acero
Blades MDF
W 8-22-38
RPM 84-140-180
Airflow 109 m3 min/3849,6 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E14 MAX 8W LED
⊗ [17461]
Diff Opal glass/
Cristal opal



| | |
|-------------|------------|
| A | AI |
| 410/16.1" | 270/10.6" |
| B | C |
| 300/11.8" | 180/7.05" |
| D | E |
| 60/2.35" | ∅140/5.51" |
| F | G |
| ∅1020/40.2" | 420/16.5" |

MINI UFO

∅101
CM

∅40
INCH

 < 13 M2
< 140 SQ.FT

 SUMMER
WINTER

 REMOTE
CONTROL




33454
Body white/blanco
Blades white+maple/blanco+arce



33455
Body matt nickel/niquel mate
Blades grey+maple/gris+arce

Body Steel/Acero
Blades MDF
W 8-18-42
RPM 90-150-200
Airflow 106,92 m3 min/3776 CFM
Voltage (V/Hz) 220-240/50

2 E27 MAX 15W
LED  [17463]
Diff Opal glass/
Cristal opal



| | |
|-----------|-----------|
| A | AI |
| 370/14.6" | 245/9.6" |
| B | C |
| 260/10.2" | 260/10.2" |
| D | E |
| 120/4.71" | ∅150/5.9" |
| F | G |
| ∅1015/40" | 384/15.1" |

MINI INDUS

| | | | | |
|------------------|--------------------|----------------------------|---------------------|---------------------|
| Ø92 CM | Ø36 INCH | < 13 M2 < 140 SQ.FT | WALL CONTROL | EASY INSTALL |
|------------------|--------------------|----------------------------|---------------------|---------------------|




Thanks to BSB

FAN SMALL / PEQUEÑO

33011
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades Steel/Acero
W 10-13-17-22-43
RPM 183-225-272-299-330
Airflow 74,56 m3 min/2633 CFM
Voltage (V/Hz) 220-240/50



| P.534 L | P.612 M |
|------------------------|------------------------|
| | |
| A 483/19" | AI 440/17.3" |
| B 160/6.29" | C Ø120/4.71" |
| D 120/4.71" | E Ø145/5.7" |
| F Ø920/36.2" | G 320/12.6" |

How to install the wall control? Visit faro.es / *Visita faro.es para la instalación del regulador de pared*

CHICAGO

Ø91
CM

Ø36
INCH

< 13 M2
< 140 SQ.FT

REMOTE
CONTROL


INCLINING
ROOF



33703
Body black/negro
Blades walnut/nogal

Body Steel/Acero
Blades MDF
W 15-26-49
RPM 136-192-225
Airflow 96,71 m3 min/3414 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

E27 MAX 15W LED [17463]



| | |
|------------|------------|
| A | A1 |
| 475/18.7" | 295/11.6" |
| B | C |
| 295/11.41" | 140/5.51" |
| D | E |
| 50/1.96" | Ø150/5.9 |
| F | G |
| Ø915/36" | 380/14.96" |

MEDITERRÁNEO

| | | | | |
|-------------------|---------------------|---------------------------------------|---------------------------|----------------------------------|
| <p>ø81 CM</p> | <p>ø32 INCH</p> | <p> < 13 M2 < 140 SQ.FT</p> | <p> SUMMER WINTER</p> | <p> CONTROLLED BY CHAINS</p> |
|-------------------|---------------------|---------------------------------------|---------------------------|----------------------------------|



33704
Body white/blanco
Blades white+maple/blanco+arce




33706
Body matt nickel/níquel mate
**Blades maple+ mahogany/
 arce+caoba**



FAN SMALL / PEQUEÑO

Body Steel/Acero
Blades MDF
W 14-23-47
RPM 198-232-280
Airflow 85,38 m3 min/3014 CFM
Voltage (V/Hz) 220-240/50
Remote control [33929/33937] ⊗

E14 MAX 8W LED ⊗ [17461]
Diff Opal glass/Cristal opal



| | |
|------------|------------|
| A | AI |
| 385/15.2" | 290/11.4" |
| B | C |
| 260/10.2" | 190/7.48" |
| D | E |
| 110/4.3" | ø130/5.11" |
| F | G |
| ø815/32.1" | 310/12.2" |



| | | | | | | | |
|-----------------|-------------------|----------------------------------------------------------------------------------------------------------|--------------------|----------------------------|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| 81 CM | 31 INCH |  < 13 M2 < 140 SQ.FT | DC MOTOR | SMART FAN OPTION |  SUMMER WINTER |  REMOTE CONTROL |  INCLINING ROOF |
|-----------------|-------------------|----------------------------------------------------------------------------------------------------------|--------------------|----------------------------|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|



33426
33426WP *Smart Fan
Body chrome/cromo
Blades transparent/transparente



33425
33425WP *Smart Fan
Body black/negro
Blades walnut/nogal



33428
33428WP *Smart Fan
Body antique brass/oro envejecido
Blades walnut/nogal



33423
33423WP *Smart Fan
Body copper/cobre
Blades walnut/nogal



33424
33424WP *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate



33429
33429WP *Smart Fan
Body antique brass/oro envejecido
Blades matt black/negro mate



33427
33427WP *Smart Fan
Body copper/cobre
Blades matt black/negro mate



with light/con luz

33426-9
33426WP-9 *Smart Fan
Body chrome/cromo
Blades transparent/transparente

33423-10
33423WP-10 *Smart Fan
Body copper/cobre
Blades walnut/nogal

33427-10
33427WP-10 *Smart Fan
Body copper/cobre
Blades matt black/negro mate

SMD LED 17W 3000K 600lm CRI>80 Driver  Diff Opal Glass/Cristal Opal


33425-10
33425WP-10 *Smart Fan
Body black/negro
Blades walnut/nogal


33424-10
33424WP-10 *Smart Fan
Body matt black/negro mate
Blades matt black/negro mate

33428-10
33428WP-10 *Smart Fan
Body antique brass/oro envejecido
Blades walnut/nogal

33429-10
33429WP-10 *Smart Fan
Body antique brass/oro envejecido
Blades matt black/negro mate

*Light Kits also sold separately p.651/Los kits de luz también se venden por separado p.651

Body Steel/Acero
Blades Polycarbonate/ Policarbonato
W 2.8-3.2-4-5-6-7-9
RPM 51-86-122-158-195-235
Airflow 121,69 m3 min/4296 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan (V/Hz) 100-240/50-60
Downrods (2) 
100mm/3.9" | 200mm/7.8"



| | |
|------------|-----------|
| A | AI |
| 390/15.3" | 630/24.8" |
| B | C |
| 180/7.05" | ø160/6.3" |
| D | E |
| 55/2.1" | ø130/5.1" |
| F | G |
| ø810/31.8" | 358/14.1" |

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



PALAO

| | | | | | | |
|-----------------|-------------------|------------------------|------------------|-------------------|-------------------------------|-------------------------|
| 81 CM | 31 INCH | < 13 M2 < 140 SQ.FT | SUMMER WINTER | INCLINING ROOF | DIRECT CEILING MOUNTING | CONTROLLED BY CHAINS |
|-----------------|-------------------|------------------------|------------------|-------------------|-------------------------------|-------------------------|



33179
Body white/blanco
Blades multicolour/multicolor



33180
Body white/blanco
Blades white/blanco



33183
Body matt nickel/níquel mate
Blades maple/arce




33185
Body dark brown/marrón oscuro
Blades mahogany/caoba




33186
Body grey/gris
Blades grey/gris

Body Steel/Acero
Blades MDF
W 24-28-37
RPM 127-192-241
Airflow 92,37 m3 min/3262 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636
Remote control [33929/33937]

E14 MAX 8W LED [17461]
Diff Opal glass/Cristal opal



| | |
|------------|-----------|
| A | AI |
| 390/15.3" | 260/10.2" |
| B | C |
| 190/7.5" | 170/6.9" |
| D | E |
| 60/2.35" | Ø130/5.1" |
| F | G |
| Ø810/31.8" | 350/13.7" |




| | |
|------------|-----------|
| A | AI |
| 250/9.8" | 160/6.3" |
| B | C |
| 190/7.5" | 170/6.9" |
| D | E |
| 60/2.35" | Ø130/5.1" |
| F | G |
| Ø810/31.8" | 350/13.7" |

VEDRA



33450
Body antique brass/oro envejecido
Blades walnut/nogal

Body Aluminium/Aluminio
Blades MDF
Adjustable/Regulable 90°
W 19-22-34-37
RPM 327-369-495-515
Airflow 58,11 m3 min/2052 CFM
Voltage (V/Hz) 220-240/50
Remote control [33929/33937]



| | |
|------------|-----------|
| A | AI |
| 540/21.2" | 450/17.7" |
| B | C |
| - | - |
| D | E |
| 60/2.35" | Ø145/5.7" |
| F | G |
| Ø460/18.1" | 200/7.9" |

KEIKI

| | | | | | |
|------------------|--------------------|----------------------------|----------------------|---------------------|-----------------------|
| ø43 CM | ø17 INCH | < 13 M2 < 140 SQ.FT | SUMMER WINTER | WALL CONTROL | INCLINING ROOF |
|------------------|--------------------|----------------------------|----------------------|---------------------|-----------------------|




33715
Body brown/marrón
Blades brown/marrón



33720
Body white/blanco
Blades white/blanco













FAN SMALL / PEQUEÑO

Body Steel/Acero
Blades Plywood
Ceiling & Wall/Apto para techo y pared
Adjustable/Regulable 45°/20°
W 10-19-28
RPM 380-640-890
Airflow 38,61 m3 min/ 1363 CFM
Voltage (V/Hz) 220-240/50








| | |
|------------|------------|
| A | A1 |
| 505/19.9" | 440/17.3" |
| B | C |
| - | - |
| D | E |
| 55/2.1" | ø150/5.11" |
| F | G |
| ø430/16.9" | 150/5.90" |

How to install the wall control? Visit faro.es / *Visita faro.es para la instalación del regulador de pared*

| OPTIONAL DOWNROD | COLOR | MATERIAL | SIZE |
|------------------|----------------------------------------------------------------------------------------------------------------|-------------|--------------|
| 33904 |  white/blanco | Steel/Acero | 300mm/11,8in |
| 33959 |  grey/gris | Steel/Acero | 300mm/11,8in |
| 33960 |  old gold/oro envejecido | Steel/Acero | 300mm/11,8in |
| 33962 |  brown/marrón | Steel/Acero | 300mm/11,8in |
| 33965 |  satin nickel/níquel satinado | Steel/Acero | 300mm/11,8in |
| 33944 |  white/blanco | Steel/Acero | 400mm/15,7in |
| 33948 |  matt nickel/níquel mate | Steel/Acero | 400mm/15,7in |
| 33954 |  white/blanco | Steel/Acero | 500mm/19,7in |
| 33957 |  old gold/oro envejecido | Steel/Acero | 500mm/19,7in |
| 33958 |  chrome/cromo | Steel/Acero | 500mm/19,7in |
| 33964 |  brown/marrón | Steel/Acero | 500mm/19,7in |
| 33971 |  satin nickel/níquel satinado | Steel/Acero | 500mm/19,7in |

OPTIONAL DOWNRODS ONLY FOR/ TIJAS OPCIONALES PARA MODELOS VULCANO, TONIC, CENTURY

| | | | |
|-------|-------------------------------------------------------------------------------------------------------------|-------------|---------------|
| 3R432 |  matt nickel/níquel mate | Steel/Acero | 1780mm/70,1in |
| 3R433 |  white/blanco | Steel/Acero | 2000mm/78,7in |
| 3R434 |  brown/marrón | Steel/Acero | 2000mm/78,7in |

| REMOTE CONTROLS | BATTERY | FREQUENCY | MATERIAL | INFO |
|-----------------|-------------------------------------------------------------------------------------------|-----------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 33929 | 1x9V  | 50/60Hz | PVC | -  |
| 33937 | 4xAAA  | 50/60Hz | Body PVC |   |

AC WALL CONTROL 3 SPEEDS

| | | | | |
|-------|--|--|-----|-----------------------------------------------------------------------------------------|
| 33928 | | | ABS | -  |
|-------|--|--|-----|-----------------------------------------------------------------------------------------|

*The wall control is not compatible with the remote control at same time / El regulador de pared no se puede usar al mismo tiempo que el mando a distancia

DC WALL CONTROL 6 SPEEDS *Compatible with/con: GOTLAND/RODAS/HYDRA/SAMOS/POROS

| | | | | |
|-------|--|--|--|-----------------------------------------------------------------------------------------|
| 33974 | | | | -  |
|-------|--|--|--|-----------------------------------------------------------------------------------------|

| CHAIN | SIZE |
|-------|----------------------------------------------------------------------------------------------------------|
| 33907 | - - - 300mm/11,8in  |

Optional accessories
Accesorios opcionales



Smart Bulb

Control your light with  app



All luminaires that can be controlled with our Smart Bulb
are identified with **Smart 17498**

*Todos las luminarias que permiten ser controladas con nuestra bombilla
inteligente están identificadas con **Smart 17498***



It works with WiFi / *Funciona con WiFi*



Compatible with / Compatible con
Alexa, Google assistant & Siri



On/Off

Grouping

Scenes

Animation

Gallery

Intensity







Calendar

Timer

Sunrise
& Sunset























Multiple features / *Múltiples funcionalidades*




















| A60 | Ref | Socket | K | lm | CRI | I.E.E. | P | Beam | Dimm | V | Hz | Hrs. | Caract. | Size |
|-----|-------|--------|------|-----|-----|--------|----|------|------|---------|-------|--------|----------|----------------------|
| | 17498 | E27 | 2700 | 806 | ≥80 | A++ | 7W | 360° | APP | 220-240 | 50/60 | 25.000 | Filament | ø60/2,3" 102/4,5" |





















| LED Module | Ref | Socket | K | lm | CRI | I.E.E. | P | Beam | Dimm | DC Current | Hrs. | *Driver not incl. |
|-----------------------------------------------------------------------------------|-------|--------|------|------|-----|--------|-----|------|------|------------|--------|----------------------|
|  | 18030 | — | 2700 | 930 | 90 | — | 12W | 12° | ✓ | 350 mA | 50.000 | 98310114C / 98310320 |
|  | 18031 | — | 2700 | 1140 | 90 | — | 12W | 36° | ✓ | 350 mA | 50.000 | 98310114C / 98310320 |
|  | 18032 | — | 3000 | 1040 | 90 | — | 12W | 12° | ✓ | 350 mA | 50.000 | 98310114C / 98310320 |
|  | 18033 | — | 3000 | 1140 | 90 | — | 12W | 36° | ✓ | 350 mA | 50.000 | 98310114C / 98310320 |
|  | 18034 | — | 4000 | 1040 | 90 | — | 12W | 12° | ✓ | 350 mA | 50.000 | 98310114C / 98310320 |
|  | 18035 | — | 4000 | 1140 | 90 | — | 12W | 36° | ✓ | 350 mA | 50.000 | 98310114C / 98310320 |

*Suitable for/Apto para FRESH/WET/RADÓN/ARGÓN/NEÓN/GAS *Drivers information on pages 488-491 / Información de Drivers en páginas 488-491





| GU10 | Ref | Socket | K | lm | CRI | I.E.E. | P | Beam | Dimm | V | Hz | Hrs. | Caract. | Size |
|-------------------------------------------------------------------------------------|-------|--------|------|-----|-----|--------|----|------|------|---------|-------|--------|----------------|------------------|
|  | 17328 | GU10 | 2700 | 600 | 80 | A+ | 7W | 120° | — | 220-240 | 50 | 25.000 | — | ø50/1,9" 55/2,3" |
|  | 17329 | GU10 | 4000 | 650 | 80 | A+ | 7W | 120° | — | 220-240 | 50 | 25.000 | — | ø50/1,9" 55/2,3" |
|  | 17330 | GU10 | 3000 | 540 | 80 | A+ | 7W | 38° | — | 220-240 | 50 | 25.000 | Glass | ø53/1,9" 53/2,1" |
|  | 17309 | GU10 | 3000 | 500 | >90 | A+ | 7W | 40° | — | 220-240 | 50/60 | 25.000 | — | ø50/1,9" 54/2,1" |
|  | 17316 | GU10 | 2700 | 450 | 80 | A+ | 8W | 38° | — | 100-240 | 50/60 | 25.000 | — | ø50/1,9" 50/1,9" |
|  | 17317 | GU10 | 4000 | 480 | 80 | A+ | 8W | 38° | — | 220-240 | 50/60 | 25.000 | — | ø50/1,9" 50/1,9" |
|  | 17320 | GU10 | 2700 | 500 | 80 | A+ | 8W | 60° | — | 100-240 | 50/60 | 25.000 | — | ø50/1,9" 50/1,9" |
|  | 17321 | GU10 | 4000 | 520 | 80 | A+ | 8W | 60° | — | 100-240 | 50/60 | 25.000 | — | ø50/1,9" 50/1,9" |
|  | 17318 | GU10 | 2700 | 450 | 80 | A+ | 8W | 38° | ✓ | 100-240 | 50/60 | 25.000 | — | ø50/1,9" 54/2,1" |
|  | 17319 | GU10 | 4000 | 480 | 80 | A+ | 8W | 38° | ✓ | 220-240 | 50/60 | 25.000 | — | ø50/1,9" 54/2,1" |
|  | 17324 | GU10 | 2700 | 500 | 80 | A+ | 8W | 60° | — | 100-240 | 50/60 | 25.000 | — | ø50/1,9" 54/2,1" |
|  | 17325 | GU10 | 4000 | 520 | 80 | A+ | 8W | 60° | — | 100-240 | 50/60 | 25.000 | — | ø50/1,9" 50/1,9" |
|  | 17331 | GU10 | 2700 | 500 | 80 | A+ | 8W | 60° | ✓ | 220-240 | 50/60 | 25.000 | — | ø50/1,9" 54/2,1" |
|  | 17332 | GU10 | 4000 | 520 | 80 | A+ | 8W | 60° | ✓ | 220-240 | 50/60 | 25.000 | — | ø50/1,9" 54/2,1" |
| G45 | | | | | | | | | | | | | | |
|  | 17472 | E27 | — | 30 | — | A+ | 1W | 360° | — | 220-240 | 50/60 | 25.000 | Coloured glass | ø45/1,7" 66/2,6" |
|  | 17473 | E27 | — | 30 | — | A+ | 1W | 360° | — | 220-240 | 50/60 | 25.000 | Coloured glass | ø45/1,7" 66/2,6" |
|  | 17474 | E27 | — | 30 | — | A+ | 1W | 360° | — | 220-240 | 50/60 | 25.000 | Coloured glass | ø45/1,7" 66/2,6" |
|  | 17475 | E27 | — | 30 | — | A+ | 1W | 360° | — | 220-240 | 50/60 | 25.000 | Coloured glass | ø45/1,7" 66/2,6" |

| C35 | Ref | Socket | K | lm | CRI | I.E.E. | P | Beam | Dimm | V | Hz | Hrs. | Caract. | Size |
|-------------------------------------------------------------------------------------|-------|--------|------|------|-----|--------|-----|------|------|---------|-------|--------|---------------|-----------------------|
|  | 17460 | E14 | 2700 | 450 | 80 | A++ | 4W | 360° | — | 220-240 | 50/60 | 25.000 | Matt glass | ø35/1,3" 100/4" |
| G45 | | | | | | | | | | | | | | |
|  | 17461 | E14 | 2700 | 450 | 80 | A++ | 4W | 360° | — | 220-240 | 50/60 | 25.000 | Matt glass | ø45/1,7" 78/3,1" |
|  | 17462 | E27 | 2700 | 450 | 80 | A++ | 4W | 360° | — | 220-240 | 50/60 | 25.000 | Matt glass | ø45/1,7" 70/2,7" |
| T45 | | | | | | | | | | | | | | |
|  | 17437 | E27 | 3000 | 550 | 80 | A++ | 5W | 360° | — | 220-240 | 50/60 | 25.000 | Matt glass | ø45/1,7" 72/2,7" |
| A60 | | | | | | | | | | | | | | |
|  | 17463 | E27 | 2700 | 800 | 80 | A++ | 7W | 360° | — | 220-240 | 50/60 | 25.000 | Matt glass | ø60/2,3" 102/4" |
|  | 17484 | E27 | 4000 | 830 | 80 | A++ | 7W | 360° | — | 220-240 | 50/60 | 25.000 | Matt glass | ø60/2,3" 102/4" |
|  | 17485 | E27 | 2700 | 900 | 80 | A++ | 8W | 360° | ✓ | 220-240 | 50/60 | 25.000 | Matt glass | ø60/2,3" 102/4" |
|  | 17486 | E27 | 4000 | 950 | 80 | A++ | 8W | 360° | ✓ | 220-240 | 50/60 | 25.000 | Matt glass | ø60/2,3" 102/4" |
|  | 17063 | E27 | 2700 | 640 | 80 | A+ | 8W | 270° | — | 220-240 | 50/60 | 25.000 | Polycarbonate | ø60/2,3" 110/4,3" |
|  | 17064 | E27 | 5000 | 680 | 80 | A+ | 8W | 270° | — | 220-240 | 50/60 | 25.000 | Polycarbonate | ø60/2,3" 110/4,3" |
|  | 17067 | E27 | 2700 | 810 | 80 | A+ | 10W | 270° | ✓ | 220-240 | 50/60 | 25.000 | Polycarbonate | ø60/2,3" 120/4,7" |
| G95 | | | | | | | | | | | | | | |
|  | 17464 | E27 | 2700 | 800 | 80 | A++ | 6W | 360° | — | 220-240 | 50/60 | 25.000 | Matt glass | ø95/3,7" 138/5,4" |
|  | 17482 | E27 | 2700 | 900 | 80 | A++ | 8W | 360° | ✓ | 220-240 | 50/60 | 25.000 | Matt glass | ø95/3,7" 130/5,1" |
|  | 17483 | E27 | 4000 | 950 | 80 | A++ | 8W | 360° | ✓ | 220-240 | 50/60 | 25.000 | Matt glass | ø95/3,7" 130/5,1" |
| G120 | | | | | | | | | | | | | | |
|  | 17478 | E27 | 2700 | 1600 | 80 | A+ | 19W | 270° | — | 220-240 | 50/60 | 25.000 | Polycarbonate | ø120/4,7" 155/6,1" |
|  | 17479 | E27 | 2700 | 1600 | 80 | A+ | 19W | 270° | ✓ | 220-240 | 50/60 | 25.000 | Polycarbonate | ø120/4,7" 155/6,1" |
| G125 | | | | | | | | | | | | | | |
|  | 17465 | E27 | 2700 | 800 | 80 | A++ | 6W | 360° | — | 220-240 | 50/60 | 25.000 | Matt glass | ø125/4,9" 175/6,8" |
| G45 | | | | | | | | | | | | | | |
|  | 17417 | E27 | 2700 | 220 | 80 | A++ | 2W | 360° | — | 220-240 | 50/60 | 25.000 | Filament | ø45/1,7" 70/2,7" |
| A60 | | | | | | | | | | | | | | |
|  | 17420 | E27 | 2700 | 470 | 80 | A++ | 4W | 360° | — | 220-240 | 50/60 | 25.000 | Filament | ø60/2,3" 105/4,7" |
| ST64 | | | | | | | | | | | | | | |
|  | 17422 | E27 | 2700 | 470 | 80 | A++ | 4W | 360° | — | 220-240 | 50/60 | 25.000 | Filament | ø64/2,5" 146/5,7" |
| G95 | | | | | | | | | | | | | | |
|  | 17415 | E27 | 2700 | 470 | 80 | A++ | 4W | 360° | — | 220-240 | 50/60 | 25.000 | Filament | ø95/3,7" 138/5,4" |
| G125 | | | | | | | | | | | | | | |
|  | 17423 | E27 | 2700 | 460 | 80 | A++ | 4W | 360° | — | 220-240 | 50/60 | 25.000 | Filament | ø125/4,9" 175/6,8" |


| T30 | Ref | Socket | K | lm | CRI | I.E.E. | P | Beam | Dimm | V | Hz | Hrs. | Caract. | Size |
|-------------------------------------------------------------------------------------|-------|--------|------|-----|-----|--------|----|------|------|---------|-------|--------|----------------|------------------------|
|  | 17445 | E27 | 2700 | 550 | 80 | A+ | 6W | 360° | — | 220-240 | 50/60 | 25.000 | Filament Amber | ø28/1,1" 300/11,8" |
| C35 | | | | | | | | | | | | | | |
|  | 17427 | E14 | 2200 | 200 | — | A++ | 2W | 360° | — | 220-240 | 50/60 | 25.000 | Filament Amber | ø36/1,4" 100/3,9" |
| G45 | | | | | | | | | | | | | | |
|  | 17413 | E14 | 2200 | 200 | — | A++ | 2W | 360° | — | 220-240 | 50/60 | 25.000 | Filament Amber | ø45/1,7" 78/3,1" |
|  | 17414 | E27 | 2200 | 200 | — | A++ | 2W | 360° | — | 220-240 | 50/60 | 25.000 | Filament Amber | ø45/1,7" 70/2,7" |
|  | 17493 | E27 | 2200 | 300 | — | A+ | 4W | 360° | ✓ | 220-240 | 50/60 | 25.000 | Filament Amber | ø45/1,7" 70/2,7" |
| A60 | | | | | | | | | | | | | | |
|  | 17426 | E27 | 2200 | 400 | — | A++ | 4W | 360° | — | 220-240 | 50/60 | 25.000 | Filament Amber | ø56/2,2" 102/4" |
|  | 17432 | E27 | 2200 | 400 | — | A+ | 5W | 360° | ✓ | 220-240 | 50/60 | 25.000 | Filament Amber | ø56/2,2" 102/4" |
| ST64 | | | | | | | | | | | | | | |
|  | 17428 | E27 | 2200 | 400 | — | A++ | 4W | 360° | — | 220-240 | 50/60 | 25.000 | Filament Amber | ø64/2,5" 146/5,7" |
|  | 17433 | E27 | 2200 | 400 | — | A+ | 5W | 360° | ✓ | 220-240 | 50/60 | 25.000 | Filament Amber | ø64/2,5" 146/5,7" |
| SP64 | | | | | | | | | | | | | | |
|  | 17409 | E27 | 2000 | 250 | — | A | 5W | 360° | — | 220-240 | 50/60 | 25.000 | Filament Amber | ø64/2,5" 146/5,7" |
| G95 | | | | | | | | | | | | | | |
|  | 17429 | E27 | 2200 | 400 | — | A++ | 4W | 360° | — | 220-240 | 50/60 | 25.000 | Filament Amber | ø95/3,7" 138/5,3" |
| G125 | | | | | | | | | | | | | | |
|  | 17434 | E27 | 2200 | 400 | — | A+ | 5W | 360° | ✓ | 220-240 | 50/60 | 25.000 | Filament Amber | ø125/4,9" 175/6,8" |
|  | 17425 | E27 | 2200 | 400 | — | A++ | 4W | 360° | — | 220-240 | 50/60 | 25.000 | Filament Amber | ø125/4,9" 175/6,8" |
| A160 | | | | | | | | | | | | | | |
|  | 17447 | E27 | 2000 | 280 | — | A+ | 5W | 360° | ✓ | 220-240 | 50/60 | 25.000 | Filament Amber | ø160/6,3" 300/11,8" |
| BT180 | | | | | | | | | | | | | | |
|  | 17449 | E27 | 2000 | 400 | — | A+ | 8W | 360° | ✓ | 220-240 | 50/60 | 25.000 | Filament Amber | ø160/6,3" 390/15,3" |
| G200 | | | | | | | | | | | | | | |
|  | 17448 | E27 | 2000 | 280 | — | A+ | 5W | 360° | ✓ | 220-240 | 50/60 | 25.000 | Filament Amber | ø200/7,8" 300/11,8" |
| A60 | | | | | | | | | | | | | | |
|  | 17496 | E27 | 2700 | 470 | 80 | A++ | 4W | 360° | — | 220-240 | 50/60 | 25.000 | Gold | ø60/2,3" 102/4" |
| G95 | | | | | | | | | | | | | | |
|  | 17271 | E27 | 2700 | 400 | 80 | A++ | 4W | 180° | — | 220-240 | 50/60 | 25.000 | Mirror | ø95/3,7" 128/5" |
| T26 | | | | | | | | | | | | | | |
|  | 17446 | E14 | 2700 | 120 | 80 | A++ | 1W | 360° | — | 220-240 | 50/60 | 25.000 | LED | ø25/0,1" 58/2,3" |

| | Ref | Socket | K | lm | CRI | I.E.E. | P | Beam | Dimm | V | Hz | Hrs. | Caract. | Size |
|-------------------------------------------------------------------------------------|-------|--------|------|------|-----|--------|------|------|------|---------|-------|--------|---------|------------------------|
| R7S | | | | | | | | | | | | | | |
|  | 17497 | JP117 | 2700 | 800 | 80 | A++ | 8W | 360° | — | 220-240 | 50/60 | 25.000 | LED | ø13,5/0,5" 118/4,6" |
| G4 | | | | | | | | | | | | | | |
|  | 17487 | G4 | 3000 | 180 | 80 | A++ | 1,6W | 360° | — | 12 AC | — | 25.000 | LED | ø10/0,4" 37/1,4" |
|  | 17494 | G4 | 3000 | 90 | 80 | A++ | 1,5W | 360° | — | 12 AC | 50/60 | 25.000 | LED | ø11/0,5" 33/1,3" |
| G9 | | | | | | | | | | | | | | |
|  | 17443 | G9 | 2700 | 350 | 80 | A++ | 3,5W | 360° | — | 220-240 | 50/60 | 25.000 | — | ø15/0,6" 50/1,9" |
|  | 17444 | G9 | 4000 | 350 | 80 | A++ | 3,5W | 360° | — | 220-240 | 50/60 | 25.000 | — | ø15/0,6" 50/1,9" |
|  | 17468 | G9 | 2700 | 350 | 80 | A++ | 3,5W | 360° | ✓ | 220-240 | 50/60 | 25.000 | — | ø16/0,7" 50/1,9" |
|  | 17495 | G9 | 3000 | 420 | 80 | A++ | 3,5W | 360° | — | 220-240 | 50/60 | 25.000 | — | ø13/0,5" 58/3,3" |
|  | 17466 | G9 | 2700 | 500 | 80 | A++ | 5W | 360° | — | 220-240 | 50/60 | 25.000 | — | ø16/0,7" 60/2,3" |
|  | 17467 | G9 | 4000 | 500 | 80 | A++ | 5W | 360° | — | 220-240 | 50/60 | 25.000 | — | ø16/0,7" 60/2,3" |
| PAR38 | | | | | | | | | | | | | | |
|  | 17399 | E27 | 4000 | 400 | — | A+ | 10W | 60° | — | 220-240 | 50/60 | 30.000 | — | ø120/4,7" 134/5,2" |
|  | 17400 | E27 | 4000 | 850 | 80 | A+ | 10W | 60° | — | 220-240 | 50/60 | 30.000 | — | ø120/4,7" 140/5,5" |
|  | 17398 | E27 | 3000 | 810 | 80 | A+ | 12W | 23° | — | 100-240 | 50/60 | 25.000 | IP65 | ø120/4,7" 134/5,2" |
| R63 | | | | | | | | | | | | | | |
|  | 17476 | E27 | 2700 | 700 | 80 | A+ | 8W | 120° | — | 220-240 | 50/60 | 25.000 | LED | ø63/2,5" 102,5/4" |
| R80 | | | | | | | | | | | | | | |
|  | 17477 | E27 | 2700 | 1050 | 80 | A+ | 12W | 120° | — | 220-240 | 50/60 | 25.000 | LED | ø80/3,1" 112/4,4" |
| JP118 | | | | | | | | | | | | | | |
|  | 17490 | R7s | 2700 | 1000 | 80 | A+ | 12W | — | — | 220-240 | 50/60 | 25.000 | LED | ø23/0,9" 118/4,6" |
|  | 17491 | R7s | 4000 | 1050 | 80 | A+ | 12W | — | — | 220-240 | 50/60 | 25.000 | LED | ø23/0,9" 118/4,6" |
| JP78 | | | | | | | | | | | | | | |
|  | 17488 | R7s | 2700 | 600 | 80 | A+ | 7W | — | — | 220-240 | 50/60 | 25.000 | LED | ø23/0,9" 78/3,07" |
|  | 17489 | R7s | 4000 | 650 | 80 | A+ | 7W | — | — | 220-240 | 50/60 | 25.000 | LED | ø23/0,9" 78/3,07" |
|  | 17499 | R7s | 2700 | 450 | 80 | A++ | 4W | — | — | 220-240 | 50/60 | 25.000 | LED | ø14/0,5" 78/3,07" |
| GX53 | | | | | | | | | | | | | | |
|  | 17340 | GX53 | 3000 | 470 | 80 | A+ | 6W | — | — | 220-240 | 50/60 | 25.000 | LED | ø76/2,9" 26/1,2" |


Items with special discount conditions
Artículos con condiciones especiales de descuento

| LED Bulb GU5.3 | | SOCKET | P | CRI | | DIM | BEAM | FLUX | CCT |
|-------------------------------------------------------------------------------------|----------|-------------|------|-----|---------|-----|------|------|-----|
| PARATHOM MR16 | | | | | | | | | |
|  | 97686227 | GU5.3 | 8W | 92 | 40000 h | ✓ | 24° | | |
| | 97686230 | GU5.3 | 8W | 92 | 40000 h | ✓ | 24° | | |
| | 97686327 | GU5.3 | 8W | 92 | 40000 h | ✓ | 36° | | |
| | 97686330 | GU5.3 | 8W | 92 | 40000 h | ✓ | 36° | | |
| LED bulb GU10 | | | | | | | | | |
| MASTER LED Spot MV | | | | | | | | | |
|  | 97685327 | SOCKET GU10 | 5W | 90 | 25000 h | ✓ | 36° | | |
| | 97685330 | SOCKET GU10 | 5W | 90 | 25000 h | ✓ | 36° | | |
| | 97264 | SOCKET GU10 | 5W | 90 | 25000 h | ✓ | 60° | | |
| | 97404 | SOCKET GU10 | 5W | 90 | 25000 h | ✓ | 60° | | |
| | 97273 | SOCKET GU10 | 5.5W | 97 | 40000 h | ✓ | 36° | | |
| | 97402 | SOCKET GU10 | 5.5W | 97 | 40000 h | ✓ | 36° | | |
| LED bulb GU10 | | | | | | | | | |
| PARATHOM GU10 | | | | | | | | | |
|  | 97166 | SOCKET GU10 | 6.9W | 80 | 15000 h | | 36° | | |
| | 97291 | SOCKET GU10 | 6.9W | 80 | 15000 h | | 36° | | |
| | 97403 | SOCKET GU10 | 6.9W | 80 | 15000 h | | 60° | | |
| | 97292 | SOCKET GU10 | 6.9W | 80 | 15000 h | | 60° | | |
| QR111 | | | | | | | | | |
| PARATHOM QR111 | | | | | | | | | |
|  | 97411 | SOCKET G53 | 15W | 90 | 40000 h | ✓ | 24° | | |
| | 97412 | SOCKET G53 | 15W | 90 | 40000 h | ✓ | 24° | | |
| | 97413 | SOCKET G53 | 15W | 90 | 40000 h | ✓ | 40° | | |
| | 97414 | SOCKET G53 | 15W | 90 | 40000 h | ✓ | 40° | | |
| PAR30 | | | | | | | | | |
| PARATHOM PAR30 | | | | | | | | | |
| | 97687127 | E27 | 10W | 90 | 25000 h | ✓ | 36° | | |

SORAA

| GU10 | SOCKET | P | CRI | BEAM | FLUX | CCT | Compatible CCT Shifter | Compat. Linear Louver System | |
|-----------------------------------------------------------------------------------|----------|-------------|------|------|------|-----|------------------------|------------------------------|--|
|  | 97691327 | SOCKET GU10 | 7.5W | 95 | 25° | | ✓ | ✓ | |
| | 97691127 | SOCKET GU10 | 7.5W | 95 | 10° | | ✓ | ✓ | |
| | 97691227 | SOCKET GU10 | 7.5W | 95 | 36° | | ✓ | ✓ | |
| | 97691330 | SOCKET GU10 | 7.5W | 95 | 25° | | ✓ | ✓ | |
| | 97691130 | SOCKET GU10 | 7.5W | 95 | 10° | | ✓ | ✓ | |
| | 97691230 | SOCKET GU10 | 7.5W | 95 | 36° | | ✓ | ✓ | |


MR16 - GU5.3

| | | | | | | | | | |
|-----------------------------------------------------------------------------------|----------|--------------|------|----|-----|--|---|---|--|
|  | 97690127 | SOCKET GU5.3 | 7.5W | 95 | 10° | | | ✓ | |
| | 97690427 | SOCKET GU5.3 | 7.5W | 95 | 36° | | | ✓ | |
| | 97690130 | SOCKET GU5.3 | 7.5W | 95 | 10° | | ✓ | ✓ | |
| | 97690430 | SOCKET GU5.3 | 7.5W | 95 | 36° | | ✓ | ✓ | |

SNAP System - MR16 & PAR 20

| | | | | | | | | |
|----------|------------------------------------------------------------------|--|--|--|--|--|--|--|
| 97691695 | CCT Shifter SNAP Lens - 2" Color Filter, 1/2 CTO, 3000K to 2400K | | | | | | | |
| 97691696 | CCT Shifter SNAP Lens - 2" Color Filter, 3/4 CTO, 3000K to 2200K | | | | | | | |
| 97691697 | SNAP Lens - 2" Linear Beam Spreader 10°x25° | | | | | | | |
| 97691698 | SNAP Lens - 2" Linear Beam Spreader 10°x36° | | | | | | | |
| 97691701 | SNAP Lens - 2" Beam Spreader 17° | | | | | | | |
| 97691702 | SNAP Lens - 2" Beam Spreader 25° | | | | | | | |
| 97691703 | SNAP Lens - 2" Beam Spreader 36° | | | | | | | |
| 97691704 | SNAP Lens - 2" Beam Spreader 60° | | | | | | | |
| 97691699 | SNAP Lens - 2" Louver 40° | | | | | | | |

QR111 - 12V

| QR111 - 12V | SOCKET | P | CRI | BEAM | FLUX | CCT | |
|-------------------------------------------------------------------------------------|----------|------------|-------|------|------|-----|--|
|  | 97692327 | SOCKET G53 | 12.5W | | | | |
| | 97692427 | SOCKET G53 | 12.5W | | | | |
| | 97692330 | SOCKET G53 | 12.5W | | | | |
| | 97692430 | SOCKET G53 | 12.5W | | | | |

SNAP System - Large Lamps

| | | | | | | | | |
|----------|------------------------------------------------------------------|--|--|--|--|--|--|--|
| 97692595 | CCT Shifter SNAP Lens - 4" Color Filter, 1/2 CTO, 3000K to 2700K | | | | | | | |
| 97692596 | CCT Shifter SNAP Lens - 4" Color Filter, 3/4 CTO, 3000K to 2200K | | | | | | | |
| 97692597 | SNAP Lens - 4" Linear Beam Spreader 10°x36° | | | | | | | |
| 97692598 | SNAP Lens - 4" Linear Beam Spreader 10°x60° | | | | | | | |
| 97692601 | SNAP Lens - 4" Beam Spreader 17° | | | | | | | |
| 97692602 | SNAP Lens - 4" Beam Spreader 25° | | | | | | | |
| 97692603 | SNAP Lens - 4" Beam Spreader 36° | | | | | | | |
| 97692604 | SNAP Lens - 4" Beam Spreader 60° | | | | | | | |
| 97692599 | SNAP Lens - 4" Louver 40° | | | | | | | |

| | | mA | P | V | units | | |
|-------------------|----------------------------------|--------|-----|----------|-------------|---------|------------|
| FOX 3W | 02101001 02101002 | 350mA | 3W | 100/240V | 1-4 units | on/off | 98310620 |
| | | | | 220/240V | 2-3 units | triac | 98310110LC |
| | | | | 220/240V | 2-5 units | dali | 98310536 |
| | | | | 220/240V | 2-5 units | casambi | 98310538 |
| FOX 5W | 02101001 02101002 | 500mA | 5W | 100/240V | only 1 unit | on/off | 98310306 |
| | | | | 220/240V | 2-4 units | triac | 98310321LC |
| | | | | 220/240V | 1-5 units | dali | 98310536 |
| | | | | 220/240V | 1-5 units | casambi | 98310538 |
| FOX TRIMLESS 3W | 02101101 02101102 | 350mA | 3W | 100/240V | 1-4 units | on/off | 98310620 |
| | | | | 220/240V | 2-3 units | triac | 98310110LC |
| | | | | 220/240V | 2-5 units | dali | 98310536 |
| | | | | 220/240V | 2-5 units | casambi | 98310538 |
| FOX TRIMLESS 5W | 02101101 02101102 | 500mA | 5W | 100/240V | only 1 unit | on/off | 98310306 |
| | | | | 220/240V | 2-4 units | triac | 98310321LC |
| | | | | 220/240V | 1-5 units | dali | 98310536 |
| | | | | 220/240V | 1-5 units | casambi | 98310538 |
| FOX ORIENTABLE 3W | 02101301 02101302 | 350mA | 3W | 100/240V | 1-4 units | on/off | 98310620 |
| | | | | 220/240V | 2-3 units | triac | 98310110LC |
| | | | | 220/240V | 2-5 units | dali | 98310536 |
| | | | | 220/240V | 2-5 units | casambi | 98310538 |
| FOX ORIENTABLE 5W | 02101301 02101302 | 500mA | 5W | 100/240V | only 1 unit | on/off | 98310306 |
| | | | | 220/240V | 2-4 units | triac | 98310321LC |
| | | | | 220/240V | 1-5 units | dali | 98310536 |
| | | | | 220/240V | 1-5 units | casambi | 98310538 |
| FOX 7W | 02101501 | 350mA | 7W | 100/240V | 1-2 units | on/off | 98310620 |
| | | | | 220/240V | 2 units | triac | 98310118LC |
| | | | | 220/240V | 2 units | dali | 98310536 |
| | | | | 220/240V | 2 units | casambi | 98310538 |
| FOX 10W | 02101601 | 500mA | 10W | 100/240V | 1-2 units | on/off | 98310620 |
| | | | | 220/240V | 2 units | triac | 98310321LC |
| | | | | 220/240V | 2 units | dali | 98310536 |
| | | | | 220/240V | 2 units | casambi | 98310538 |
| AIM 3W | 02100401 | 350mA | 3W | 100/240V | 1-4 units | on/off | 98310620 |
| | | | | 220/240V | 2-3 units | triac | 98310110LC |
| | | | | 220/240V | 3-6 units | dali | 98310536 |
| | | | | 220/240V | 3-6 units | casambi | 98310538 |
| CLEAR 7W | 02100301 | 350mA | 7W | 100/240V | 1-2 units | on/off | 98310620 |
| | | | | 220/240V | 2 units | triac | 98310118LC |
| | | | | 220/240V | 1-2 units | dali | 98310536 |
| | | | | 220/240V | 1-2 units | casambi | 98310538 |
| BOW 3W | 02150101 | 350mA | 3W | 100/240V | 1-2 units | on/off | 98310620 |
| | | | | 220/240V | 2 units | triac | 98310118LC |
| | | | | 220/240V | 2 units | dali | 98310536 |
| | | | | 220/240V | 2 units | casambi | 98310538 |
| BOW 10W | 02150201 | 350mA | 10W | 100/240V | 1-2 units | on/off | 98310620 |
| | | | | 220/240V | 2 units | triac | 98310321LC |
| | | | | 220/240V | 2 units | dali | 98310536 |
| | | | | 220/240V | 2 units | casambi | 98310538 |
| BOW 18W | 02150301 | 350mA | 18W | 100/240V | only 1 unit | on/off | 98310620 |
| | | | | 220/240V | only 1 unit | triac | 98310321LC |
| | | | | 220/240V | only 1 unit | dali | 98310536 |
| | | | | 220/240V | only 1 unit | casambi | 98310538 |
| PLAS 1W | 63281 63282 63283 63490 | 350mA | 1W | 100/240V | only 1 unit | on/off | 98310103 |
| | | | | 220/240V | 2-3 units | triac | 98310110LC |
| | | | | 220/240V | 5-17 units | dali | 98310536 |
| | | | | 220/240V | 5-17 units | casambi | 98310538 |
| SIGNAL 3W | 02100101 | | 3W | 100/240V | 1-2 units | on/off | 98310110 |
| | | | | 220/240V | 2-3 units | triac | 98310110LC |
| | | | | 220/240V | 2-6 units | dali | 98310536 |
| | | | | 220/240V | 2-6 units | casambi | 98310538 |
| WABI 10W | 43900 | | 10W | 100/240V | only 1 unit | on/off | 98310510C |
| | | | | 220/240V | only 1 unit | triac | 98310510C |
| NORD 18W | 63290 | | 18W | 100/240V | only 1 unit | on/off | 98310118LC |
| | | | | 220/240V | only 1 unit | triac | 98310118LC |
| TRAS 4W | 71701 | 24V DC | 4W | 100/240V | only 1 unit | on/off | 98324015U |
| TRAS 8W | 71702 | 24V DC | 8W | 100/240V | 1-2 units | on/off | 98324015U |
| TRAS 25W | 71716/71717 | 24V DC | 25W | 100/240V | 1-2 units | on/off | 98324030 |
| DANG 3W | 70446 | | 3W | 100/240V | 1-2 units | on/off | 98324006 |

| | | mA | P | V | units | | |
|-------------------------|----------------------------------|--------|-------|----------|-------------|---------|------------|
| TROOP 2W | 43700 43704 | 700mA | 2W | 100/240V | 1-3 units | on/off | 98310206E |
| | | | | 220/240V | 2-4 units | triac | 98310210 |
| | | | | 220/240V | 4-16 units | dali | 98310536 |
| | | | | 220/240V | 4-16 units | casambi | 98310538 |
| TROOP 3x2W | 43701 43705 | 700mA | 3x2W | 100/240V | only 1 unit | on/off | 98310206E |
| | | | | 220/240V | 2-3 units | triac | 98310220LC |
| | | | | 220/240V | 2-5 units | dali | 98310536 |
| | | | | 220/240V | 2-5 units | casambi | 98310538 |
| TROOP 5x2W | 43702 43706 43710 | 700mA | 5x2W | 100/240V | 2 units | on/off | 98310230 |
| | | | | 220/240V | 1 unit | triac | 98310210 |
| | | | | 220/240V | 1-3units | dali | 98310536 |
| | | | | 220/240V | 1-3units | casambi | 98310538 |
| TROOP 10x2W | 43703 43707 | 700mA | 10x2W | 100/240V | only 1 unit | on/off | 98310230 |
| | | | | 220/240V | only 1 unit | triac | 98310236C |
| | | | | 220/240V | only 1 unit | dali | 98310536 |
| | | | | 220/240V | only 1 unit | casambi | 98310538 |
| CROC 9W | 43780 | 350mA | 9W | 100/240V | 1-2 units | on/off | 98310620 |
| | | | | 220/240V | 1-2 units | triac | 98310321LC |
| | | | | 220/240V | 1-2 units | dali | 98310536 |
| | | | | 220/240V | 1-2 units | casambi | 98310538 |
| CROC 13W | 43781 | 350mA | 13W | 100/240V | only 1 unit | on/off | 98310321 |
| | | | | 220/240V | only 1 unit | triac | 98310321LC |
| | | | | 220/240V | only 1 unit | dali | 98310536 |
| | | | | 220/240V | only 1 unit | casambi | 98310538 |
| CROC 19W | 43782 | 350mA | 19W | 100/240V | only 1 unit | on/off | 98310321 |
| | | | | 220/240V | only 1 unit | triac | 98310321LC |
| | | | | 220/240V | only 1 unit | dali | 98310536 |
| | | | | 220/240V | only 1 unit | casambi | 98310538 |
| NAIS ORIENTABLE 7W | 02111001 02111002 | | 7W | 100/240V | 1-2 units | on/off | 98310620 |
| | | | | 220/240V | 2 units | triac | 98310118LC |
| | | | | 220/240V | 1-2 units | dali | 98310536 |
| | | | | 220/240V | 1-2 units | casambi | 98310538 |
| NAIS 7W | 02121001 02121002 | | 7W | 100/240V | 1-2 units | on/off | 98310620 |
| | | | | 220/240V | 2 units | triac | 98310118LC |
| | | | | 220/240V | 1-2 units | dali | 98310536 |
| | | | | 220/240V | 1-2 units | casambi | 98310538 |
| GRUND 2W | 70726 70730 70733 70735 | 700mA | 2W | 100/240V | 1-2 units | on/off | 98310206E |
| | | | | 220/240V | 2-4 units | triac | 98310210 |
| | | | | 220/240V | 4-16 units | dali | 98310536 |
| | | | | 220/240V | 4-16 units | casambi | 98310538 |
| GRUND 7W | 70728 70731 70734 70736 | 350mA | 7W | 100/240V | 1-2 units | on/off | 98310620 |
| | | | | 220/240V | 2 units | triac | 98310118LC |
| | | | | 220/240V | 2 units | dali | 98310536 |
| | | | | 220/240V | 2 units | casambi | 98310538 |
| GRUND 13W | 70729 70732 | 350mA | 13W | 100/240V | 1-2 units | on/off | 98310620 |
| | | | | 220/240V | only 1 unit | triac | 98310118LC |
| | | | | 220/240V | only 1 unit | dali | 98310536 |
| | | | | 220/240V | only 1 unit | casambi | 98310538 |
| KANE 3W | 70660 70661 70662 | 24V DC | 3W | 100/240V | 1-2 units | on/off | 98324006 |
| | | | | 220/240V | 1-3 units | triac | 98311315 |
| FALLS 6W | 71734 71735 | | 6W | 100/240V | 1-2 units | on/off | 98324020U |
| | | | | 220/240V | 5-23 units | triac | 97397 |
| | | | | 220/240V | 1-14 units | dali | 97308 |
| | | | | 220/240V | 1-14 units | casambi | 98324599 |
| FALLS 12W | 71736 71737 | | 12W | 100/240V | only 1 unit | on/off | 98324020U |
| | | | | 220/240V | 2-14 units | triac | 97397 |
| | | | | 220/240V | 1-6 units | dali | 97308 |
| | | | | 220/240V | 1-6 units | casambi | 98324599 |
| FALLS ORIENTABLE 8W | 71730 71731 | | 8W | 100/240V | 1-2 units | on/off | 98324020U |
| | | | | 220/240V | 5-23 units | triac | 97397 |
| | | | | 220/240V | 1-11 units | dali | 97308 |
| | | | | 220/240V | 1-11 units | casambi | 98324599 |
| FALLS ORIENTABLE 16W | 71732 71733 | | 16W | 100/240V | only 1 unit | on/off | 98324020U |
| | | | | 220/240V | 2-10 units | triac | 97397 |
| | | | | 220/240V | 1-5 units | dali | 97308 |
| CROSBY 2W | 70453 | | 2W | 220/240V | 1-5 units | casambi | 98324599 |
| | | | | 100/240V | 1-2 units | on/off | 98324006 |

Shades / Pantallas

Wall lamp / apliques

| | | | | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |
| 2P0111 | 2P0112 | 2P0113 | 2P0211 | 2P0212 | 2P0213 | 2P0411 | 2P0412 | 2P0413 |
| white/blanco | beige/beige | black/negro | white/blanco | beige/beige | black/negro | white/blanco | beige/beige | black/negro |
|  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  | | |
| 2P0615 | 2P0616 | 2P0617 | 2P0311 | 2P0312 | 2P0313 | 2P0710 | | |
| beige/beige | yellow/amarillo | green/verde | white/blanco | beige/beige | black/negro | rattan | | |
|  |  |  |  |  |  |  | | |

Suspended lamp / suspensiones

| | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |
| 2P0645 | 2P0646 | 2P0647 | 2P0710 | 2P0720 | 2P0730 |
| beige/beige | yellow/amarillo | green/verde | rattan | rattan | rattan |
|  |  |  |  |  |  |
|  |  |  | | | |
| 2P0141 | 2P0142 | 2P0143 | | | |
| white/blanco | beige/beige | black/negro | | | |
|  |  |  | | | |


Table lamp / sobremesas

| | | | | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |
| 2P0121 | 2P0122 | 2P0123 | 2P0221 | 2P0222 | 2P0223 | 2P0421 | 2P0422 | 2P0423 |
| white/blanco | beige/beige | black/negro | white/blanco | beige/beige | black/negro | white/blanco | beige/beige | black/negro |
|  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  | | |
| 2P0625 | 2P0626 | 2P0627 | 2P0311 | 2P0312 | 2P0313 | 2P0720 | | |
| beige/beige | yellow/amarillo | green/verde | white/blanco | beige/beige | black/negro | rattan | | |
|  |  |  |  |  |  |  | | |

Floor lamps / luminarias de suelo

| | | | | | | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |
| 2P0131 | 2P0132 | 2P0133 | 2P0231 | 2P0232 | 2P0233 | 2P0431 | 2P0432 | 2P0433 |
| white/blanco | beige/beige | black/negro | white/blanco | beige/beige | black/negro | white/blanco | beige/beige | black/negro |
|  |  |  |  |  |  |  |  |  |
|  |  |  |  | | | | | |
| 2P0635 | 2P0636 | 2P0637 | 2P0730 | | | | | |
| beige/beige | yellow/amarillo | green/verde | rattan | | | | | |
|  |  |  |  | | | | | |

Structures / Estructuras

ARTIS wall/aplique**68490** bronze/bronce**68491** chrome/cromo**ARTIS** wall reader/aplique con lector**68492** bronze/bronce**68493** chrome/cromo**ARTIS** wall extensible/aplique extensible**68494** bronze/bronce**68495** chrome/cromo**CONGA/MAMBO/SAMBA** wall/aplique**64306** matt white/blanco mate**64307** matt black/negro mate**CONGA/MAMBO/SAMBA** wall reader/aplique con lector**64308** matt white/blanco mate**64309** matt black/negro mate**CONGA/MAMBO/SAMBA** suspended (turnbuckle)/colgante (tensor)**64314** matt black/negro mate**CONGA/MAMBO/SAMBA** suspended/colgante**64315** matt black/negro mate**CONGA/MAMBO/SAMBA** table (small)/sobremesa (pequeña)**64316** matt white/blanco mate**64317** matt black/negro mate**CONGA/MAMBO/SAMBA** table/sobremesa**64310** matt white/blanco mate**64311** matt black/negro mate**CONGA/MAMBO/SAMBA** floor/suelo**64312** matt white/blanco mate**64313** matt black/negro mate**ETERNA** wall/aplique**24005** chrome/cromo**ETERNA** wall reader/aplique con lector**24006** chrome/cromo (right)**24007** chrome/cromo (left)**ETERNA** table/sobremesa**24008** chrome/cromo**FRAME** wall/aplique**20170** matt nickel/níquel mate**20171** old gold/oro viejo**FRAME** wall reader/aplique con lector**20172** matt nickel/níquel mate**20173** old gold/oro viejo**MONTREAL** wall/aplique**24030** white/blanco**24031** chrome/cromo**MONTREAL** wall reader/aplique con lector**24032** white/blanco**24033** chrome/cromo (left)**MONTREAL** table/sobremesa**24034** white/blanco**24035** chrome/cromo**MONTREAL** floor/suelo**24036** white/blanco**24037** chrome/cromo**REM** wall/aplique**29680** matt nickel/níquel mate**29681** old gold/oro viejo**REM** wall reader/aplique con lector**29682** matt nickel/níquel mate**29683** old gold/oro viejo**REM** table/sobremesa**29684** matt nickel/níquel mate**29685** old gold/oro viejo**REM** floor/suelo**29686** matt nickel/níquel mate**29687** old gold/oro viejo**RON** wall/aplique**64400** dark grey/gris oscuro

Fan light kits / kits de luz ventilación

651

ALOHA



33714 dark brown/marrón oscuro

CIES



33513 white/blanco

GRID



33341K white/blanco

JUSTFAN/ETERFAN/DECOFAN/TUBE



33390 chrome/cromo

33391 black/negro

MOLOKAI



33476 matt nickel/níquel mate

NIAS



33472K matt nickel/níquel mate

PEMBA



33471K white/blanco

33491K grey/gris

33492K brown/marrón

TYPHOON



33483 white/blanco

33489K grey/gris

33490K brown/marrón

WINCHE



33484 black/negro **Indoor/Outdoor IP44**

33486 grey/gris

YAKARTA





33714 dark brown/marrón oscuro

33716 white/blanco

33717 antique brass/oro envejecido

Recessed Drainage / Drenaje empotrables
























| EN | ES | FR | ITA |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Placing sunken lighting in the ground All sunken lights are ready for installing in the ground or in cement. Always ensure that they are not placed in watercourses or depressions in the ground. Position the mounting box surrounded by the fastening material to ensure that it does not tip or fall over. There must be a layer of gravel below and around the mounting box for draining purposes (see drawing). Correct drainage should allow 5 litres of water to be absorbed within 8 minutes. The glass can reach high temperatures, so contact with people and objects should be avoided. We recommend that the outside of the apparatus be cleaned regularly to stop foreign materials from preventing the dissipation of heat which leads to changes in the components and a loss of watertightness. Follow the installation and assembly instructions and maintenance recommendations very carefully.</p> <p>Condensation To minimise possible condensation inside the device, turn it on for 1 hour without the protective glass, closing it immediately once this time has elapsed.</p> <p>BEACONS To ensure the proper conservations of beacons we recommend their installation on a plinth, never directly onto the ground or lawn.</p> | <p>Colocación del empotrable en el terreno Todos los empotrables están previstos para una instalación en tierra o en cemento. Evite siempre colocarlo en vaguadas o depresiones del terreno. Coloque la caja de empotrar rodeada de material de sujeción para evitar que se incline o se hunda. Por debajo y alrededor de la caja de empotrar debe existir una capa de grava para drenaje (ver dibujo). Un drenaje correcto debe permitir la absorción de 5 litros de agua en 8 minutos. El cristal puede alcanzar temperaturas elevadas por lo tanto evite el contacto con personas o cosas. Es aconsejable limpiar frecuentemente el exterior del aparato para evitar así que materiales extraños impidan la disipación del calor con la consiguiente alteración de los componentes y pérdida de estanqueidad. Siga detenidamente las instrucciones de instalación y montaje así como las recomendaciones de mantenimiento.</p> <p>Condensación Para minimizar la posible condensación de vapor de agua dentro del aparato, debe hacerse funcionar durante 1 hora sin el cristal de protección, transcurrido ese periodo de tiempo, ciérralo inmediatamente.</p> <p>BALIZAS Para una correcta conservación de las balizas, recomendamos su aplicación sobre una pilastra a un nivel superior, y nunca sobre tierras o césped.</p> | <p>Installation de l'encestrable sur le terrain Tous les luminaires encastrables sont prévus pour une installation dans la terre ou le ciment. Évitez toujours de les installer dans des lignes de creux ou des dépressions du terrain. Installer le boîtier d'encastrement avec ses supports afin d'éviter qu'il ne soit incliné ni trop enfoncé. Sous le boîtier d'encastrement et autour de celui-ci, il doit y avoir une couche de gravier pour le drainage (voir dessin). Un drainage correct doit permettre l'absorption de 5 litres d'eau en 8 minutes. Le verre peut atteindre des températures élevées, évitez par conséquent tout contact avec les personnes ou des objets. Il est conseillé de nettoyer fréquemment l'extérieur de l'appareil, afin d'éviter que des corps étrangers n'empêchent la dissipation de la chaleur puis l'altération des composants et la perte d'étanchéité. Suivez attentivement les instructions d'installation et de montage, ainsi que les recommandations de maintenance.</p> <p>Condensation Pour minimiser les risques de condensation de la vapeur d'eau intérieur de l'appareil doit être exploité pendant une heure sans le verre de protection, après cette période temps, fermer immédiatement.</p> <p>BALISES Pour un bon maintenance de balises, nous recommandons son application sur un pilier à un niveau supérieur, et jamais sur terre ou sur l'herbe.</p> | <p>Collocazione dell'incasso nel terreno Tutti gli incassi sono pensati per la collocazione in terra o cemento. Evitare sempre di installarli in zone umide o depressioni del cemento. Installare sempre l'incasso circondato da materiale d'appoggio, per evitare che si inclini o affondi. Sotto ed intorno all'incasso deve sempre esserci sabbia drenante (disegno). Un drenaggio efficace deve permettere l'assorbimento di 5 litri d'acqua in 8 minuti. Il vetro può raggiungere temperature elevate, per tanto evitare il contatto con persone o cose. Si consiglia di pulire frequentemente l'esterno degli apparati per evitare che corpi estranei impidano la dissipazione del calore con conseguente alterazione dei componente e perdita delle staghezza. Seguire attentamente le indicazioni di installazione e montaggio, così come le norme di manutenzione.</p> <p>Condensazione Per evitare la possibile condensazione di vapore acqueo all'interno dell'apparato, deve porsi in funzione durante una ora senza il cristallo di protezione e poi procedere alla chiusura immediatamente.</p> <p>PALETTI Per una corretta conservazione dei paletti raccomandiamo la sua applicazione su di una base ad un livello più alto, mai su terra o erba.</p> |
| <p>! In order to validate the warranty the external connection must have always the protection index (IP) with an equal or a superior value of the ip shown on the lamp.</p> | <p>! Para poder hacer uso de la garantía es imprescindible que la conexión externa sea de un índice de protección (IP) igual o superior a la luminaria adquirida.</p> | <p>! Pour que la garantie soit valable, il est indispensable que la connexion externe soit d'un indice de protection (IP) égal ou supérieur à celui du luminaire acheté.</p> | <p>! Per poter usufruire della garanzia è imprescindibile che la connessione esterna sia di un indice di protezione (IP) uguale o superiore a quello indicato sulla lampada acquistata.</p> |
| <p>Placing sunken lighting in the ground Colocación del empotrable en el terreno Installation de l'encestrable sur le terrain Installazione dell'incasso nel terreno</p> |  | <p>Minimum drainage measures Medidas mínimas de drenaje Mesures de drainage minimum Misure minime di drenaggio</p> |  |

Stainless Steel / Acero inoxidable

| EN | ES | FR | ITA |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Cleaning and maintenance of stainless steel It is advisable to follow the recommendations listed below for the correct maintenance and upkeep of all products manufactured from stainless steel In industrial or coastal areas localized corrosion can be caused by the accumulation of contaminants carried by the air. By using a cloth or duster will insure the elimination of these contaminants. In the case dirt which is more difficult to remove, it is recommended the use of a cleaner which includes phosphoric acid, ensuring that a scrubber or soft nylon brush is used, never use a steel scrubber. It is recommendable to clean stainless steel every 6 to 12 months for average dirt and every 3 months for more severe cases. Especially in the following atmospheric conditions - Marine atmospheres. - Atmospheres which contain a lot of industrial contaminants. - Atmospheric and traffic pollution.</p> | <p>Limpieza y mantenimiento del acero inoxidable Le aconsejamos que siga las siguientes recomendaciones para la conservación y mantenimiento de todos aquellos artículos fabricados en acero inoxidable. En zonas industriales o costeras se pueden producir corrosiones localizadas por acumulaciones de contaminantes llevados por el aire, asegúrese que se eliminan dichos contaminantes utilizando un paño húmedo o una gamuza. En caso de suciedad más difícil le recomendamos que utilice un limpiador que incluya ácido fosfórico siempre con el uso de estropajos o cepillos suaves de nylon, nunca usar estropajos de acero. La frecuencia de limpieza que le recomendamos para una suciedad moderada es de 6-12 meses y de 3 meses cuando es más abundantes. Especialmente en ambientes que recojan las siguientes condiciones: - Atmósferas marinas. - Ambientes cargados de contaminantes industriales. - Suciedad atmosférica y del tráfico.</p> | <p>Nettoyage et entretien de l'acier inoxydable Nous vous conseillons de suivre les suggestions pour la conservation et l'entretien de tous les articles fabriqués en acier inoxydable. Dans les zones industrielles ou proches au littoral, il peut s'y produire des corrosions localisées par l'accumulation de contaminants apportés par l'air, assurez-vous que ces contaminants puissent s'éliminer avec un torchon humide ou une peau de chamois. En cas de saleté plus difficile, nous vous conseillons d'utiliser un nettoyant à base d'acide phosphorique, toujours à utiliser avec des tampons à récurer ou des brosses douces en nylon, ne jamais utiliser de tampons à récurer en acier. La fréquence de nettoyage que nous vous conseillons pour une saleté modérée est de 6 à 12 mois et de 3 mois quand celle-ci est plus abondante. Surtout dans les ambiances avec les conditions suivantes: - Atmosphères marines. - Ambiances chargées de contaminants industriels. - Saleté atmosphérique et de circulation.</p> | <p>Pulizia e manutenzione dell'acciaio inossidabile Consigliamo di seguire le raccomandazioni per la conservazione e manutenzione di tutti quei prodotti fabbricati in acciaio inossidabile. In zone industriali o costiere si possono produrre corrosioni localizzate a causa dei contaminanti presenti nell'aria; suddette corrosioni si possono eliminare utilizzando un panno umido o di camoscio. In caso di sporcizia più difficile raccomandiamo l'utilizzo di acido fosforico come prodotto di pulizia e manutenzione (utilizzando spugnette, panni soffici o spazzole di nylon). La frequenza raccomandata è: 6-12 mesi per una sporcizia moderata, 3 mesi per le più difficili. Ambienti critici: - Atmosfera marina - Ambienti carichi di contaminanti industriali - Atmosfere cittadine con elevato indice di traffico.</p> |

| EN | ES | FR | ITA | PT | GER |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| The first digit (IP x...) indicates the protection from solid objects. 0 Non protected. 1 Protected against solid objects bigger than 50 mm. 2 Protected against solid objects bigger than 12 mm. 3 Protected against solid objects bigger than 2.5 mm. 4 Protected against solid objects bigger than 1 mm. 5 Dust protected. 6 Dust tight. | La primera cifra (IP x...) indica la protección del aparato contra la penetración de cuerpos sólidos. 0 No protegido 1 Protegido contra la penetración de cuerpos sólidos con $\varnothing \geq 50$ mm 2 Protegido contra la penetración de cuerpos sólidos con $\varnothing \geq 12$ mm 3 Protegido contra la penetración de cuerpos sólidos con $\varnothing \geq 2,5$ mm 4 Protegido contra la penetración de cuerpos sólidos con $\varnothing \geq 1$ mm 5 Protegido contra el polvo 6 Totalmente protegido contra el polvo | Le premier chiffre (IP x...) indique le degré de protection des parties contre les corps solides. 0 Pas de protection. 1 Protection contre corps de diamètre supérieur à 50 mm. 2 Protection contre corps de diamètre supérieur à 12 mm. 3 Protection contre corps de diamètre supérieur à 2,5 mm. 4 Protection contre corps de diamètre supérieur à 1 mm. 5 Protection contre dépôts de poussière. 6 Protection contre toute infiltration de poussière. | La prima cifra (IP x...) indica la protezione del sistema contro l'ingresso di corpi solidi. 0 Non protetto 1 Protetto contro l'ingresso di corpi solidi con $\varnothing \geq 50$ mm. 2 Protetto contro l'ingresso di corpi solidi con $\varnothing \geq 12$ mm. 3 Protetto contro l'ingresso di corpi solidi con $\varnothing \geq 2,5$ mm. 4 Protetto contro l'ingresso di corpi solidi con $\varnothing \geq 1$ mm. 5 Protetto contro la polvere. 6 Totalmente protetto contro la polvere. | O primeiro dígito (IP x...) indica o grau de protecção contra corpos sólidos. 0 Sem protecção. 1 Protegido contra a penetração de corpos sólidos com $0 > 50$ mm. 2 Protegido contra a penetração de corpos sólidos com $0 > 12$ mm. 3 Protegido contra a penetração de corpos sólidos com $0 > 2,5$ mm. 4 Protegido contra a penetração de corpos sólidos com $0 > 1$ mm. 5 Totalmente protegido contra o pó. | Die erste Ziffer (IP x...) gibt den Schutz des Apparats gegen das Eindringen von festen Körpern an. 0 Nicht geschützt. 1 Geschützt gegen das Eindringen von festen Körpern mit $\varnothing \geq 50$ mm. 2 Geschützt gegen das Eindringen von festen Körpern mit $\varnothing \geq 12$ mm. 3 Geschützt gegen das Eindringen von festen Körpern mit $\varnothing \geq 2,5$ mm. 4 Geschützt gegen das Eindringen von festen Körpern mit $\varnothing \geq 1$ mm. 5 Geschützt gegen Staub. 6 Vollkommen gegen Staub geschützt. |
| The second digit (IP ..y) indicates protection from moisture. 0 Non protected. 1 Protected against dripping water. 2 Protected against dripping water when tilted up to 15°. 3 Protected against spraying water. 4 Protected against splashing water. 5 Protected against water jets. 6 Protected against heavy seas. 7 Protected against the effects of immersion. 8 Protected against submersion. | La segunda cifra (IP ..y) indica la protección del aparato contra la lluvia. 0 No protegido 1 Protegido contra la caída vertical de gotas de agua 2 Protegido contra la lluvia con un ángulo máx de 15° sobre la vertical 3 Protegido contra la lluvia con un ángulo máx de 60° sobre la vertical 4 Protegido contra salpicaduras y protección del agua 5 Protegido contra chorros de agua 6 Protegido contra potentes chorros de agua 7 Protegido contra inundaciones temporales. 8 Protegido contra inmersiones prolongadas | Le deuxième chiffre (IP ..y) indique le degré de protection contre l'eau. 0 Pas de protection. 1 Protection contre chute verticale de gouttes d'eau. 2 Protection contre chute de gouttes d'eau jusqu'à 15° de la verticale. 3 Protection contre pluie de 0° à 60° de la verticale et ruissellement. 4 Protection contre projections d'eau de toutes les directions. 5 Protection contre jets d'eau de toutes les directions. 6 Protection contre jets d'eau de forte pression et paquets de mer. 7 Protection contre immersion à moins d'un metre de profondeur. 8 Protection contre immersion permanente à plus d'un metre de profondeur. | La seconda cifra (IP ..y) indica la protezione del sistema contro la pioggia. 0 Non protetto 1 Protetto contro la caduta verticale di gocce d'acqua. 2 Protetto contro la pioggia con angolo max. di 15° sulla verticale. 3 Protetto contro la pioggia con angolo max. di 60° sulla verticale. 4 Protetto contro gli spruzzi e l'ingresso di acqua. 5 Protetto contro i getti d'acqua. 6 Protetto contro i getti potenti d'acqua. 7 Protetto contro inondazioni temporanee. 8 Protetto contro le immersioni prolungate. | O segundo dígito (IP ..y) indica o grau de protecção contra po e chuva. 0 Sem protecção. 1 Protegido contra a queda vertical de gotas de água. 2 Protegido contra água em forma de chuva com um ângulo max. de 15°. 3 Protegido contra água em forma de chuva com um ângulo max. de 60°. 4 Protegido contra projecções de água. 5 Protegido contra jactos de água em todas as direcções. 6 Protegido contra potentes jactos de água. 7 Protegido contra a imersão temporária. 8 Protegido contra a imersão prolongada. | Die zweite Ziffer (IP ..y) gibt den Schutz des Apparats gegen Regen an. 0 Nicht geschützt. 1 Geschützt gegen vertikal fallende Wassertropfen. 2 Geschützt gegen Regenfall mit einem Winkel von max. 15° über die alemanSenkrechte. 3 Geschützt gegen Regenfall mit einem Winkel von max. 60° über die Senkrechte. 4 Geschützt gegen Spritzer und Schutz gegen Wasser. 5 Geschützt gegen Wasserschauer. 6 Geschützt gegen starke Wasserschauer. 7 Geschützt gegen zeitweilige Überschwemmungen. 8 Geschützt bei länger anhaltendem Eintauchen. |
| NL | GRK | RUS | CZ | BL | PL |
| Het eerste cijfer (IP x...) geeft de beschermingsgraad weer van het apparaat tegen het binnendringen van vaste elementen. 0 Biedt geen bescherming 1 Biedt bescherming tegen het binnendringen van vaste elementen met $\varnothing \geq 50$ mm. 2 Biedt bescherming tegen het binnendringen van vaste elementen met $\varnothing \geq 12$ mm. 3 Biedt bescherming tegen het binnendringen van vaste elementen met $\varnothing \geq 2,5$ mm. 4 Biedt bescherming tegen het binnendringen van vaste elementen met $\varnothing \geq 1$ mm. 5 Biedt bescherming tegen stof. 6 Biedt volledige bescherming tegen stof. | Το πρώτο νόμισμα (IP x...) υποδεικνύει την προστασία της συσκευής κατά της διείσδυσης στερεών αντικειμένων. 0 Χωρίς προστασία 1 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου $\varnothing \geq 50$ mm 2 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου $\varnothing \geq 12$ mm 3 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου $\varnothing \geq 2,5$ mm 4 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου $\varnothing \geq 1$ mm 5 Με προστασία κατά της σκόνης 6 Με πλήρη προστασία κατά της σκόνης | Первая цифра (IP x...) указывает на защиту прибора от проникновения твердых тел. 0 Не защищен 1 Защищен от проникновения твердых тел $\varnothing \geq 50$ мм 2 Защищен от проникновения твердых тел $\varnothing \geq 12$ мм 3 Защищен от проникновения твердых тел $\varnothing \geq 2,5$ мм 4 Защищен от проникновения твердых тел $\varnothing \geq 1$ мм 5 Защищен от пыли 6 Полностью защищен от пыли | První číslice (IP x...) označuje stupeň ochrany přístroje proti průniku pevných částic. 0 Nechráněno 1 Chráněno proti průniku pevných částic s $\varnothing \geq 50$ mm 2 Chráněno proti průniku pevných částic s $\varnothing \geq 12$ mm 3 Chráněno proti průniku pevných částic s $\varnothing \geq 2,5$ mm 4 Chráněno proti průniku pevných částic s $\varnothing \geq 1$ mm 5 Chráněno proti prachu 6 Kompletně chráněno proti prachu | Първата цифра (IP x...) означава защита на уреда от попадане на твърди тела. 0 Без защита 1 Защита от попадане на твърди тела с $\varnothing \geq 50$ mm 2 Защита от попадане на твърди тела с $\varnothing \geq 12$ mm 3 Защита от попадане на твърди тела с $\varnothing \geq 2,5$ mm 4 Защита от попадане на твърди тела с $\varnothing \geq 1$ mm 5 ащита от прах 6 Изцяло защитен от прах | Pierwsza cyfra (IP x...) oznacza zabezpieczenie urządzenia przed wnikiem ciał stałych. 0 Niezabezpieczono 1 Zabezpieczono przed wnikiem ciał stałych za pomocą $\varnothing \geq 50$ mm 2 Zabezpieczono przed wnikiem ciał stałych za pomocą $\varnothing \geq 12$ mm 3 Zabezpieczono przed wnikiem ciał stałych za pomocą $\varnothing \geq 2,5$ mm 4 Zabezpieczono przed wnikiem ciał stałych za pomocą $\varnothing \geq 1$ mm 5 Zabezpieczono przed pyłem 6 Całkowicie zabezpieczono przed pyłem |
| Het tweede cijfer (IP ..y) geeft de beschermingsgraad van het apparaat tegen de regen weer. 0 Biedt geen bescherming 1 Biedt bescherming tegen het verticaal neerkomen van waterdruppels. 2 Biedt bescherming tegen regen met een max. hoek van 15° over verticaal. 3 Biedt bescherming tegen regen met een max. hoek van 60° over verticaal. 4 Biedt bescherming tegen spetters en tegen water. 5 Biedt bescherming tegen waterstralen. 6 Biedt bescherming tegen krachtige waterstralen. 7 Biedt bescherming tegen tijdelijke overstromingen. 8 Biedt bescherming tegen langdurige onderdompeling. | Το δεύτερο νόμισμα (IP ..y) υποδεικνύει την προστασία της συσκευής κατά της βροχής. 0 Χωρίς προστασία 1 Με προστασία κατά της κάθετης πτώσης σταγόνων νερού 2 Με προστασία κατά της βροχής με μέγιστη γωνία 15° επί κάθετου 4 Με προστασία κατά των πσιπιλισμάτων και προστασία νερού 5 Με προστασία κατά της ροής νερού 6 Με προστασία κατά της έντονης ροής νερού 7 Με προστασία κατά των παροδικών πλημμυρών 8 Με προστασία κατά της μακρόχρονης βύθισης | Вторая цифра (IP ..y) указывает на защиту прибора от воды. 0 Не защищен 1 Защищен от попадания вертикальных капель воды 2 Защищен от дождевых струй под углом до 15° по вертикали 4 Защищен от брызг и попадания воды 5 Защищен от потоков воды 6 Защищен от сильных потоков воды 7 Защищен от проникновения воды при временном затоплении 8 Защищен от проникновения воды при длительном погружении. | Druhá číslice (IP ..y) označuje ochranu proti vnikání vlhkosti. 0 Bez ochrany. 1 Ochrana před vislele kapající vodou. 2 Ochrana před vodou kapající se sklonem do 15°. 3 Ochrana před vodou dopadající se sklonem 60° (dešti). 4 Ochrana před střikající vodou. 5 Ochrana před tryskající vodou (tlakovou vodou). 6 Ochrana před intenzivně tryskající vodou. 7 Ochrana při dočasném ponoření. 8 Ochrana při trvalém ponoření. | Втората цифра (IP ..y) указва нивото на защита от влага. 0 не е защитен 1 защитен от капеща вода 2 защитен от капеща вода под наклон до 15° 3 защитен от пръски вода 4 защитен от пръскаща вода 5 защитен от водна струя 6 защитен срещу обилни валежи 7 защитен от ефекта на потапяне 8 защитен при потапяне във вода | Druga z cyfr kodu (IP ..y) oznacza stopień ochrony przed wilgocią. 0 brak ochrony 1 chronione przed kroplami wody (kapiającymi pionowo) 2 ochrona przed kroplami wody padającymi pod kątem 15° z każdej strony 3 ochrona przed natryskującą wodą 4 ochrona przed rozbrzyskującą się wodą 5 ochrona przed strumieniami wody 6 ochrona przed dużymi strumieniami wody 7 ochrona przed zanurzeniem krótkotrwałym w wodzie 8 ochrona przed całkowitym zalaniem wodą (zanurzenie niem ciągłym) |

Symbology / Simbología

| | EN | ES | FR | ITA | PT | GER |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------------|-------------------------------------------------------------------------|-----------------------------------------------------------------|------------------------------------------------------------|
|  | Has a protective earth Class I protection | Con toma de tierra Aisla. clase I | Avec prise de terre Catégorie de protection I | Con messa a terra Isola. tipo I | Com ligação terra Isolamento classe I | Mit Erdung Isolierung der Klasse I |
|  | Reinforced or double insulation (class II protection) | Aislamiento clase II | Isolement de protection (classe de protection II) | Isolamento tipo II | Isolamento (clase II) | Isolierung der Klasse II |
|  | Low voltage protection (class III protection) | Aislamiento clase III | Très basse tension de protection (classe protec. III) | Isolamento tipo III | Isolamento (clase III) | Isolierung der Klasse III (für montage auf) |
|  | Cable | Cable | Câble | Cavo | Cabo | Kabel |
|  | Weight | Peso | Poids | Peso | Peso | Gewicht |
|  | Switch / Double Switch | Interruptor / Doble Interruptor | Interrupteur / Double Interrupteur | Interruttore / Doppio Interruttore | Interruptor / Doble Interruptor | Schalter / Doppelter Schalter |
| T | Special transformer | Transformador especial | Transformateur spécial | Trasformatore Speciale | Transformador especial | Spezieller transformator |
|  | USB Charger | Cargador USB | Chargeur USB | Caricatore USB | Carregador USB | USB-Ladegerät |
|  | Cut out | Agujero para empotrar | Trou d'encastrement | Foro per incasso | Furo para encastrar | Bohrloch zum Einbauen |
|  | Maximum thickness for luminaire anchoring point | Espesor máximo para punto de anclaje de luminarias | Épaisseur maximale du point d'ancrage du luminaire | Spessore massimo per il punto di ancoraggio dell'apparecchio | Espessura máxima para o ponto de ancoragem da luminária | Maximale Stärke für Leuchtenbefestigungspunkt |
|  | AdjusTABLE | OrienTABLE | OrienTABLE | Regolabile | Ajustável | Verstellbar |
|  | Dimmable | Dimable | Réglable | Regolabile | Regulável | Dimmbar |
|  | Spike | Espiga | Pointe | Spuntone | Espigão | Spitze |
|  | Resistance in kg | Resistencia en kg | Résistance en kg | Resistenza in kg | Resistência em kg | Widerstand in kg |
| IK08 | Shock resistance | Resistencia a los golpes | Résistance au choc | Resistenza agli urti | Resistência ao choque | Stoßfestigkeit |
|  | Maintenance steel | Acero de mantenimiento | Acier d'entretien | Acciaio di manutenzione | Manutenção de aço | Wartungsstahl |
|  | Light up / down / up and down | Luz arriba / abajo / arriba y abajo | Lumière de haut / vers les bas / de haut en bas | Luce su / giù / su e giù | Luz para cima / baixo / cima e para baixo | Licht auf / nach unten / auf und ab |
|  | Beam angle | Grados apertura | Grades halo lumineux | Gradi di luce | Notas luz | Light grade |
|  | Remote control | Mando a distancia | Télécommande | Doppia Intensità | Comando à distancia | Vernbedienung |
|  | RECESSED box | Caja empotrar | Boîte encastrée | Incasso box | Recesso box | Einbaugehäuse |
| RPM | Revolutions per minute | Revoluciones por minuto | Tours/minute | Giri al minuto | Voltas/minuto | Umdrehungen pro Minute |
| W | Consumption in W, according to the speed of the motor | Consumo en W, según velocidad del motor | Consommation en W, selon la vitesse du moteur | Consumo in W secondo la velocità del motore | Consumo en W, de acordo com a velocidade do motor | Stromverbrauch in W |
| IPXY | Ingress Protection Marking against dust (X) and water (Y) | Grado de protección ante el polvo (X) y líquidos (Y) | Indice de protection contre la poussière (X) et l'eau (Y) | Protezione dall'ingresso Marcatura contro polvere (X) e acqua (Y) | Proteção de entrada Marcação contra poeira (X) e água (Y) | Schutz gegen Eindringen von Staub (X) und Wasser (Y) |
|  | Passive Infrared sensor (PIR) | Detector de movimiento pasivo (PIR) | Capteur infrarouge passif (PIR) | SENSORE PASSIVO A INFRAROSSI (PIR) | Sensor infravermelho passivo (PIR) | Passiver Infrarot-Sensor (PIR) |
|  | Day / night sensor | Sensor día/noche | Capteur jour / nuit | Sensore giorno / notte | Sensor dia / noite | Tag- / Nachtsensor |
|  | With light / Without light / With and without light | Con luz / Sin luz / Con y sin luz | Avec la lumière / Sans lumière / Avec et sans lumière | Con luce / senza luce / Con e senza luce | Com luz / Sem luz / Com e sem luz | Mit Licht / Ohne Licht / Mit und ohne Licht |
|  | Compliance of incandescent wire regulatory | Cumplimiento de la normativa incandescente de alambre. | Conformité de la réglementation des câbles à incandescence | Conformità del regolamento sui fili ad incandescenza | Conformidade de regulagem de fio incandescente | Einhaltung der Vorschriften für Glühdraht |
|  | Leading & Trailing-edge dimming | Regulación con regulador de corte al inicio y/o al final de fase | Gradation avant et arrière | Dimmer iniziale e finale | Regulação de inclinação e tração | Vorder- & Hinterkantendimmen |
| SE LV | | | | | | |

| NL | GRK | RUS | CZ | BL | PL |
|----------------------------------------------------------------|-------------------------------------------------------------|--------------------------------------------------------------|-------------------------------------------------------------------|--------------------------------------------------------------------------|--------------------------------------------------------------|
| Met aardleiding Isolatie klasse I | Με γείωση Μόνωση κλάσης I | С контактом заземления Изоляция класс I | S uzemněním Izolace třídy I | Със заземяване Изоляция клас I | Z uziemieniem Izolacja klasy I |
| Isolatie klasse II | Μόνωση κλάσης II | Изоляция класс II | Izolace třídy II | Изоляция клас II | Izolacja klasy II |
| Isolatie klasse III | Μόνωση κλάσης III | Изоляция класс III | Izolace třídy III | Изоляция клас III | Izolacja klasy III |
| Kabel | Καλώδιο | Καбель | Kabel | Καβελ | Kabel |
| Gewicht | βάρος | вес | Hmotnost | τεγλο | Waga |
| Schakelaar / Dubbele Schakelaar | Διακόπτης Διπλός / Διακόπτης | Выключатель / Двойной Выключатель | Vypínač / Dvojité Vypínač | Πρεкъсвач / Двоен Πρεкъсвач | Wyłącznik / Podwójny Wyłącznik |
| Speciale transformator | Ειδικός Μετασχηματιστής | Специальный Трансформатор | Speciální Transformátor | Специален Трансформатор | Specjalny Transformator |
| Usb oplader | Φορτιστής USB | USB-зарядное устройство | Nabíječka USB | USB зарядно устройство | Ładowarka USB |
| Gat om in te bouwen | Οπή για εντοίχιση | Отверстие для встраивания | Otvor k vložení | Μонтажен отвор | Otwór do mocowania |
| Maximale dikte voor armatuurverankeringspunt | Μέγιστο πάχος για το σημείο αγκύρωσης του φωτιστικού | Максимальная толщина для точки крепления светильника | Maximální tloušťka kotevniho bodu svítidla | Μαксимална дебелина на точката на закрепване на осветителното тяло | Maksymalna grubość dla punktu kotwienia oprawy |
| Verstelbare | Ρυθμιζόμενο | Регулируемый | Nastavitelný | Ρεγυλιруеми | Orientacja |
| Dimbaar | Ροοστάτη | Затемняемый | Stmívatelné | Димиране | Ściemniania |
| Aar | Ακίδα | колос | Špice | шип | Kolec |
| Weerstand in kg | Αντίσταση σε kg | Сопротивление в кг | Odolnost v kg | Съпротивление в кг | Odporność w kg |
| Schokbestendig | Αντοχή σε κραδασμούς | Ударопрочность | Odolnost proti nárazu | Устойчивост на удар | Odporność na uderzenia |
| Onderhoud staal | Συντήρηση χάλυβα | Стальная сталь | Údržba oceli | Поддържаща стомана | Konserwacja stali |
| Lichte omhoog / omlaag / boven en beneden | Φωσ εγγραφή / κάτω / εγγραφή και κάτω | Свет вверх / вниз / вверх и вниз | Osvětlit / dolů / nahoru a dolů | Λαйт нагоре / надолу / нагоре и надолу | Zapalać się / w dół / w górę i w dół |
| Licht rangen | φωσ βαθμών | Светлые сорта | Světlo třídy | Светлини марки | Lekkie klasy |
| Dubbele intensiteit | Τηλεχειριστήριο | Дистанционное Управление | Dálkové Ovládání | Дистанционно Управление | Zdalne Sterowanie |
| RECESSED box | Χωνευτα κουτι | Монтажная коробка | RECESSED box | За вграждане box | Puszka |
| Omwentelingen per minuut | Στροφές ανά λεπτό | Обороты в минуту | Otáčky za minutu | Обороты в минута | Obroty na minutę |
| Verbruik in W | Κατανάλωση σε βατ, σύμφωνα με την ταχύτητα του μοτέρ | Потребление в Вт, в зависимости от скорости мотора | Spotřeba ve W, dle rychlosti motoru | Spotřeba ve W, dle rychlosti motoru | Zużycie energii w W, w zależności od prędkości silnika |
| Ingress Protection Markering tegen stof (X) en water (Y) | Προστασία εισχώρησης Σήμανση σκόνης (X) και νερού (Y) | Защита от взлома Маркировка против пыли (X) и воды (Y) | Ochrana proti přehřátí Označení proti prachu (X) a vodě (Y) | Защитна защита срещу прах (X) и вода (Y) | Oznaczenie ochrony przed pyłem (X) i wodą (Y) |
| Passive infraroodsensor (PIR) | Πθητικός αισθητήρας υπερύθρων (PIR) | Пассивный инфракрасный датчик (PIR) | Pasivní infračervený snímač (PIR) | Пасивен инфрачервен датчик (PIR) | Pasywny czujnik pod- zerwieni (PIR) |
| Dag / nacht-sensor | Αισθητήρας ημέρας / νύχτας | Датчик день / ночь | Denní / noční snímač | Дневен / нощен сензор | Czujnik dzień / noc |
| Met licht / Zonder licht / Met en zonder licht | Με φως / Χωρίς φως / Με και χωρίς φως | С подсветкой / Без света / С подсветкой и без света | Se světlem / bez světla / S nebo bez světla | Със светлина / без светлина / С и без светлина | Ze światłem / bez światła / Z światłem i bez niego |
| Naleving van regelgeving voor gloeilampen | Συμμόρφωση της ρύθμισης συρμάτων πυρακτώσεως | Соблюдение регламентации ламп накаливания | Dodržování předpisů o žárovkách | Съответствие на нормативната уредба с нажежаема жичка | Zgodność z normami doty- czącymi żarówek |
| Voor- en achterraand dimmen | Καμπύλη οδηγού και τελειώματος | Ведущее и заднее диммирование | Přední a koncové stmívání | Водещо и затымняващо затымнение | Przyciemnianie wiodące i końcowe |

Materials / *Materiales*

| EN | ES | FR | ITA | PT | GER |
|---------------------------------------|-----------------------------|--------------------------------|-----------------------------|--------------------------------|-----------------------------|
| ABS | ABS | ABS | ABS | ABS | ABS |
| Acrylic | Acrílico | Acrylique | Acrílico | Acrílico | Acryl |
| Aluminium | Aluminio | Aluminium | Alluminio | Aluminio | Aluminium |
| Beige Ribbon Shade | Tela encintada | Tissu adhésif | Tessuto registrato | Tecido gravado | Geklebte Gewebe |
| Bubble Glass | Cristal Burbuja | Verre bullé | Vetro bolla | Vidro bolha | Blasenglas |
| Brass | Latón | Laiton | Ottone | Latão | Messing |
| Die Cast Aluminium | Aluminio Inyectado | Fonte d'aluminium | Ghisa alluminio | Aluminio fundido | Aluminiumguss |
| Fiber Glass | Fibra de Vidrio | Fibre De Verre | Fibra Di Vetro | Fibra De Vidro | Fiberglas |
| Glass | Cristal | Verre | Vetro | Virido | Glas |
| Leather | Piel | Peau | Pelle | Pele | Haut |
| Linen | Lino | Lin | Biancheria | Roupa de cama | Leinen |
| Marble | Mármol | Marbre | Marmo | Mármore | Marble |
| Opal Acrylic | Acrílico Opal | Acrylique opale | Acrílico opale | Opal acrílico | Opalacryl |
| Opal Glass | Cristal Opal | Verre opale | Vetro opalino | Vidro opal | Opalglas |
| Opal PMMA | PMMA Opal | PMMA opale | PMMA opale | PMMA opal | Opal PMMA |
| Opal Polycarbonate | Policarbonato Opal | Polycarbonate opale | Policar-bonato opale | Policar-bonato opal | Opal polycarbonat |
| Opal PVC | PVC Opal | PVC opale | PVC opale | PVC opal | Opal PVC |
| Papyrus | Papiro | Papyrus | Papiro | Papiro | Papyrusses |
| Parchment | Pergamino | Parchemin | Pergamena | Pergaminho | Pergament |
| PEMD | PEMD | PEMD | PEMD | PEMD | PEMD |
| PET Polyethylene Terephthalate | PET Polietileno tereftalato | PET Polyéthylène téréphthalate | PET polietilene tereftalato | PET tereftalato de polietileno | PET Polyethylenterephthalat |
| Plaster | Yeso | Gypse | Gesso | Gesso | Gips |
| PMMA | PMMA | PMMA | PMMA | PMMA | PMMA |
| Polycarbonate | Policarbonato | Polycarbonate | Policarbonato | Policarbonato | Polycarbonat |
| Polyethylene | Polietileno | Polyéthylène | Polietilene | Polietileno | Polyethylen |
| Polymer | Polímero | Polymères | Polímero | Polímero | Polymer |
| Polypropylene | Polipropileno | Polyéthylène | Polietilene | Polietileno | Polyethylen |
| PVC | PVC | PVC | PVC | PVC | PVC |
| Rattan | Ratán | Rotin | Malacca | Rattan | Rattan |
| Resine | Resina | Résine | Resina | Resina | Harz |
| Rustic Glass | Cristal Rústico | Verre rustique | Vetro rustico | Vidro rústico | Rustikale Glas |
| Silicone | Silicona | Silicone | Silicone | Silicone | Silicon |
| Stainless Steel | Acero Inoxidable | Acier inoxydable | Acciaio inossi. | Aço inoxidável | Edelstahl Rostfreier |
| Steel | Acero | Acier | Acciaio | Aço | Stahl |
| Teflon | Teflón | Teflon | Teflon | Teflon | Teflon |
| Textile | Téxtil | Textile | Tessile | Téxtil | Textile |
| Translucent Glass | Cristal Translúcido | Verre translucide | Vetro traslucido | Vidro translúcido | Translucent Glas |
| Translucent Polycarbonate | Policarbonato Translúcido | Polycarbonate translucide | Policar-bonato transl. | Policar-bonato transl. | Translucent polycarbonat |
| Transparent Glass | Cristal Transparente | Verre transparent | Vetro trasparente | Vidro transpa. | Transparentem Glas |
| Transparent PMMA | PMMA Transparente | PMMA transparent | PMMA trasparente | PMMA transpa. | Transparentem PMMA |
| Wood | Madera | Bois | Legno | Madeira | Holz |
| Zinc | Zinc | Zinc | Zinco | Zinco | Zink |

| NL | GRK | RUS | CZ | BL | PL |
|-----------------------------|----------------------------------|--------------------------|---------------------------|---------------------------|----------------------------|
| ABS | ABS | ABS | ABS | ABS | ABS |
| Acryl | Ακρυλικό | Акриловый | Akryl | Акрил | Akrylowy |
| Aluminium | Αλουμίνιο | Алюминий | Hliník | Алюминий | Aluminium |
| Getapete stof | Μαγνητοσκοπημένο ύφασμα | Ткань | Páskové tkaniny | Лепени тъкани | Taśma tekstylna |
| Bubble glas | Υαλί φούσκα | Рузырь стекло | Bublina sklo | балон стъкло | Szklane bańki |
| messing | Ορείχαλκος | латунь | Mosaz | месинг | Mosiądz |
| Gegoten aluminium | Χυτό αλουμίνιο | Ритого алюминия | Z litého hliníku | Рят алюминий | Odlew aluminiowy |
| Glasvezel | Πολυεστερικός | Стекловолокно | Laminát | Фибростъкло | Włókno Szklane |
| Glas | Υαλί | Стекло | Sklo | Стъкло | Szko |
| Huid | Δέρμα | кожа | Kůže | кожа | Skóra |
| Linnen | Λευκά είδη | белье | Linen | бельо | Poścień |
| Marmeren | Μαρμαρα | Мрамор | Mramorová | Мрамор | Marmur |
| Opaal acrylaat | Οπαλ ακρυλικό | Опалового акрила | Opalový akrylát | Опал акрил | Opal akryl |
| Opaal glas | Οπαλ γιαλί | Матовое стекло | Opalové sklo | Млечно стъкло | Szko mleczne |
| Opaal PMMA | Οπαλ PMMA | PMMA ακριλινικές | Opal PMMA | Опал PMMA | Mlecznego PMMA |
| Opaal polycarbonaat | Οπαλ πολυάνθρακας | Опал поликарбонат | Opal polykarbonát | Опал поликарбонат | Mlecznego Poliwęglan |
| Opaal PVC | Οπαλ PVC | Опал PVC | Opal PVC | Опал PVC | PVC Poliwęglan |
| Papyrus | Πάπυρος | Папирус | Papyrus | Раругус | Papyrus |
| Perkament | Περγαμινή | Пергамент | Pergamen | Пергамент | Pergamin |
| PEMD | PEMD | Пемд | PEMD | PEMD | PEMD |
| PET Polyethyleentereftalaat | Τερεφθαλικό πολυαιθυλένιο PET | ПЭТ Полиэтилентерефталат | PET polyethylentereftalát | PET полиэтилен терефталат | PET Politereftalan etylenu |
| Gips | Γύψος | Гипс | Sádrovec | Гипс | Gips |
| PMMA | PMMA | PMMA | PMMA | PMMA | PMMA |
| Polycarbonaat | Πολυκαρβονικά | Поликарбонат | Polykarbonát | Поликарбонат | Poliwęglan |
| Polyethyleen | Πολυαιθυλένιο | полиэтилен | Polyethylen | полиэтилен | Polietylen |
| Polymeer | Πολυμερές | Полимер | Polymer | Полимер | Polimer |
| Polyethyleen | Πολυαιθυλένιο | Полиэтилен | Polyethylen | Полиэтилен | Polietylen |
| PVC | PVC | PVC | PVC | PVC | PVC |
| Rotan | Rattan | ротанг | Ratan | ратан | Rattan |
| Hars | Ρητινouxo | Смола | Pryskyřice | Смола | Żywica |
| Rustieke Glass | ρουστίκ Γυαλί | Сельский стекла | Rustikální sklo | Рустик стъкло | Rustic Szko |
| Silicone | Σίλικονη | Силикон | Silikonová | Силикон | Silikon |
| Roestvrij staal | Ανοξειδωτο χάλυβα | нержавеющая сталь | Nerez | неръждаема стомана | Stal nierdzewnej |
| Staal | χάλυβας | сталь | Ocel | Стомана | Stal |
| Teflon | Τεφλόν | Тефлон | Teflon | Тефлоново | Teflon |
| Textiel | Υφάσματα | Текстильный | Textilní | Текстилен | Włókienniczy |
| Doorschijnend glas | Διαφανές γιαλί | Прозрачные стекла | Translucent stъкло | Průhledné sklo | Przezroczyste szklo |
| Doorschijnend polycarbo. | Διαφανές πολυάνθρακας | Прозрачные поликарбонат | Translucent polykarbonát | Průhledné polykarbonát | Przezroczyste Poliwęglan |
| Transparent glas | Διαφανές γιαλί | Прозрачное стекло | Průhledné sklo | Прозрачно стъкло | Przezroczystego szkła |
| Transparent PMMA | Διαφανές PMMA | Прозрачное PMMA | Průhledné PMMA | Прозрачно PMMA | Przezroczystego PMMA |
| Hout | Ξύλο | Дерево | Dřevo | Дърво | Drewno |
| Zink | Ψευδάργυρος | Цинк | Zinek | Цинк | Cynk |

General information / Información general

| EN | ES | FR | ITA |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>The technical information detailed in our catalogue can be modified in order to improve the features or design of our products.</p> <p>Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any cause for complaints.</p> <p>The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes.</p> <p>The catalogue prices are public prices.</p> <p>RATES DO NOT INCLUDE VAT.</p> <p>Price list not valid for Italy and Switzerland.</p> <p>Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency.</p> <p>Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.</p> | <p>La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño.</p> <p>Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin previo aviso y sin que sea motivo de reclamaciones.</p> <p>Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones.</p> <p>Los precios mostrados son precios de venta al público (PVP).</p> <p>IVA NO INCLUIDO EN TARIFA</p> <p>Tarifa no válida para Italia y Suiza.</p> <p>Previa comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas.</p> <p>No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.</p> | <p>L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques technique ou de design.</p> <p>Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations.</p> <p>Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptible d'être modifiées ultérieurement.</p> <p>Les prix du catalogue sont les prix de vente public .</p> <p>IVA NON COMPRISE DANS LE TARIF.</p> <p>Liste de prix pas valable pour l'Italie et la Suisse. Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de vous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.</p> | <p>La informazione che si riferisce ai nostri articoli può essere soggetta a modifiche con il fine di migliorare le caratteristiche, tecniche o di design, dei nostri prodotti. Faro Barcelona si riserva il diritto di annullare o modificare qualsiasi modello senza previo avviso e senza che sia motivo di reclami.</p> <p>Le condizioni, caratteristiche e prezzi dei prodotti che compaiono in questo catalogo sono quelli vigenti alla data della stampa del catalogo ad eccezione di errori tipografici e sono soggetti a possibili modificazioni.</p> <p>I prezzi indicati sono prezzi di vendita al pubblico.</p> <p>IVA NON INCLUSA IN LISTINO.</p> <p>Il listino non è valido per l'Italia e la Svizzera. LOREFAR accetta previa comunicazione, solo la merce restituita perché difettosa; in nessun caso accetterà la merce restituita per presenza di vetri rotti o per mancanza di qualche componente. In questi casi vi preghiamo di contattarci per potervi mandare al più presto i pezzi richiesti.</p> <p>Non si effettuano cambi né si ammettono restituzioni di merci in buono stato. In caso di accettazione esplicita da parte di LOREFAR, al momento del ricevimento e della verifica della merce si emetterà un addebito del 20% a titolo di deprezzamento e classificazione.</p> |
| PT | GER | NL | GRK |
| <p>A informação referente aos nossos produtos pode ser modificada com o fim de melhorar as características técnicas ou de desenho.</p> <p>A Faro Barcelona reserva-se o direito de anular ou modificar qualquer modelo sem aviso prévio e sem que seja motivo de reclamações.</p> <p>As condições, características e preços dos produtos que aparecem neste catálogo são os vigentes na data de impressão do catálogo salvo erro tipográfico e estão sujeitos a possíveis modificações. Os preços mostrados são preços de venda ao público (PVP).</p> <p>IVA NÃO INCLuíDO NA LISTA DE PREÇOS</p> <p>Lista de preços não é válido para a Itália e Suíça.</p> <p>Mediante comunicação prévia à Lorefar, apenas se aceitará a mercadoria devolvida por defeito, nunca por vidros partidos ou falta de algum componente. Nestes casos pedimos que entrem em contacto conosco para lhes enviarmos urgentemente as peças requeridas.</p> <p>Não serão admitidas alterações nem devoluções de mercadoria em bom estado. Em caso de aceitação explícita por parte da Lorefar, na sua recepção e comprovação emitir-se-á um débito de 20% a título de depreciação e classificação da mercadoria.</p> | <p>Die Information über unsere Produkte kann im Zusammenhang mit den Verbesserungen ihrer technischen Eigenschaften und ihres Designs jederzeit geändert werden.</p> <p>Faro Barcelona behält sich das Recht vor, seine Modelle jederzeit und ohne vorherige Ankündigung vom Markt zu nehmen, ohne dass sich daraus ein Anrecht auf Beschwerden ableiten könnte.</p> <p>Die Bedingungen, Eigenschaften und Preise der Produkte in diesem Katalog gelten zum Datum der Drucklegung des Katalogs vorbehaltlich Druckfehler und können jederzeit geändert werden. Diese Preise gelten für den Direktverkauf an den Kunden.</p> <p>DIE MEHRWERTSTEUER IST NICHT IN DEN PREISEN EINGESCHLOSSEN</p> <p>Preisliste gilt nicht für Italien und die Schweiz.</p> <p>Nach vorheriger Kommunikation kann Lorefar die Rücklieferung von schadhafter Ware akzeptieren, jedoch niemals wegen beschädigten Glasteilen oder fehlenden Komponenten. In letzteren Fällen setzen Sie sich bitte zwecks schneller Zusage der notwendigen Teile in Verbindung.</p> <p>Wir tauschen keine Waren in gutem Zustand und oder nehmen sie zurück. Bei ausdrücklicher Annahme durch Lorefar nach Erhalt und Überprüfung stellen wir Ihnen 20% des Preises für Wertverminderung und Handhabung der Ware in Rechnung.</p> | <p>De informatie over onze producten kan gewijzigd worden met als doel de technische eigenschappen of het design te verbeteren.</p> <p>Faro Barcelona behoudt zich het recht voor onaangekondigd modellen te schrappen of te wijzigen en zonder dat dit aanleiding tot een klacht vormt.</p> <p>De voorwaarden, eigenschappen en prijzen van de producten in deze catalogus zijn geldig op het moment van druk van de catalogus tenzij sprake is van een drukfout. Zij zijn onderhevig aan mogelijke wijzigingen. De getoonde prijzen betreffen verkoopprijzen.</p> <p>Btw NIET BIJ DE PRIJS INBEGREPEN</p> <p>Tarifa niet geldig voor Italië en Zwitserland.</p> <p>Lorefar aanvaardt uitsluitend defecte teruggezonden goederen nadat zij hierover van tevoren op de hoogte is gesteld. Dit geldt niet voor gebroken glas of het ontbreken van onderdelen. In deze gevallen wordt u verzocht met ons contact op te nemen zodat wij u zo snel mogelijk de gewenste onderdelen kunnen toezenden.</p> <p>Ruilen of terugsturen van goederen in correcte staat is niet toegestaan. In geval van uitdrukkelijke aanvaarding door Lorefar wordt bij ontvangst en controle een heffing van 20% voor waardevermindering en classificatie van de goederen toegepast.</p> | <p>Οι πληροφορίες σχετικά με τα προϊόντα μας ενδέχεται να τροποποιηθούν με στόχο τη βελτίωση των τεχνικών χαρακτηριστικών ή του σχεδίου.</p> <p>Η Faro Barcelona διατηρεί το δικαίωμα ακύρωσης ή τροποποίησης οποιασδήποτε μοντέλου χωρίς προηγούμενη προειδοποίηση και οι τιμές των προϊόντων που παρουσιάζονται σε αυτόν τον κατάλογο είναι αυτά που ισχύουν κατά την ημερομηνία της εκτύπωσης του καταλόγου, εκτός τυπογραφικών λαθών, και υπόκεινται σε αλλαγές. Οι τιμές που εμφανίζονται είναι τιμές λιανικής.</p> <p>Ο ΦΠΑ ΔΕΝ ΣΥΜΠΕΡΙΛΑΜΒΑΝΕΤΑΙ ΣΤΗΝ ΤΙΜΗ</p> <p>Μετά από συζήτηση με τη Lorefar, γίνονται αποδεκτές επιστροφές μόνο αν πρόκειται για ελαττωματικά εμπορεύματα και όχι για θραύση κρυστάλλων ή απουσία κάποιου στοιχείου. Στις περιπτώσεις αυτές, παρακαλούμε να έρθετε σε επαφή μαζί μας για να σας στείλουμε εγγειώντως τα απαιτούμενα μέρη.</p> |
| RUS | CZ | BL | PL |
| <p>Информация относящаяся к нашей продукции может быть модифицирована с целью улучшить технические или внешние характеристики.</p> <p>Faro Barcelona сохраняет за собой право аннулировать или модифицировать любую модель без предупреждения и без того что это послужит причиной для жалоб.</p> <p>Δεν γίνονται αποδεκτές αλλαγές ή επιστροφές για εμπορεύματα σε καλή κατάσταση. Σε περίπτωση ρητής αποδοχής εκ μέρους της Lorefar, κατά την παραλαβή και τον έλεγχο τους θα πραγματοποιηθεί χρέωση 20% για έξοδα απόδοσης και ταξινόμησης των εμπορευμάτων.</p> <p>Условия, характеристики и цены на изделия, указанные в данном каталоге, действительны на дату его выпуска, за исключением опечаток в каталоге, и могут быть изменены. В каталоге указаны розничные цены.</p> <p>БЕЗ УЧЕТА НДС</p> <p>В соответствии с правилами, компания Lorefar принимает возврат изделий только при наличии дефектов, но ни в коем случае не при разбитии стекла или отсутствии какой-либо детали. В таком случае, пожалуйста, свяжитесь с нами, чтобы мы отправили вам необходимые детали. Товар в рабочем состоянии не подлежит обмену или возврату. В случае подтверждения компанией Lorefar наличия дефектов, после возврата и проверки, начисляется 20% стоимости с учетом амортизации и классификации товаров.</p> | <p>Technické informace uvedené v katalogu mohou být modifikovány za účelem zdokonalování vlastností svítidel nebo jejich designu.</p> <p>Producent Faro Barcelona si vyhrazuje právo konstrukčních změn nabízených modelů bez předcházejícího oznámení a tato skutečnost nemůže být předmětem jakékoliv stížnosti či reklamace.</p> <p>Podmínky, technické specifikace a ceny produktů uvedené v katalogu jsou platné ke dni vydání katalogu. Producent si vyhrazuje právo konstrukčních změn nabízených modelů, pokud tyto nepovedou k zásadním změnám charakteru výrobků. Informace z tohoto katalogu postrádají platnosti v den vydání katalogu nového.</p> <p>VŠECHNY CENY JSOU UVEDENY BEZ DPH., Zboží může být vráceno pouze po předchozím souhlasu od společnosti PAXI, na základě poruchy nebo vady ovšem nikdy na základě poškozeného skla nebo chybějícího dílu. V takových případech nás, prosím, kontaktujte, abychom Vám mohli požadované části svítidel urgentně zaslat. Výměny nebo vrácení zboží v dobrém technickém stavu je nepřijatelné.</p> | <p>Техническая информация, представленная в нашатай каталог, може да бъде променяна с цел да подобри представянето или дизайна на продуктите.</p> <p>Фаро Барселона си запазва правото да отменя или променя всеки модел без предварително осведомяване и без това да се счита причина за оплаквания.</p> <p>Условията, техническите характеристики и цените на продуктите показани в този каталог са ефективни към датата на отпечатването на каталога, с изключение на грешки при отпечатване и са обект на възможни промени.</p> <p>ЦЕНИТЕ НЕ ВКЛЮЧВАТ ДДС.</p> <p>Връщане на закупена стока ще да бъдат приета единствено след писмено осведомяване на ЛОРЕФАР на основание дефекти и в никакъв случай на основание счупено стъкло или липсващи части. В такива случаи моля свържете се с нас, за да ви изпратим липсващите части по спешност.</p> <p>Размяна или връщане на стока в добро състояние няма да бъде извършвана. В случай на спешно примане от ЛОРЕФАР 20 % такса ще бъде наложена за примане и проверка, за обезценяване и класификация на продуктите.</p> | <p>Informacje techniczne wyszczególnione w naszym katalogu mogą być modyfikowane w celu poprawienia właściwości lub wzornictwa produktów.</p> <p>Faro Barcelona ma prawo do anulowania i modyfikowania każdego z modeli bez uprzedniego informowania i nie przyjmuje skarg z tego tytułu.</p> <p>Warunki, opis techniczny oraz ceny artykułów, które pojawiają się w katalogu są aktualne do czasu wydruku katalogu za wyjątkiem pomyłek w druku, które podlegają ewentualnej zmianie. Ceny w katalogu są cenami publicznymi.</p> <p>CENY NIE ZAWIERAJĄ STAWKI VAT.</p> <p>Ewentualne zwroty mogą być zaakceptowane po uprzedniej zgodzie przez Lorefar na podstawie stwierdzenia, że są wadliwe, nigdy nie przyjmowane są zwroty artykułów, z powodu stłuczenia szkła czy brakujących części, w tym przypadku prosimy o kontakt w celu wysłania potrzebnych części w trybie natychmiastowym.</p> <p>Wymiany lub zwroty artykułów w dobrym stanie nie będą zaakceptowane. W przypadku wyraźnej akceptacji przez Lorefar, 20% opłaty może być poniesione na otrzymanie i sprawdzenie, w celu skłasyfikowania uszkodzenia artykułu.</p> |

| EN | ES | FR | ITA |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Faro Barcelona Technical Laboratory Faro Barcelona has extended the capacity of its Quality Control Department by equipping its laboratory with machinery that can conduct the following tests:</p> <ul style="list-style-type: none"> - IP Tests. - Incandescent thread. - Electric shocks. - Thermal and mechanical resistance. - Impacts. - Consumption and power factors. <p>Thanks to these advances, Faro Barcelona has raised the bar regarding the thoroughness of its tests and ensures that European regulations and standards are complied with fully.</p> <p>Faro collaborates on improvements to the environment With its commitment to efficient light bulbs and its contribution to energy saving and the campaign against global warming. In Faro catalogues, next to the standard-use light bulb given for each item, you will see the recommended bulb, highlighted by this symbol: [LED ref.]</p> | <p>Laboratorio técnico propio de Faro Barcelona Faro Barcelona ha ampliado la capacidad de su Departamento de Control de Calidad, dotando su laboratorio de una maquinaria capaz de hacer los siguientes ensayos:</p> <ul style="list-style-type: none"> - Pruebas de IP. - Hilo incandescente. - Choques eléctricos. - Resistencia térmica y mecánica. - Choques de impacto. - Consumos y factores de potencia. <p>Gracias a estos avances, Faro Barcelona eleva el nivel de rigurosidad en sus ensayos y garantiza el estricto cumplimiento de las normativas y estándares europeos.</p> <p>Faro colabora en la mejora del medio ambiente Apostando por las bombillas eficientes y contribuyendo con el ahorro energético y la lucha contra el calentamiento global. En los catálogos Faro podrá encontrar junto a la bombilla de uso standard de cada artículo cual es la bombilla que recomendamos y lo diferenciamos con este símbolo: [LED ref.]</p> | <p>Laboratoire technique appartenant à Faro Barcelona Faro Barcelona a élargi la capacité de son Département de contrôle qualité, en dotant son laboratoire de machines capables de procéder aux essais suivants:</p> <ul style="list-style-type: none"> - Essais d'IP - Fil incandescent. - Chocs électriques. - Résistance thermique et mécanique. - Chocs d'impact. - Consommations et facteurs de puissance. <p>Grâce à ces avancées, Faro Barcelona élève le niveau de rigueur de ses essais et garantit le strict respect des réglementations et normes européennes.</p> <p>Faro participe à l'amélioration de l'environnement En misant sur des ampoules efficaces, en contribuant aux économies d'énergie et en participant à la lutte contre le réchauffement de la planète. Dans les catalogues Faro, vous trouverez, à côté de l'ampoule standard utilisée pour chaque article, l'ampoule recommandée et identifiée par ce symbole: [LED ref.]</p> | <p>Laboratorio tecnico proprio di Faro Barcelona Faro Barcellona ha ampliato la capacità del suo Dipartimento di Controllo della Qualità, dotando il suo laboratorio di macchinari in grado di realizzare i seguenti test:</p> <ul style="list-style-type: none"> - Prove di IP. - Filo incandescente. - Scariche elettriche. - Resistenza termica e meccanica. - Test di impatto. - Consumi e fattori di potenza. <p>Grazie a questi progressi, Faro Barcelona alza il livello di rigurosità nei suoi test e garantisce il rigido rispetto delle normative e degli standard europei.</p> <p>Faro collabora al miglioramento dell'ambiente Scommettendo sulle lampadine efficienti e contribuendo al risparmio energetico e alla lotta contro il riscaldamento globale. Nei cataloghi Faro potrete trovare, assieme alla lampadina d'uso standard di ogni articolo, la lampadina di basso consumo consigliata e che si distingue con questo simbolo: [LED rif.]</p> |
| PT | GER | NL | GRK |
| <p>Laboratório técnico próprio da Faro Barcelona A Faro Barcelona ampliou a capacidade do seu Departamento de Controlo de Qualidade, dotando o seu laboratório de uma maquinaria capaz de fazer os seguintes ensaios:</p> <ul style="list-style-type: none"> - Testes de IP. - Fio incandescente. - Choques eléctricos. - Resistência térmica e mecânica. - Choques de impacto. - Consumos e factores de potência. <p>Graças a estes avanços, a Faro Barcelona eleva o nível de rigor nos seus ensaios e garante o estrito cumprimento das normas e padrões europeus.</p> <p>A Faro colabora na melhoria do meio ambiente Apostando nas lâmpadas eficientes e contribuindo para a poupança energética e para a luta contra o aquecimento global. Nos catálogos Faro poderá encontrar, junto à lâmpada de uso padrão de cada artigo, a lâmpada recomendada e que se diferencia com este símbolo: [LED ref.]</p> | <p>Eigenes technisches Labor von Faro Barcelona Faro Barcelona hat die Leistungsfähigkeit seiner Qualitätssicherungsabteilung durch die Ausstattung seines Labors mit Einrichtungen für folgende Tests erweitert.</p> <ul style="list-style-type: none"> - IP-Tests. - Thermische und mechanische - Elektroschocks Widerstandskraft - Mechanische Stöße - Verbrauchs- und Leistungsaspekte - Glühfäden <p>Dank dieser Erweiterungen kann Faro Barcelona jetzt seine Produktprüfungen noch wesentlich rigoroser durchführen und eine strikte Erfüllung der europäischen Normen und Standards garantieren.</p> <p>Faro bemüht sich ständig um den Umweltschutz Daher verwenden wir immer mehr effiziente Leuchtmittel und tragen damit zum Einsparen von Energie und zum Kampf gegen die Klimaerwärmung bei. In den Katalogen von Faro finden Sie neben den Standard-Leuchtmitteln für die einzelnen Artikel auch jeweils passende Sparbirnen, die mit folgendem Symbol gekennzeichnet sind: [LED ref.]</p> | <p>Eigen technisch laboratorium van Faro Barcelona Faro Barcelona heeft de capaciteit van haar Afdeling Kwaliteitscontrole uitgebreid met een laboratorium waar de volgende testen kunnen worden uitgevoerd:</p> <ul style="list-style-type: none"> - Testen van de IP-code - Gloeidraad. - Elektrische schokken. - Thermische en mechanische weerstand. - Schok door impact. - Verbruik en vermogensfactoren. <p>Dankzij deze vooruitgang is er bij Faro Barcelona sprake van een hoger striktheidniveau tijdens het testen en garandeert een strikte naleving van de Europese normen en standaards.</p> <p>Faro werkt mee aan de verbetering van het milieu Middels het gebruik van efficiënte lampen. Zo draagt zij bij aan de energiebesparing en aan de strijd tegen de opwarming van de aarde. In de catalogi van Faro treft u naast de lamp voor standaardgebruik van ieder artikel de aanbevolen lamp met laag verbruik aan die met dit symbool wordt onderscheiden: [LED ref.]</p> | <p>Faro Barcelona Technical Laboratory H Faro Barcelona έχει διευρύνει τις δυνατότητες του Τμήματος Ελέγχου Ποιότητας, εξοπλίζοντας το εργαστήριό της με μηχανήματα που πραγματοποιούν τα εξής τεστ:</p> <ul style="list-style-type: none"> - Τεστ IP - Νήμα πυρακτώσεως. - Ηλεκτροπληξία. - Θερμική και μηχανική αντοχή. - Κρούση. - Κανανάλωση και παράγοντες ισχύος. <p>Χάρη σε αυτές τις εξελίξεις, η Faro Barcelona αυξάνει το επίπεδο αυστηρότητας στις δοκιμές της και εξασφαλίζει την απόλυτη τήρηση των ευρωπαϊκών κανονισμών και προτύπων.</p> <p>H Faro συμβάλλει στη βελτίωση του περιβάλλοντος Χρησιμοποιώντας αποδοτικούς λαμπτήρες και συμβάλλοντας στην εξοικονόμηση ενέργειας και την καταπολέμηση της υπερθέρμανσης του πλανήτη. Στους καταλόγους της Faro μπορείτε να βρείτε, μαζί με τον συμβατικό λαμπτήρα για κάθε προϊόν, τον απολύτως αποδοτικό λαμπτήρα χαμηλής κατανάλωσης που διακρίνεται με αυτό το σύμβολο: [LED αναφ.]</p> |
| RUS | CZ | BL | PL |
| <p>Собственная техническая лаборатория компании Faro Barcelona Потенциал Отдела контроля качества компании Faro Barcelona увеличился благодаря появлению в лаборатории оборудования, с помощью которого можно проводить следующие испытания:</p> <ul style="list-style-type: none"> - Тестирование IP - Механическое и - Поражение электрическим током, тепловое сопротивление - Воздействие от столкновения - Потребление и - Спираль накаливания, коэффициент мощности. <p>Благодаря этому компания Faro Barcelona предъявляет все более жесткие требования к проведению исследований и обеспечивает строгое соответствие европейским стандартам и нормам.</p> <p>Faro заботится об окружающей среде делая ставку на эффективные электрические лампы, позволяющие экономить энергию и бороться с глобальным потеплением. В каталогах Faro можно найти как стандартные лампы различных типоразмеров, так и рекомендуемые энергосберегающие лампы, отмеченные специальным символом: [LED ссы.]</p> | <p>Собственная техническая лаборатория компании Faro Barcelona Потенциал Отдела контроля качества компании Faro Barcelona увеличился благодаря появлению в лаборатории оборудования, с помощью которого можно проводить следующие испытания:</p> <ul style="list-style-type: none"> - Тестирование IP - Механическое и - Поражение электрическим током, тепловое сопротивление - Воздействие от столкновения - Потребление и - Спираль накаливания, коэффициент мощности. <p>Благодаря этому компания Faro Barcelona предъявляет все более жесткие требования к проведению исследований и обеспечивает строгое соответствие европейским стандартам и нормам.</p> <p>Používáním efektivních žárovek přispívá firma Faro Ke zlepšení životního prostředí, úspoře elektrické energie a boji proti globálnímu oteplování. V katalozích Faro naleznete vedle standardní žárovky vhodné pro jednotlivé zboží i doporučenou žárovku s nízkou spotřebou, která je označena tímto symbolem: [LED ref.]</p> | <p>Собствена техническа лаборатория на Faro Barcelona Faro Barcelona разшири капацитета на своя Отдел за контрол на качеството, като обзаведе лабораториите си с оборудване за осъществяване на следните изпитвания:</p> <ul style="list-style-type: none"> - Изпитвания за степен на защита (IP) - Изпитвания за степен на защита (IP) - Термична и механична - Токови удари.Сустойчивост. - Удари в твърд предмет - Консумирана мощност - Нажежена жичка, и коэффициент на мощността. <p>По този начин Faro Barcelona повишава точността на изпитванията и гарантира стриктно спазване на европейските.</p> <p>Faro съдейства за подобряване на околната среда чрез използване на енергоспестяващи крушки, с което дава своя принос в борбата с глобалното затопляне. В каталозите на Faro всеки продукт може да се използва както със стандартна, така и с енергоспестяваща крушка, която е препоръчителна и е означена със следния символ: [LED спр.]</p> | <p>Laboratorium techniczne należąca do Faro Barcelona Firma Faro Barcelona rozszerzyła zakres kompetencji swojego Działu Kontroli Jakości, wyposażając laboratorium w urządzenia wykonujące następujące testy:</p> <ul style="list-style-type: none"> - Próby IP - Włókno żarzenia. - Porażenia prądem. - Wytrzymałość termiczna i mechaniczna. - Wstrząsy - Zużycie i czynniki mocy. <p>Dzięki tym procedurom firma Faro Barcelona zostrzyła poziom testów, gwarantując bezwzględne przestrzeganie norm i standardów europejskich.</p> <p>Firma Faro chroni środowisko Stawiając na wydajne żarówki i oszczędność energii, przyczyniając się tym samym do walki z globalnym ociepleniem. Oprócz informacji o standardowych żarówkach, katalogi Faro zawierają zalecenia dotyczące żarówek energooszczędnych wyróżnione tym symbolem: [LED odni.]</p> |

| Ref | Pag. | Ref | Pag. | Ref | Pag. | Ref | Pag. |
|----------|------|----------|------|----------|------|----------|------|
| 01000 | 147 | 02300101 | 234 | 17463 | 641 | 20046 | 98 |
| 01001 | 147 | 02400101 | 235 | 17464 | 641 | 20046-3L | 88 |
| 01003 | 185 | 02400102 | 235 | 17465 | 641 | 20046-5L | 88 |
| 01004 | 185 | 03020402 | 236 | 17466 | 643 | 20046-7L | 88 |
| 01005 | 185 | 03030101 | 236 | 17467 | 643 | 20047 | 98 |
| 01006 | 185 | 03030102 | 236 | 17468 | 643 | 20048 | 98 |
| 01007 | 42 | 03030103 | 236 | 17472 | 640 | 20049 | 196 |
| 01009 | 152 | 03030201 | 236 | 17473 | 640 | 20050 | 98 |
| 01014 | 152 | 03030202 | 236 | 17474 | 640 | 20050-3L | 88 |
| 01015 | 36 | 17063 | 641 | 17475 | 640 | 20050-5L | 88 |
| 01016 | 36 | 17064 | 641 | 17476 | 643 | 20050-7L | 88 |
| 01017 | 36 | 17067 | 641 | 17477 | 643 | 20051 | 98 |
| 01025 | 42 | 17271 | 642 | 17478 | 641 | 20060 | 153 |
| 01026 | 152 | 17309 | 640 | 17479 | 641 | 20061 | 153 |
| 01027 | 152 | 17316 | 640 | 17482 | 641 | 20062 | 153 |
| 01040 | 200 | 17317 | 640 | 17483 | 641 | 20065 | 140 |
| 01041 | 200 | 17318 | 640 | 17484 | 641 | 20066 | 140 |
| 01045 | 149 | 17319 | 640 | 17485 | 641 | 20094 | 128 |
| 01046 | 48 | 17320 | 640 | 17486 | 641 | 20095 | 128 |
| 01205 | 201 | 17321 | 640 | 17487 | 643 | 20099 | 108 |
| 01206 | 201 | 17324 | 640 | 17488 | 643 | 20100 | 112 |
| 01207 | 201 | 17325 | 640 | 17489 | 643 | 20101 | 122 |
| 01208 | 201 | 17328 | 640 | 17490 | 643 | 20101DA | 122 |
| 01997001 | 126 | 17329 | 640 | 17491 | 643 | 20102 | 122 |
| 01997002 | 126 | 17330 | 640 | 17492 | 641 | 20102DA | 122 |
| 02100101 | 240 | 17331 | 640 | 17493 | 642 | 20103 | 122 |
| 02100301 | 234 | 17332 | 640 | 17494 | 643 | 20103DA | 122 |
| 02100401 | 234 | 17340 | 643 | 17495 | 643 | 20104 | 122 |
| 02100501 | 235 | 17398 | 643 | 17496 | 642 | 20104DA | 122 |
| 02100502 | 235 | 17399 | 643 | 17497 | 642 | 20107 | 120 |
| 02100503 | 235 | 17400 | 643 | 17498 | 639 | 20108 | 120 |
| 02100601 | 235 | 17409 | 642 | 17499 | 643 | 20109 | 120 |
| 02100602 | 235 | 17413 | 642 | 18030 | 640 | 20110 | 120 |
| 02100603 | 235 | 17414 | 642 | 18031 | 640 | 20116 | 118 |
| 02100701 | 235 | 17415 | 641 | 18032 | 640 | 20117 | 118 |
| 02100702 | 235 | 17417 | 641 | 18033 | 640 | 20118 | 118 |
| 02100801 | 236 | 17420 | 641 | 18034 | 640 | 20119 | 118 |
| 02100901 | 234 | 17422 | 641 | 18035 | 640 | 20120 | 118 |
| 02101001 | 233 | 17423 | 641 | 20021 | 170 | 20121 | 118 |
| 02101002 | 233 | 17425 | 642 | 20022 | 170 | 20122 | 118 |
| 02101101 | 233 | 17426 | 642 | 20023 | 170 | 20123 | 118 |
| 02101102 | 233 | 17427 | 642 | 20024 | 170 | 20124 | 118 |
| 02101301 | 233 | 17428 | 642 | 20025 | 77 | 20125 | 118 |
| 02101302 | 233 | 17429 | 642 | 20026 | 77 | 20126 | 118 |
| 02101401 | 235 | 17432 | 642 | 20029 | 77 | 20127 | 118 |
| 02101402 | 235 | 17433 | 642 | 20030 | 77 | 20128 | 118 |
| 02101501 | 233 | 17434 | 642 | 20031-80 | 148 | 20129 | 118 |
| 02101601 | 233 | 17437 | 641 | 20031-81 | 148 | 20130 | 118 |
| 02111001 | 230 | 17443 | 643 | 20031-88 | 166 | 20131 | 118 |
| 02111002 | 230 | 17444 | 643 | 20032-80 | 148 | 20160 | 93 |
| 02121001 | 230 | 17445 | 642 | 20032-81 | 148 | 20160-3L | 88 |
| 02121002 | 230 | 17446 | 642 | 20032-88 | 166 | 20160-5L | 88 |
| 02150101 | 238 | 17447 | 642 | 20033-80 | 38 | 20160-7L | 88 |
| 02150201 | 238 | 17448 | 642 | 20033-81 | 38 | 20161 | 93 |
| 02150301 | 238 | 17449 | 642 | 20034-80 | 38 | 20161-3L | 88 |
| 02200501 | 235 | 17460 | 641 | 20034-81 | 38 | 20161-5L | 88 |
| 02200502 | 235 | 17461 | 641 | 20034-88 | 73 | 20161-7L | 88 |
| 02200503 | 235 | 17462 | 641 | 20045 | 196 | 20164-95 | 57 |

| Ref | Pag. | Ref | Pag. | Ref | Pag. | Ref | Pag. |
|----------|------|----------|------|----------|------|----------|------|
| 20164-96 | 57 | 24016 | 178 | 28212 | 43 | 29332 | 76 |
| 20165-95 | 145 | 24020-31 | 59 | 28370 | 41 | 29333 | 76 |
| 20165-96 | 145 | 24020-32 | 59 | 28371 | 41 | 29335 | 76 |
| 20166-95 | 93 | 24023-33 | 59 | 28373 | 109 | 29336 | 76 |
| 20166-96 | 93 | 24023-34 | 59 | 28374 | 109 | 29340 | 176 |
| 20167 | 144 | 24030 | 650 | 28375 | 108 | 29341 | 176 |
| 20168 | 144 | 24030-01 | 156 | 28375-1L | 109 | 29395 | 155 |
| 20170 | 650 | 24030-02 | 156 | 28375-2L | 109 | 29396 | 155 |
| 20170-01 | 164 | 24031 | 650 | 28375-3L | 109 | 29397 | 111 |
| 20170-02 | 164 | 24031-01 | 156 | 28375-4L | 109 | 29398 | 53 |
| 20170-03 | 164 | 24031-02 | 156 | 28375-5L | 109 | 29399 | 52 |
| 20171 | 650 | 24031-03 | 156 | 28376 | 108 | 29468 | 99 |
| 20171-01 | 164 | 24032 | 650 | 28376-1L | 109 | 29565 | 155 |
| 20171-02 | 164 | 24032-01 | 156 | 28376-2L | 109 | 29566 | 155 |
| 20171-03 | 164 | 24032-02 | 156 | 28376-3L | 109 | 29567 | 111 |
| 20172 | 650 | 24033 | 650 | 28376-4L | 109 | 29568 | 53 |
| 20172-01 | 164 | 24033-01 | 156 | 28376-5L | 109 | 29569 | 52 |
| 20172-02 | 164 | 24033-02 | 156 | 28378 | 43 | 29680 | 650 |
| 20172-03 | 164 | 24033-03 | 156 | 28379 | 43 | 29680-19 | 165 |
| 20173 | 650 | 24034 | 650 | 28380 | 44 | 29680-20 | 165 |
| 20173-01 | 164 | 24034-04 | 64 | 28382 | 44 | 29680-21 | 165 |
| 20173-02 | 164 | 24034-05 | 64 | 28383 | 44 | 29681 | 650 |
| 20173-03 | 164 | 24035 | 650 | 28385 | 44 | 29681-19 | 165 |
| 20300-92 | 157 | 24035-04 | 64 | 28386 | 35 | 29681-20 | 165 |
| 20301-93 | 157 | 24035-05 | 64 | 28387 | 40 | 29681-21 | 165 |
| 20301-94 | 157 | 24035-06 | 64 | 28388 | 40 | 29682 | 650 |
| 20302-92 | 157 | 24036 | 650 | 28393 | 125 | 29682-19 | 165 |
| 20303-93 | 157 | 24036-07 | 65 | 28394 | 125 | 29682-20 | 165 |
| 20303-94 | 157 | 24036-08 | 65 | 28398 | 99 | 29682-21 | 165 |
| 20304-82 | 66 | 24037 | 650 | 28399 | 99 | 29683 | 650 |
| 20305-83 | 66 | 24037-07 | 65 | 28401 | 45 | 29683-19 | 165 |
| 20305-84 | 66 | 24037-08 | 65 | 28413 | 175 | 29683-20 | 165 |
| 20306-85 | 67 | 24037-09 | 65 | 28414 | 175 | 29683-21 | 165 |
| 20307-86 | 67 | 24500 | 92 | 28415 | 175 | 29684 | 650 |
| 20307-87 | 67 | 24501 | 92 | 29039 | 220 | 29684-04 | 68 |
| 20308-89 | 113 | 24502 | 146 | 29040 | 220 | 29684-05 | 68 |
| 20309-90 | 113 | 24503 | 146 | 29041 | 220 | 29684-06 | 68 |
| 20309-91 | 113 | 24504 | 92 | 29042 | 220 | 29685 | 650 |
| 20330 | 150 | 24505 | 92 | 29043 | 220 | 29685-04 | 68 |
| 20331 | 150 | 24521 | 49 | 29044 | 220 | 29685-05 | 68 |
| 20332 | 150 | 24522 | 49 | 29045 | 244 | 29685-06 | 68 |
| 24005 | 650 | 24523 | 34 | 29047 | 56 | 29686 | 650 |
| 24005-10 | 163 | 24524 | 34 | 29048 | 56 | 29686-07 | 69 |
| 24005-11 | 163 | 24527 | 149 | 29049 | 56 | 29686-08 | 69 |
| 24005-12 | 163 | 24528 | 149 | 29050 | 56 | 29686-09 | 69 |
| 24006 | 650 | 28209 | 108 | 29306 | 196 | 29687 | 650 |
| 24006-10 | 163 | 28209-1L | 109 | 29307 | 72 | 29687-07 | 69 |
| 24006-11 | 163 | 28209-2L | 109 | 29309 | 124 | 29687-08 | 69 |
| 24006-12 | 163 | 28209-3L | 109 | 29310 | 196 | 29687-09 | 69 |
| 24007 | 650 | 28209-4L | 109 | 29311 | 72 | 29690 | 143 |
| 24007-10 | 163 | 28209-5L | 109 | 29312 | 72 | 29691 | 86 |
| 24007-11 | 163 | 28210 | 108 | 29313 | 124 | 29692D | 50 |
| 24007-12 | 163 | 28210-1L | 109 | 29326 | 173 | 29693D | 51 |
| 24008 | 650 | 28210-2L | 109 | 29327 | 173 | 29694 | 91 |
| 24008-13 | 45 | 28210-3L | 109 | 29328 | 173 | 29695 | 143 |
| 24008-14 | 45 | 28210-4L | 109 | 29329 | 173 | 29696 | 86 |
| 24008-15 | 45 | 28210-5L | 109 | 29330 | 173 | 29697 | 50 |
| 24015 | 178 | 28211 | 43 | 29331 | 173 | 29698 | 51 |

| Ref | Pag. | Ref | Pag. | Ref | Pag. | Ref | Pag. |
|-------|------|--------|------|------------|------|------------|------|
| 29699 | 91 | 29955 | 75 | 2P0433 | 648 | 32027-10 | 595 |
| 29764 | 80 | 29958 | 75 | 2P0615 | 648 | 32027WP | 595 |
| 29844 | 154 | 29959 | 75 | 2P0616 | 648 | 32027WP-10 | 595 |
| 29845 | 154 | 29974 | 170 | 2P0617 | 648 | 32028 | 595 |
| 29846 | 54 | 29975 | 170 | 2P0625 | 648 | 32028-10 | 595 |
| 29847 | 54 | 29976 | 170 | 2P0626 | 648 | 32028WP | 595 |
| 29848 | 110 | 29977 | 170 | 2P0627 | 648 | 32028WP-10 | 595 |
| 29849 | 110 | 29978 | 71 | 2P0635 | 648 | 32029 | 595 |
| 29864 | 124 | 29979 | 71 | 2P0636 | 648 | 32029-9 | 595 |
| 29865 | 124 | 29980 | 172 | 2P0637 | 648 | 32029WP | 595 |
| 29866 | 74 | 29981 | 172 | 2P0645 | 648 | 32029WP-9 | 595 |
| 29867 | 74 | 29982 | 172 | 2P0646 | 648 | 32030 | 595 |
| 29868 | 74 | 29983 | 172 | 2P0647 | 648 | 32030-10 | 595 |
| 29869 | 74 | 29984 | 71 | 2P0710 | 648 | 32030WP | 595 |
| 29871 | 244 | 29985 | 71 | 2P0720 | 648 | 32030WP-10 | 595 |
| 29872 | 244 | 29986 | 126 | 2P0730 | 648 | 32033 | 605 |
| 29873 | 220 | 29987 | 126 | 2P0740 | 648 | 32033-9 | 605 |
| 29874 | 220 | 29988 | 126 | 32000 | 597 | 32033WP | 605 |
| 29875 | 220 | 29989 | 126 | 32000-9 | 597 | 32033WP-9 | 605 |
| 29876 | 220 | 29991 | 168 | 32000WP | 597 | 32034 | 605 |
| 29877 | 132 | 29992 | 168 | 32000WP-9 | 597 | 32034-9 | 605 |
| 29878 | 132 | 29993 | 168 | 32001 | 597 | 32034WP | 605 |
| 29879 | 132 | 29995 | 166 | 32001-9 | 597 | 32034WP-9 | 605 |
| 29880 | 132 | 29996 | 166 | 32001WP | 597 | 32035 | 605 |
| 29881 | 55 | 29997 | 73 | 32001WP-9 | 597 | 32035-10 | 605 |
| 29882 | 55 | 29998 | 73 | 32002 | 597 | 32035WP | 605 |
| 29883 | 55 | 2P0111 | 648 | 32002-10 | 597 | 32035WP-10 | 605 |
| 29884 | 55 | 2P0112 | 648 | 32002WP | 597 | 32036 | 605 |
| 29886 | 104 | 2P0113 | 648 | 32002WP-10 | 597 | 32036-10 | 605 |
| 29887 | 104 | 2P0121 | 648 | 32003 | 597 | 32036WP | 605 |
| 29888 | 202 | 2P0122 | 648 | 32003-10 | 597 | 32036WP-10 | 605 |
| 29889 | 202 | 2P0123 | 648 | 32003WP | 597 | 32037 | 605 |
| 29890 | 202 | 2P0131 | 648 | 32003WP-10 | 597 | 32037-10 | 605 |
| 29891 | 202 | 2P0132 | 648 | 32004 | 597 | 32037WP | 605 |
| 29894 | 104 | 2P0133 | 648 | 32004-10 | 597 | 32037WP-10 | 605 |
| 29895 | 104 | 2P0141 | 648 | 32004WP | 597 | 32038 | 603 |
| 29896 | 244 | 2P0142 | 648 | 32004WP-10 | 597 | 32038-9 | 603 |
| 29897 | 220 | 2P0143 | 648 | 32005 | 597 | 32038WP | 603 |
| 29898 | 55 | 2P0211 | 648 | 32005-9 | 597 | 32038WP-9 | 603 |
| 29899 | 55 | 2P0212 | 648 | 32005WP | 597 | 32039 | 603 |
| 29935 | 173 | 2P0213 | 648 | 32005WP-9 | 597 | 32039-9 | 603 |
| 29936 | 173 | 2P0221 | 648 | 32006 | 597 | 32039WP | 603 |
| 29937 | 75 | 2P0222 | 648 | 32006-10 | 597 | 32039WP-9 | 603 |
| 29938 | 75 | 2P0223 | 648 | 32006WP | 597 | 32040 | 603 |
| 29940 | 171 | 2P0231 | 648 | 32006WP-10 | 597 | 32040-10 | 603 |
| 29941 | 171 | 2P0232 | 648 | 32020 | 595 | 32040WP | 603 |
| 29942 | 78 | 2P0233 | 648 | 32020-9 | 595 | 32040WP-10 | 603 |
| 29943 | 78 | 2P0311 | 648 | 32020WP | 595 | 32041 | 603 |
| 29944 | 125 | 2P0312 | 648 | 32020WP-9 | 595 | 32041-10 | 603 |
| 29945 | 171 | 2P0313 | 648 | 32025 | 595 | 32041WP | 603 |
| 29946 | 171 | 2P0411 | 648 | 32025-9 | 595 | 32041WP-10 | 603 |
| 29947 | 78 | 2P0412 | 648 | 32025WP | 595 | 32042 | 603 |
| 29948 | 78 | 2P0413 | 648 | 32025WP-9 | 595 | 32042-10 | 603 |
| 29950 | 173 | 2P0421 | 648 | 32026 | 595 | 32042WP | 603 |
| 29951 | 173 | 2P0422 | 648 | 32026-10 | 595 | 32042WP-10 | 603 |
| 29952 | 173 | 2P0423 | 648 | 32026WP | 595 | 32043 | 603 |
| 29953 | 173 | 2P0431 | 648 | 32026WP-10 | 595 | 32043-10 | 603 |
| 29954 | 75 | 2P0432 | 648 | 32027 | 595 | 32043WP | 603 |

| Ref | Pag. | Ref | Pag. | Ref | Pag. | Ref | Pag. |
|------------|------|-------------|------|------------|------|------------|------|
| 32043WP-10 | 603 | 33382WP | 595 | 33423WP-10 | 631 | 33480 | 589 |
| 32060 | 605 | 33382WP-9 | 595 | 33424 | 631 | 33480-14 | 589 |
| 32060-10 | 605 | 33384 | 573 | 33424-10 | 631 | 33480WP | 589 |
| 32060WP | 605 | 33385 | 573 | 33424WP | 631 | 33480WP-14 | 589 |
| 32060WP-10 | 605 | 33386 | 573 | 33424WP-10 | 631 | 33481 | 591 |
| 32100 | 599 | 33390 | 651 | 33425 | 631 | 33481-7 | 591 |
| 32100-10 | 599 | 33391 | 651 | 33425-10 | 631 | 33481WP | 591 |
| 32100WP | 599 | 33393 | 603 | 33425WP | 631 | 33481WP-7 | 591 |
| 32100WP-10 | 599 | 33393-9 | 603 | 33425WP-10 | 631 | 33482 | 591 |
| 33001 | 534 | 33393WP | 603 | 33426 | 631 | 33482-8 | 591 |
| 33002 | 534 | 33393WP-9 | 603 | 33426-9 | 631 | 33482WP | 591 |
| 33005 | 612 | 33394 | 599 | 33426WP | 631 | 33482WP-8 | 591 |
| 33011 | 627 | 33394-9 | 599 | 33426WP-9 | 631 | 33483 | 651 |
| 33019 | 584 | 33394D | 601 | 33427 | 631 | 33484 | 651 |
| 33102 | 620 | 33394D-9 | 601 | 33427-10 | 631 | 33486 | 651 |
| 33110 | 535 | 33394DWP | 601 | 33427WP | 631 | 33487 | 607 |
| 33111 | 535 | 33394DWP-9 | 601 | 33427WP-10 | 631 | 33487WP | 607 |
| 33179 | 633 | 33394WP | 599 | 33428 | 631 | 33488 | 607 |
| 33180 | 633 | 33394WP-9 | 599 | 33428-10 | 631 | 33489 | 589 |
| 33183 | 633 | 33395 | 599 | 33428WP | 631 | 33489-15 | 589 |
| 33185 | 633 | 33395-10 | 599 | 33428WP-10 | 631 | 33489K | 651 |
| 33186 | 633 | 33395D | 601 | 33429 | 631 | 33489WP | 589 |
| 33274 | 583 | 33395D-10 | 601 | 33429-10 | 631 | 33489WP-15 | 589 |
| 33284 | 580 | 33395DWP | 601 | 33429WP | 631 | 33490 | 589 |
| 33287 | 580 | 33395DWP-10 | 601 | 33429WP-10 | 631 | 33490-16 | 589 |
| 33288 | 580 | 33395WP | 601 | 33430 | 517 | 33490K | 651 |
| 33292 | 581 | 33395WP-10 | 601 | 33430WP | 517 | 33490WP | 589 |
| 33314 | 577 | 33396 | 565 | 33432 | 517 | 33490WP-16 | 589 |
| 33341 | 555 | 33397 | 561 | 33432WP | 517 | 33491 | 575 |
| 33341-2 | 555 | 33398 | 599 | 33446 | 543 | 33491-4 | 575 |
| 33341K | 651 | 33398-10 | 599 | 33446WP | 543 | 33491K | 651 |
| 33341WP | 555 | 33398D | 601 | 33447 | 543 | 33492 | 575 |
| 33341WP-2 | 555 | 33398D-10 | 601 | 33447WP | 543 | 33492-5 | 575 |
| 33345 | 555 | 33398DWP | 601 | 33450 | 634 | 33492K | 651 |
| 33345-2 | 555 | 33398DWP-10 | 601 | 33451 | 593 | 33494 | 509 |
| 33345WP | 555 | 33398WP | 601 | 33451WP | 593 | 33494WP | 509 |
| 33345WP-2 | 555 | 33398WP-10 | 601 | 33454 | 626 | 33495 | 509 |
| 33346 | 569 | 33399 | 599 | 33455 | 626 | 33495WP | 509 |
| 33346WP | 569 | 33399-10 | 599 | 33460 | 559 | 33496 | 505 |
| 33349 | 515 | 33399D-10 | 601 | 33461 | 511 | 33504 | 521 |
| 33350 | 581 | 33399D | 601 | 33462 | 511 | 33505 | 521 |
| 33351 | 581 | 33399DWP | 601 | 33463 | 521 | 33506 | 533 |
| 33352 | 582 | 33399DWP-10 | 601 | 33464 | 521 | 33507 | 533 |
| 33352B | 582 | 33399WP | 601 | 33465 | 511 | 33508 | 619 |
| 33363 | 519 | 33399WP-10 | 601 | 33466 | 523 | 33509 | 619 |
| 33370 | 553 | 33415 | 623 | 33470 | 571 | 33511 | 531 |
| 33372 | 570 | 33416 | 623 | 33471K | 651 | 33511WP | 531 |
| 33373 | 553 | 33417 | 599 | 33471N | 575 | 33512 | 513 |
| 33374 | 605 | 33417-10 | 599 | 33471N-3 | 575 | 33512-1 | 513 |
| 33374-9 | 605 | 33417WP | 599 | 33472K | 651 | 33512WP | 513 |
| 33374WP | 605 | 33417WP-10 | 599 | 33472N | 576 | 33512WP-1 | 513 |
| 33374WP-9 | 605 | 33418 | 599 | 33472N-6 | 576 | 33513 | 651 |
| 33381 | 597 | 33418-10 | 599 | 33475 | 608 | 33514 | 587 |
| 33381-9 | 597 | 33418WP | 599 | 33475-17 | 608 | 33514WP | 587 |
| 33381WP | 597 | 33418WP-10 | 599 | 33476 | 651 | 33516 | 553 |
| 33381WP-9 | 597 | 33423 | 631 | 33478 | 607 | 33517 | 619 |
| 33382 | 595 | 33423-10 | 631 | 33478WP | 607 | 33518 | 553 |
| 33382-9 | 595 | 33423WP | 631 | 33479 | 607 | 33519 | 531 |

| Ref | Pag. | Ref | Pag. | Ref | Pag. | Ref | Pag. |
|----------|------|---------|------|---------|------|--------|------|
| 33519WP | 531 | 33724 | 563 | 34200 | 507 | 41023 | 180 |
| 33522 | 549 | 33724WP | 563 | 34200WP | 507 | 41025N | 180 |
| 33522WP | 549 | 33725 | 539 | 34250 | 503 | 41026 | 180 |
| 33523 | 549 | 33726 | 539 | 40062 | 199 | 41028 | 180 |
| 33523WP | 549 | 33727 | 527 | 40070 | 198 | 41029 | 180 |
| 33524 | 551 | 33728 | 527 | 40076 | 209 | 41030 | 180 |
| 33524WP | 551 | 33729 | 545 | 40077 | 139 | 41031 | 180 |
| 33548 | 537 | 33729WP | 545 | 40078 | 107 | 41032 | 180 |
| 33548WP | 537 | 33750 | 567 | 40085 | 208 | 42919 | 232 |
| 33549 | 528 | 33751 | 567 | 40086 | 208 | 42921 | 230 |
| 33549WP | 528 | 33752 | 586 | 40087 | 208 | 42926 | 239 |
| 33552 | 529 | 33753 | 586 | 40090 | 142 | 42927 | 239 |
| 33552WP | 529 | 33756 | 613 | 40091 | 142 | 42928 | 239 |
| 33553 | 525 | 33756WP | 613 | 40092 | 142 | 42929 | 239 |
| 33553WP | 525 | 33770 | 568 | 40101 | 245 | 42930 | 239 |
| 33554 | 525 | 33770WP | 568 | 40110 | 228 | 42931 | 239 |
| 33554WP | 525 | 33780 | 536 | 40111 | 228 | 43056 | 236 |
| 33600 | 616 | 33780WP | 536 | 40112 | 228 | 43057 | 236 |
| 33603 | 617 | 33782 | 542 | 40113 | 228 | 43059 | 236 |
| 33604 | 617 | 33802 | 547 | 40114 | 228 | 43065 | 236 |
| 33605 | 617 | 33802WP | 547 | 40115 | 228 | 43396 | 230 |
| 33606 | 625 | 33803 | 546 | 40116 | 228 | 43397 | 230 |
| 33607 | 609 | 33803WP | 546 | 40117 | 228 | 43398 | 230 |
| 33608 | 609 | 33804 | 544 | 40118 | 228 | 43399 | 231 |
| 33610 | 624 | 33804WP | 544 | 40119 | 228 | 43400 | 231 |
| 33611 | 622 | 33904 | 636 | 40120 | 228 | 43401 | 231 |
| 33695 | 615 | 33907 | 636 | 40121 | 228 | 43402 | 231 |
| 33696 | 615 | 33928 | 636 | 40122 | 229 | 43403 | 231 |
| 33697 | 615 | 33929 | 636 | 40123 | 229 | 43404 | 231 |
| 33698 | 615 | 33937 | 636 | 40124 | 229 | 43405 | 231 |
| 33699 | 615 | 33944 | 636 | 40125 | 229 | 43406 | 230 |
| 33700 | 579 | 33948 | 636 | 40126 | 229 | 43407 | 230 |
| 33701 | 579 | 33954 | 636 | 40127 | 229 | 43408 | 230 |
| 33702 | 579 | 33957 | 636 | 40135 | 189 | 43409 | 231 |
| 33703 | 628 | 33958 | 636 | 40136 | 189 | 43410 | 231 |
| 33704 | 629 | 33959 | 636 | 40550 | 222 | 43411 | 231 |
| 33705 | 579 | 33960 | 636 | 40551 | 222 | 43412 | 231 |
| 33706 | 629 | 33962 | 636 | 40552 | 222 | 43413 | 231 |
| 33710 | 585 | 33964 | 636 | 40553 | 222 | 43500 | 221 |
| 33710-13 | 585 | 33965 | 636 | 40554 | 222 | 43501 | 221 |
| 33711 | 611 | 33971 | 636 | 40555 | 222 | 43502 | 221 |
| 33711-11 | 611 | 33974 | 636 | 40556 | 222 | 43520 | 223 |
| 33712 | 611 | 34000 | 511 | 40557 | 222 | 43521 | 223 |
| 33712-12 | 611 | 34001 | 511 | 40559 | 222 | 43522 | 223 |
| 33713 | 611 | 34002 | 511 | 40562 | 244 | 43523 | 223 |
| 33713-13 | 611 | 34003 | 523 | 40563 | 244 | 43524 | 223 |
| 33714 | 651 | 34004 | 523 | 40660 | 216 | 43525 | 223 |
| 33715 | 635 | 34005 | 523 | 40661 | 216 | 43526 | 223 |
| 33716 | 651 | 34006 | 511 | 40662 | 216 | 43527 | 223 |
| 33717 | 651 | 34007 | 511 | 40663 | 216 | 43528 | 223 |
| 33718 | 527 | 34008 | 511 | 40664 | 216 | 43529 | 133 |
| 33719 | 527 | 34009 | 511 | 40665 | 216 | 43530 | 133 |
| 33720 | 635 | 34010 | 511 | 40666 | 216 | 43531 | 133 |
| 33721 | 557 | 34011 | 511 | 40667 | 216 | 43532 | 133 |
| 33721WP | 557 | 34100 | 541 | 40994 | 178 | 43533 | 133 |
| 33722 | 557 | 34100WP | 541 | 40996 | 178 | 43534 | 133 |
| 33722WP | 557 | 34150 | 507 | 41019 | 178 | 43535 | 245 |
| 33723 | 621 | 34151 | 509 | 41020 | 178 | 43536 | 245 |

| Ref | Pag. | Ref | Pag. | Ref | Pag. | Ref | Pag. |
|-------|------|-------|------|----------|------|----------|------|
| 43700 | 226 | 51910 | 46 | 62134 | 131 | 62803-3L | 88 |
| 43701 | 226 | 51916 | 46 | 62135 | 131 | 62803-5L | 88 |
| 43702 | 226 | 51917 | 46 | 62136 | 97 | 62803-7L | 88 |
| 43703 | 226 | 52057 | 46 | 62137 | 97 | 62804 | 102 |
| 43704 | 227 | 52058 | 46 | 62138 | 97 | 62804-3L | 88 |
| 43705 | 227 | 52059 | 180 | 62139 | 97 | 62804-5L | 88 |
| 43706 | 227 | 52061 | 180 | 62140 | 131 | 62804-7L | 88 |
| 43707 | 227 | 52064 | 46 | 62141 | 131 | 62805 | 102 |
| 43710 | 226 | 52065 | 46 | 62142 | 131 | 62805-3L | 88 |
| 43720 | 242 | 52071 | 47 | 62143 | 131 | 62805-5L | 88 |
| 43721 | 242 | 53414 | 46 | 62144 | 131 | 62805-7L | 88 |
| 43722 | 218 | 53415 | 46 | 62145 | 131 | 62806 | 102 |
| 43723 | 218 | 57210 | 58 | 62146 | 131 | 62807 | 199 |
| 43724 | 242 | 57211 | 58 | 62147 | 131 | 62809 | 197 |
| 43725 | 242 | 57212 | 58 | 62150 | 195 | 62810 | 197 |
| 43726 | 218 | 57213 | 58 | 62151 | 195 | 62819 | 203 |
| 43727 | 218 | 57214 | 58 | 62152 | 195 | 62820 | 203 |
| 43728 | 219 | 57215 | 58 | 62153 | 195 | 62821 | 203 |
| 43729 | 219 | 57400 | 47 | 62154 | 195 | 62822 | 203 |
| 43730 | 219 | 57401 | 47 | 62155 | 195 | 62965 | 139 |
| 43731 | 219 | 57402 | 199 | 62156 | 40 | 62966 | 139 |
| 43732 | 219 | 57403 | 199 | 62157 | 40 | 62968 | 138 |
| 43740 | 219 | 60000 | 198 | 62161 | 184 | 62969 | 138 |
| 43741 | 219 | 60004 | 106 | 62162 | 184 | 62980 | 139 |
| 43742 | 219 | 60005 | 197 | 62163 | 184 | 62981 | 139 |
| 43743 | 219 | 61080 | 207 | 62164 | 184 | 62983 | 138 |
| 43744 | 219 | 61081 | 207 | 62168 | 40 | 62986 | 207 |
| 43745 | 219 | 61082 | 207 | 62169 | 40 | 62987 | 207 |
| 43746 | 136 | 61083 | 207 | 62170 | 194 | 62988 | 176 |
| 43747 | 136 | 61084 | 207 | 62171 | 194 | 63008 | 211 |
| 43748 | 202 | 61085 | 207 | 62172 | 194 | 63009 | 211 |
| 43749 | 202 | 61086 | 207 | 62300 | 194 | 63038 | 210 |
| 43750 | 202 | 61087 | 207 | 62301 | 194 | 63124 | 135 |
| 43751 | 202 | 61088 | 207 | 62302 | 194 | 63125 | 135 |
| 43752 | 232 | 62099 | 168 | 62303 | 194 | 63146 | 215 |
| 43753 | 232 | 62100 | 168 | 62350 | 183 | 63148 | 210 |
| 43754 | 100 | 62104 | 187 | 62351 | 183 | 63156 | 207 |
| 43755 | 100 | 62105 | 191 | 62352 | 183 | 63167 | 194 |
| 43756 | 100 | 62108 | 191 | 62353 | 183 | 63173 | 204 |
| 43757 | 242 | 62111 | 187 | 62355 | 188 | 63174 | 204 |
| 43758 | 136 | 62114 | 187 | 62360 | 182 | 63175 | 204 |
| 43759 | 202 | 62115 | 177 | 62361 | 182 | 63176 | 204 |
| 43760 | 202 | 62116 | 186 | 62703 | 181 | 63177 | 204 |
| 43761 | 232 | 62117 | 186 | 62704 | 181 | 63178 | 204 |
| 43762 | 218 | 62118 | 187 | 62705 | 176 | 63184 | 206 |
| 43780 | 238 | 62120 | 187 | 62706 | 176 | 63199 | 203 |
| 43781 | 238 | 62121 | 187 | 62707 | 177 | 63225 | 206 |
| 43782 | 238 | 62122 | 186 | 62708 | 177 | 63268 | 134 |
| 43900 | 232 | 62123 | 186 | 62709 | 177 | 63269 | 134 |
| 46060 | 241 | 62124 | 186 | 62710 | 177 | 63270 | 134 |
| 50121 | 198 | 62125 | 186 | 62711 | 177 | 63271 | 134 |
| 50122 | 198 | 62126 | 187 | 62800 | 102 | 63272 | 134 |
| 51129 | 179 | 62128 | 187 | 62801 | 102 | 63273 | 134 |
| 51133 | 179 | 62129 | 187 | 62802 | 102 | 63274 | 134 |
| 51134 | 179 | 62130 | 190 | 62802-3L | 88 | 63275 | 134 |
| 51135 | 179 | 62131 | 190 | 62802-5L | 88 | 63276 | 134 |
| 51908 | 46 | 62132 | 131 | 62802-7L | 88 | 63277 | 134 |
| 51909 | 46 | 62133 | 131 | 62803 | 102 | 63278 | 205 |

| Ref | Pag. | Ref | Pag. | Ref | Pag. | Ref | Pag. |
|-------|------|----------|------|-------------|------|-------------|------|
| 63279 | 205 | 64097 | 130 | 64301 | 174 | 64314-44-5L | 125 |
| 63281 | 241 | 64098 | 94 | 64302 | 169 | 64314-44-7L | 125 |
| 63282 | 241 | 64099 | 94 | 64303 | 169 | 64314-45 | 116 |
| 63283 | 241 | 64128 | 100 | 64304 | 169 | 64314-45-3L | 125 |
| 63284 | 205 | 64128-3L | 88 | 64305 | 169 | 64314-45-5L | 125 |
| 63285 | 205 | 64128-5L | 88 | 64306 | 650 | 64314-45-7L | 125 |
| 63286 | 240 | 64128-7L | 88 | 64306-01 | 160 | 64314-46 | 116 |
| 63290 | 240 | 64133 | 100 | 64306-02 | 160 | 64314-46-3L | 125 |
| 63291 | 139 | 64133-3L | 88 | 64306-35 | 161 | 64314-46-5L | 125 |
| 63311 | 206 | 64133-5L | 88 | 64306-36 | 161 | 64314-46-7L | 125 |
| 63312 | 206 | 64133-7L | 88 | 64306-37 | 161 | 64314-47 | 115 |
| 63313 | 224 | 64135-3L | 88 | 64307 | 650 | 64314-47-3L | 125 |
| 63316 | 214 | 64135-5L | 88 | 64307-03 | 160 | 64314-47-5L | 125 |
| 63317 | 214 | 64135-7L | 88 | 64307-35 | 161 | 64314-47-7L | 125 |
| 63318 | 214 | 64137 | 100 | 64307-36 | 161 | 64314-48 | 115 |
| 63319 | 214 | 64137-3L | 88 | 64307-37 | 161 | 64314-48-3L | 125 |
| 63320 | 210 | 64137-5L | 88 | 64307-47 | 158 | 64314-48-5L | 125 |
| 63321 | 210 | 64137-7L | 88 | 64307-61 | 159 | 64314-48-7L | 125 |
| 63322 | 210 | 64159 | 103 | 64308 | 650 | 64314-49 | 115 |
| 63323 | 210 | 64160 | 103 | 64308-01 | 160 | 64314-49-3L | 125 |
| 63393 | 137 | 64162 | 103 | 64308-02 | 160 | 64314-49-5L | 125 |
| 63394 | 137 | 64168 | 179 | 64308-35 | 161 | 64314-49-7L | 125 |
| 63395 | 137 | 64169 | 179 | 64308-36 | 161 | 64314-54 | 117 |
| 63397 | 138 | 64170 | 97 | 64308-37 | 161 | 64314-54-3L | 125 |
| 63398 | 138 | 64172 | 97 | 64309 | 650 | 64314-54-5L | 125 |
| 63399 | 139 | 64174 | 127 | 64309-03 | 160 | 64314-54-7L | 125 |
| 63403 | 138 | 64182 | 95 | 64309-35 | 161 | 64314-55 | 117 |
| 63404 | 138 | 64183 | 95 | 64309-36 | 161 | 64314-55-3L | 125 |
| 63405 | 138 | 64184 | 95 | 64309-37 | 161 | 64314-55-5L | 125 |
| 63408 | 137 | 64185 | 95 | 64309-47 | 158 | 64314-55-7L | 125 |
| 63410 | 137 | 64186 | 95 | 64309-61 | 159 | 64314-56 | 117 |
| 63480 | 206 | 64187 | 95 | 64310 | 650 | 64314-56-3L | 124 |
| 63481 | 240 | 64188 | 139 | 64310-04 | 62 | 64314-56-5L | 124 |
| 63490 | 241 | 64198 | 135 | 64310-05 | 62 | 64314-56-7L | 124 |
| 63500 | 215 | 64199 | 135 | 64310-38 | 63 | 64315 | 650 |
| 63501 | 215 | 64200 | 135 | 64310-39 | 63 | 64315-44 | 116 |
| 63502 | 215 | 64201 | 135 | 64310-40 | 63 | 64315-45 | 116 |
| 63503 | 210 | 64202 | 245 | 64311 | 650 | 64315-46 | 116 |
| 63504 | 209 | 64203 | 245 | 64311-06 | 62 | 64315-47 | 115 |
| 63505 | 209 | 64204 | 135 | 64311-38 | 63 | 64315-48 | 115 |
| 63507 | 212 | 64205 | 135 | 64311-39 | 63 | 64315-49 | 115 |
| 63508 | 212 | 64206 | 135 | 64311-40 | 63 | 64315-54 | 117 |
| 63509 | 212 | 64207 | 135 | 64311-48 | 60 | 64315-55 | 117 |
| 63510 | 208 | 64210 | 245 | 64312 | 650 | 64315-56 | 117 |
| 63512 | 212 | 64211 | 245 | 64312-07 | 62 | 64316 | 650 |
| 63513 | 212 | 64212 | 245 | 64312-08 | 62 | 64316-01 | 62 |
| 63514 | 212 | 64213 | 245 | 64312-41 | 63 | 64316-02 | 62 |
| 63600 | 213 | 64214 | 245 | 64312-42 | 63 | 64316-35 | 63 |
| 63601 | 213 | 64215 | 245 | 64312-43 | 63 | 64316-36 | 63 |
| 63602 | 213 | 64219 | 203 | 64313 | 650 | 64316-37 | 63 |
| 63603 | 213 | 64222 | 103 | 64313-09 | 62 | 64317 | 650 |
| 63604 | 213 | 64223 | 103 | 64313-41 | 63 | 64317-03 | 62 |
| 63605 | 213 | 64224 | 103 | 64313-42 | 63 | 64317-35 | 63 |
| 64026 | 191 | 64231 | 126 | 64313-43 | 63 | 64317-36 | 63 |
| 64027 | 142 | 64232 | 126 | 64313-49 | 61 | 64317-37 | 63 |
| 64028 | 142 | 64250 | 95 | 64314 | 650 | 64317-47 | 60 |
| 64030 | 189 | 64251 | 95 | 64314-44 | 116 | 64318 | 178 |
| 64096 | 130 | 64300 | 174 | 64314-44-3L | 125 | 64319 | 178 |

| Ref | Pag. | Ref | Pag. | Ref | Pag. | Ref | Pag. |
|----------|------|----------|------|----------|------|-------|------|
| 64320 | 104 | 68461 | 99 | 68591-5L | 125 | 70157 | 323 |
| 64321 | 104 | 68462 | 80 | 68591-7L | 125 | 70158 | 326 |
| 64322 | 174 | 68463 | 80 | 68592-1L | 84 | 70159 | 326 |
| 64323 | 174 | 68488 | 70 | 68592-3L | 125 | 70160 | 322 |
| 64400 | 650 | 68489 | 70 | 68592-5L | 125 | 70161 | 322 |
| 64400-10 | 167 | 68490 | 650 | 68592-7L | 125 | 70162 | 373 |
| 64400-11 | 167 | 68490-01 | 162 | 68593-1L | 84 | 70163 | 373 |
| 64400-12 | 167 | 68490-02 | 162 | 68593-3L | 125 | 70164 | 373 |
| 64500 | 96 | 68490-03 | 162 | 68593-5L | 125 | 70165 | 373 |
| 64501 | 96 | 68491 | 650 | 68593-7L | 125 | 70226 | 324 |
| 65071 | 100 | 68491-01 | 162 | 68594-1L | 84 | 70227 | 324 |
| 65080 | 100 | 68491-02 | 162 | 68594-3L | 125 | 70245 | 325 |
| 65080-3L | 88 | 68491-03 | 162 | 68594-5L | 125 | 70246 | 325 |
| 65080-5L | 88 | 68492 | 650 | 68594-7L | 125 | 70260 | 322 |
| 65080-7L | 88 | 68492-01 | 162 | 68595-1L | 84 | 70261 | 323 |
| 65081 | 101 | 68492-02 | 162 | 68595-3L | 125 | 70262 | 354 |
| 65082 | 101 | 68492-03 | 162 | 68595-5L | 125 | 70263 | 354 |
| 65133 | 199 | 68493 | 650 | 68595-7L | 125 | 70264 | 361 |
| 65134 | 100 | 68493-01 | 162 | 68596-1L | 84 | 70265 | 370 |
| 65137 | 135 | 68493-02 | 162 | 68596-3L | 125 | 70266 | 370 |
| 66191 | 196 | 68493-03 | 162 | 68596-5L | 125 | 70267 | 361 |
| 66204 | 107 | 68494 | 650 | 68596-7L | 125 | 70268 | 361 |
| 66205 | 107 | 68494-01 | 162 | 68597-1L | 84 | 70269 | 362 |
| 66403 | 192 | 68494-02 | 162 | 68597-3L | 125 | 70270 | 362 |
| 66404 | 192 | 68494-03 | 162 | 68597-5L | 125 | 70271 | 375 |
| 66405 | 192 | 68495 | 650 | 68597-7L | 125 | 70272 | 373 |
| 66406 | 192 | 68495-01 | 162 | 68602 | 126 | 70273 | 373 |
| 66407 | 192 | 68495-02 | 162 | 68604-44 | 127 | 70274 | 373 |
| 66408 | 192 | 68495-03 | 162 | 68604-45 | 127 | 70275 | 373 |
| 66409 | 192 | 68496 | 177 | 68604-46 | 127 | 70276 | 373 |
| 66410 | 192 | 68497 | 177 | 68604-47 | 127 | 70277 | 373 |
| 66411 | 193 | 68498 | 177 | 68604-48 | 127 | 70278 | 373 |
| 66412 | 193 | 68499 | 177 | 68604-49 | 127 | 70279 | 373 |
| 66413 | 193 | 68500 | 79 | 68604-54 | 127 | 70280 | 373 |
| 66414 | 193 | 68501 | 79 | 68604-55 | 127 | 70281 | 373 |
| 66415 | 193 | 68502 | 79 | 68604-56 | 127 | 70283 | 362 |
| 66416 | 193 | 68503 | 79 | 68604-62 | 127 | 70284 | 362 |
| 68138 | 198 | 68504 | 174 | 68604-63 | 127 | 70285 | 367 |
| 68139 | 106 | 68505 | 174 | 68604-64 | 127 | 70286 | 367 |
| 68145 | 100 | 68506 | 174 | 68604-65 | 127 | 70287 | 367 |
| 68145-3L | 125 | 68507 | 174 | 68604-66 | 127 | 70290 | 334 |
| 68145-5L | 125 | 68530 | 82 | 68604-67 | 127 | 70291 | 334 |
| 68145-7L | 125 | 68531 | 82 | 68604-68 | 127 | 70292 | 280 |
| 68146 | 100 | 68532 | 174 | 70025 | 321 | 70293 | 280 |
| 68146-3L | 125 | 68533 | 127 | 70035 | 318 | 70302 | 379 |
| 68146-5L | 125 | 68544 | 176 | 70036 | 318 | 70303 | 379 |
| 68146-7L | 125 | 68545 | 83 | 70037 | 318 | 70304 | 379 |
| 68153 | 106 | 68546 | 83 | 70038 | 318 | 70305 | 379 |
| 68283 | 127 | 68547 | 83 | 70134 | 372 | 70306 | 379 |
| 68284 | 127 | 68548 | 127 | 70135 | 372 | 70307 | 379 |
| 68298 | 136 | 68549 | 127 | 70140 | 323 | 70308 | 379 |
| 68317 | 136 | 68561 | 106 | 70146 | 375 | 70309 | 379 |
| 68323 | 136 | 68562 | 106 | 70147 | 375 | 70310 | 379 |
| 68334 | 47 | 68563 | 106 | 70148 | 375 | 70395 | 370 |
| 68417 | 82 | 68564 | 106 | 70151 | 326 | 70396 | 370 |
| 68418 | 82 | 68569 | 106 | 70154 | 375 | 70397 | 370 |
| 68420 | 176 | 68591-1L | 84 | 70155 | 375 | 70398 | 370 |
| 68423 | 45 | 68591-3L | 125 | 70156 | 323 | 70399 | 370 |

| Ref | Pag. | Ref | Pag. | Ref | Pag. | Ref | Pag. |
|--------|------|-------|------|-------|------|--------|------|
| 70402 | 374 | 70663 | 352 | 70823 | 350 | 71209 | 312 |
| 70403 | 374 | 70664 | 352 | 70824 | 366 | 71212 | 355 |
| 70404 | 362 | 70665 | 350 | 70825 | 366 | 71213 | 303 |
| 70405 | 360 | 70666 | 350 | 70826 | 366 | 71214 | 303 |
| 70406 | 360 | 70667 | 352 | 70827 | 350 | 71215 | 355 |
| 70407 | 323 | 70668 | 352 | 70828 | 361 | 71216 | 298 |
| 70408 | 366 | 70682 | 350 | 70829 | 351 | 71217 | 298 |
| 70409 | 366 | 70683 | 350 | 70830 | 365 | 71222 | 356 |
| 70446 | 370 | 70686 | 362 | 70831 | 365 | 71223 | 356 |
| 70449 | 381 | 70687 | 362 | 70832 | 365 | 71224 | 290 |
| 70450 | 374 | 70689 | 350 | 70833 | 374 | 71225 | 290 |
| 70451 | 374 | 70690 | 332 | 70834 | 374 | 71242 | 282 |
| 70453 | 376 | 70696 | 352 | 70887 | 352 | 71243 | 282 |
| 70455 | 381 | 70697 | 352 | 70888 | 360 | 71244 | 282 |
| 70458N | 376 | 70714 | 353 | 70899 | 359 | 71253 | 286 |
| 70459N | 376 | 70715 | 350 | 70900 | 374 | 71254 | 286 |
| 70462N | 377 | 70720 | 351 | 70901 | 374 | 71256 | 286 |
| 70469 | 326 | 70722 | 332 | 70906 | 369 | 71257 | 286 |
| 70498 | 263 | 70726 | 376 | 70907 | 369 | 71272 | 354 |
| 70499 | 263 | 70728 | 376 | 70908 | 369 | 71273 | 354 |
| 70501 | 368 | 70729 | 376 | 70909 | 369 | 71274 | 350 |
| 70508 | 368 | 70730 | 376 | 70910 | 369 | 71276 | 359 |
| 70525 | 322 | 70731 | 376 | 70911 | 369 | 71277 | 359 |
| 70546 | 367 | 70732 | 376 | 70912 | 322 | 71278 | 364 |
| 70547 | 367 | 70733 | 377 | 70913 | 326 | 71279 | 337 |
| 70564 | 367 | 70734 | 377 | 70914 | 261 | 71282 | 337 |
| 70566N | 365 | 70735 | 377 | 70992 | 348 | 71285 | 338 |
| 70567N | 365 | 70736 | 377 | 70993 | 306 | 71286 | 292 |
| 70573 | 352 | 70749 | 364 | 70996 | 348 | 71287 | 292 |
| 70573B | 352 | 70753 | 304 | 70997 | 349 | 71295 | 343 |
| 70575 | 332 | 70754 | 304 | 70998 | 349 | 71296 | 343 |
| 70576 | 306 | 70755 | 304 | 70999 | 349 | 71297 | 343 |
| 70579 | 357 | 70756 | 304 | 71049 | 360 | 71299 | 295 |
| 70581 | 323 | 70761 | 296 | 71052 | 360 | 71300 | 295 |
| 70582 | 364 | 70766 | 342 | 71064 | 360 | 71301 | 295 |
| 70583 | 364 | 70767 | 296 | 71095 | 322 | 71303 | 351 |
| 70586 | 380 | 70768 | 296 | 71106 | 330 | 71304 | 351 |
| 70587 | 380 | 70771 | 301 | 71108 | 330 | 71305 | 351 |
| 70588 | 380 | 70772 | 301 | 71110 | 347 | 71306 | 351 |
| 70589 | 380 | 70773 | 351 | 71116 | 317 | 71308 | 359 |
| 70591 | 381 | 70774 | 311 | 71117 | 317 | 71309 | 359 |
| 70592N | 380 | 70775 | 258 | 71118 | 317 | 71352 | 309 |
| 70593N | 380 | 70776 | 258 | 71128 | 347 | 71353 | 365 |
| 70634 | 361 | 70777 | 258 | 71129 | 347 | 71362L | 357 |
| 70637 | 362 | 70780 | 345 | 71138 | 330 | 71363 | 365 |
| 70638 | 375 | 70781 | 345 | 71139 | 331 | 71366 | 365 |
| 70644 | 359 | 70782 | 307 | 71140 | 347 | 71367 | 365 |
| 70645 | 359 | 70783 | 307 | 71141 | 347 | 71372 | 332 |
| 70646 | 359 | 70784 | 262 | 71142 | 331 | 71374 | 332 |
| 70647 | 359 | 70785 | 311 | 71143 | 331 | 71383 | 321 |
| 70655 | 368 | 70786 | 260 | 71194 | 364 | 71388 | 365 |
| 70656 | 368 | 70799 | 332 | 71195 | 364 | 71389 | 321 |
| 70657 | 369 | 70802 | 361 | 71196 | 364 | 71390 | 321 |
| 70658 | 369 | 70806 | 332 | 71198 | 304 | 71424 | 346 |
| 70659 | 369 | 70811 | 361 | 71199 | 304 | 71480 | 372 |
| 70660 | 377 | 70812 | 361 | 71206 | 302 | 71481 | 372 |
| 70661 | 377 | 70813 | 361 | 71207 | 302 | 71482 | 372 |
| 70662 | 377 | 70821 | 332 | 71208 | 302 | 71483 | 381 |

| Ref | Pag. | Ref | Pag. | Ref | Pag. | Ref | Pag. |
|-----------|------|----------|------|------------|------|---------|------|
| 71489N | 381 | 71584-02 | 252 | 73150 | 327 | 750000C | 266 |
| 71490 | 372 | 71584-03 | 252 | 73440 | 299 | 750000D | 266 |
| 71491 | 372 | 71584-04 | 252 | 73450 | 299 | 750001 | 266 |
| 71495 | 381 | 71584-05 | 252 | 73460 | 299 | 750001C | 266 |
| 71496N | 380 | 71584-06 | 252 | 73695 | 345 | 750001D | 266 |
| 71497N | 380 | 71584-07 | 252 | 73696 | 331 | 750002 | 266 |
| 71498N | 380 | 71584-08 | 252 | 74139 | 338 | 750002C | 266 |
| 71499N | 380 | 71606 | 346 | 74141 | 289 | 750002D | 266 |
| 71516 | 354 | 71607 | 346 | 74142 | 289 | 75001 | 299 |
| 71517 | 354 | 71613 | 327 | 74155 | 288 | 750010 | 266 |
| 71519 | 357 | 71701 | 378 | 74156 | 288 | 750010C | 266 |
| 71528 | 321 | 71702 | 378 | 74261 | 347 | 750010D | 266 |
| 71536 | 339 | 71703 | 378 | 74400 | 362 | 750011 | 266 |
| 71537 | 339 | 71716 | 378 | 74401 | 354 | 750011C | 266 |
| 71546 | 320 | 71717 | 378 | 74407 | 363 | 750011D | 266 |
| 71547 | 320 | 71730 | 382 | 74408 | 363 | 750012 | 266 |
| 71548 | 320 | 71731 | 382 | 74411 | 309 | 750012C | 266 |
| 71549 | 320 | 71732 | 382 | 74419 | 366 | 750012D | 266 |
| 71556 | 285 | 71733 | 382 | 74422 | 284 | 75002 | 330 |
| 71562 | 285 | 71734 | 383 | 74423 | 284 | 750020 | 266 |
| 71563 | 285 | 71735 | 383 | 74424 | 284 | 750020C | 266 |
| 71564 | 285 | 71736 | 383 | 74427C-01 | 330 | 750020D | 266 |
| 71565 | 263 | 71737 | 383 | 74427C-02 | 330 | 750021 | 266 |
| 71569-01 | 250 | 71900 | 358 | 74427C-03 | 330 | 750021C | 266 |
| 71569-04 | 250 | 71901 | 358 | 74427C-04 | 330 | 750021D | 266 |
| 71569-05 | 250 | 71902 | 358 | 74432A-01 | 344 | 750022 | 266 |
| 71569-06 | 250 | 71903 | 358 | 74432A-02 | 344 | 750022C | 266 |
| 71569-07 | 250 | 71904 | 358 | 74432A-03 | 344 | 750022D | 266 |
| 71569-08 | 250 | 71905 | 358 | 74432A-04 | 344 | 75003 | 299 |
| 71575-01 | 250 | 71906 | 358 | 74433S-01 | 299 | 750100 | 266 |
| 71575-04 | 250 | 71907 | 358 | 74433S-02 | 300 | 750100C | 266 |
| 71575-05 | 250 | 71908 | 358 | 74433S-03 | 300 | 750100D | 266 |
| 71575-06 | 250 | 71909 | 358 | 74433S-04 | 300 | 750101 | 266 |
| 71575-07 | 250 | 71910 | 358 | 74434B-01 | 299 | 750101C | 266 |
| 71575P-01 | 254 | 71911 | 358 | 74434B-02 | 300 | 750101D | 266 |
| 71575P-03 | 254 | 71912 | 310 | 74434B-03 | 300 | 750102 | 266 |
| 71575P-04 | 254 | 71913 | 310 | 74434B-04 | 300 | 750102C | 266 |
| 71575P-05 | 254 | 71914 | 261 | 74435F2-02 | 314 | 750102D | 266 |
| 71575P-06 | 254 | 72000 | 353 | 74435F2-03 | 315 | 750110 | 266 |
| 71575P-07 | 254 | 72001 | 353 | 74435F2-04 | 314 | 750110C | 266 |
| 71576-01 | 250 | 72002 | 353 | 74436F3-02 | 314 | 750110D | 266 |
| 71576-04 | 250 | 72010 | 353 | 74436F3-03 | 315 | 750111 | 266 |
| 71576P-03 | 254 | 72011 | 353 | 74436F3-04 | 315 | 750111C | 266 |
| 71576P-04 | 254 | 72092 | 372 | 74440 | 346 | 750111D | 266 |
| 71579-02 | 256 | 72093 | 372 | 74441 | 294 | 750112 | 266 |
| 71579C-03 | 256 | 72094 | 372 | 74442 | 294 | 750112C | 266 |
| 71579C-04 | 256 | 72095 | 372 | 74444E | 312 | 750112D | 266 |
| 71579C-05 | 256 | 72269 | 359 | 74450 | 354 | 750120 | 266 |
| 71579C-06 | 256 | 72272 | 354 | 74451 | 305 | 750120C | 266 |
| 71579C-07 | 256 | 72280 | 353 | 74452 | 305 | 750120D | 266 |
| 71579C-08 | 256 | 72281 | 353 | 74453 | 342 | 750121 | 266 |
| 71579H-03 | 256 | 72298 | 309 | 74454 | 262 | 750121C | 266 |
| 71579H-04 | 256 | 72310 | 301 | 74455 | 365 | 750121D | 266 |
| 71579H-05 | 256 | 72311 | 308 | 74465 | 32 | 750122 | 266 |
| 71579H-06 | 256 | 72312 | 308 | 74997 | 299 | 750122C | 266 |
| 71579H-07 | 256 | 72330 | 366 | 74998 | 345 | 750122D | 266 |
| 71579H-08 | 256 | 73100 | 327 | 75000 | 345 | 750200 | 268 |
| 71584-01 | 252 | 73111 | 327 | 750000 | 266 | 750200C | 268 |

| Ref | Pag. | Ref | Pag. | Ref | Pag. | Ref | Pag. |
|---------|------|---------|------|---------|------|-------|------|
| 750200D | 268 | 751002 | 274 | 751210C | 276 | 75536 | 340 |
| 750201 | 268 | 751002C | 274 | 751210D | 276 | 75537 | 293 |
| 750201C | 268 | 751002D | 274 | 751211 | 276 | 75538 | 293 |
| 750201D | 268 | 751010 | 274 | 751211C | 276 | 75540 | 355 |
| 750202 | 268 | 751010C | 274 | 751211D | 276 | 75541 | 291 |
| 750202C | 268 | 751010D | 274 | 751212 | 276 | 75600 | 297 |
| 750202D | 268 | 751011 | 274 | 751212C | 276 | 75601 | 297 |
| 750210 | 268 | 751011C | 274 | 751212D | 276 | 75602 | 316 |
| 750210C | 268 | 751011D | 274 | 751220 | 276 | 75603 | 296 |
| 750210D | 268 | 751012 | 274 | 751220C | 276 | 75604 | 296 |
| 750211 | 268 | 751012C | 274 | 751220D | 276 | 75605 | 298 |
| 750211C | 268 | 751012D | 274 | 751221 | 276 | 75606 | 298 |
| 750211D | 268 | 751020 | 274 | 751221C | 276 | 75607 | 316 |
| 750212 | 268 | 751020C | 274 | 751221D | 276 | 75608 | 261 |
| 750212C | 268 | 751020D | 274 | 751222 | 276 | 75700 | 342 |
| 750212D | 268 | 751021 | 274 | 751222C | 276 | 75701 | 342 |
| 750220 | 268 | 751021C | 274 | 751222D | 276 | 75750 | 341 |
| 750220C | 268 | 751021D | 274 | 751300 | 276 | 75751 | 341 |
| 750220D | 268 | 751022 | 274 | 751300C | 276 | 75753 | 328 |
| 750221 | 268 | 751022C | 274 | 751300D | 276 | 75754 | 328 |
| 750221C | 268 | 751022D | 274 | 751301 | 276 | 75755 | 341 |
| 750221D | 268 | 751100 | 274 | 751301C | 276 | 75800 | 327 |
| 750222 | 268 | 751100C | 274 | 751301D | 276 | 75801 | 327 |
| 750222C | 268 | 751100D | 274 | 751302 | 276 | | |
| 750222D | 268 | 751101 | 274 | 751302C | 276 | | |
| 750300 | 268 | 751101C | 274 | 751302D | 276 | | |
| 750300C | 268 | 751101D | 274 | 751310 | 276 | | |
| 750300D | 268 | 751102 | 274 | 751310C | 276 | | |
| 750301 | 268 | 751102C | 274 | 751310D | 276 | | |
| 750301C | 268 | 751102D | 274 | 751311 | 276 | | |
| 750301D | 268 | 751110 | 274 | 751311C | 276 | | |
| 750302 | 268 | 751110C | 274 | 751311D | 276 | | |
| 750302C | 268 | 751110D | 274 | 751312 | 276 | | |
| 750302D | 268 | 751111 | 274 | 751312C | 276 | | |
| 750310 | 268 | 751111C | 274 | 751312D | 276 | | |
| 750310C | 268 | 751111D | 274 | 751320 | 276 | | |
| 750310D | 268 | 751112 | 274 | 751320C | 276 | | |
| 750311 | 268 | 751112C | 274 | 751320D | 276 | | |
| 750311C | 268 | 751112D | 274 | 751321 | 276 | | |
| 750311D | 268 | 751120 | 274 | 751321C | 276 | | |
| 750312 | 268 | 751120C | 274 | 751321D | 276 | | |
| 750312C | 268 | 751120D | 274 | 751322 | 276 | | |
| 750312D | 268 | 751121 | 274 | 751322C | 276 | | |
| 750320 | 268 | 751121C | 274 | 751322D | 276 | | |
| 750320C | 268 | 751121D | 274 | 75500 | 363 | | |
| 750320D | 268 | 751122 | 274 | 75501 | 363 | | |
| 750321 | 268 | 751122C | 274 | 75502 | 363 | | |
| 750321C | 268 | 751122D | 274 | 75503 | 363 | | |
| 750321D | 268 | 751200 | 276 | 75519 | 305 | | |
| 750322 | 268 | 751200C | 276 | 75520 | 305 | | |
| 750322C | 268 | 751200D | 276 | 75521 | 301 | | |
| 750322D | 268 | 751201 | 276 | 75522 | 297 | | |
| 751000 | 274 | 751201C | 276 | 75523 | 297 | | |
| 751000C | 274 | 751201D | 276 | 75524 | 316 | | |
| 751000D | 274 | 751202 | 276 | 75529 | 340 | | |
| 751001 | 274 | 751202C | 276 | 75531 | 291 | | |
| 751001C | 274 | 751202D | 276 | 75532 | 312 | | |
| 751001D | 274 | 751210 | 276 | 75533 | 340 | | |

| | | | | | | | | | |
|----------------------|------------|--------------------|------------|-------------------------|------------|----------------------|------------|--------------------|------------|
| Aday | 359 | Bow | 238 | Cocotte | 91 | Dolme | | Fold | 169 |
| Agra | | Bracket | 354 | Conga | | Suspended/Suspensión | 90 | Fonovia | 116 |
| Bollard/Baliza | 304 | Bronx | 364 | Table/Sobremesa | 62 | Ceiling/Techo | 130 | Foro | 138 |
| Post/Sobremuro | 304 | Brow | 366 | Floor/Suelo | 62 | Domino | 224 | Fox | 233 |
| Aim | 234 | Bruc | 361 | Suspended/Suspensión | 113 | Doro | 358 | Frame | 164 |
| Aina | 123 | Brume | | Surface/Superficie | 160 | Dragma | 357 | Fraser | 613 |
| Art | 96 | Ceiling/Techo | 139 | Conik | 203 | Drak | 366 | Fred | 352 |
| Balder | 326 | Surface/Superficie | 209 | Copper | 593 | Drum | 59 | Fresh | 235 |
| Banker | 47 | Brot | 286 | Corb | 189 | Eaco | 204 | Frol | 372 |
| Baobab | 46 | Bu-Oh! | | Corso | 583 | Easy | 623 | Fuji | 32 |
| Bast | 280 | Post/Sobremuro | 303 | Cosmos | 99 | Ebba | 232 | Fusta | 121 |
| Bel | 180 | Bollard/Baliza | 303 | Cotton | 192 | Eco Indus | 612 | Future | 354 |
| Beret | | Pole/Farola | 312 | Cove | 206 | Edel | 381 | Gala | 209 |
| Bollard/Baliza | 297 | Surface/Superficie | 355 | Cráter | 95 | Edge | 215 | Galo | 370 |
| Pole/Farola | 316 | Cabo | 349 | Croc | 238 | Ele | 366 | Garten-1 | 327 |
| Berni | | Cadaqués | 282 | Crosby | 376 | Elsa | 205 | Garten-4 | 327 |
| Table/Sobremesa | 76 | Cage | 260 | Cuba | 582 | Eres | 191 | Gas | 231 |
| Floor/Suelo | 76 | Canon | 365 | Curtis Asimetric | 377 | Esca | 372 | Geiser | 379 |
| Surface/Superficie | 173 | Cast | 288 | Dado | 346 | Essential | 176 | Gina | |
| Bic | 137 | Cat | 285 | Dakron | 332 | Estay | 353 | Bollard/Baliza | 309 |
| Black | 80 | Cebu | 625 | Dallas | 203 | Estoril | | Surface/Superficie | 365 |
| Blind | 361 | Cela | 353 | Dang | 370 | Suspended/Suspensión | 331 | Gingko | 236 |
| Bliss | 45 | Celia | 198 | Danka | 99 | Surface/Superficie | 347 | Giza | |
| Block | | Century | 525 | Danubio | 213 | Eterfan | 597 | Post/Sobremuro | 296 |
| Post/Sobremuro | 289 | Ceres | 346 | Dart | 373 | Eterna | | Surface/Superficie | 342 |
| Bollard/Baliza | 289 | Chandra | 309 | Das | | Table/Sobremesa | 45 | Gotland | 543 |
| Surface/Superficie | 338 | Charlotte | 102 | Bollard/Baliza | 305 | Surface/Superficie | 163 | Goz | 332 |
| Blome | 168 | Cheras | 204 | Post/Sobremuro | 305 | Factory | 622 | Grada | 369 |
| Blub's | | Chicago | 628 | Datna | | Falcon | 236 | Grant | 368 |
| Bollard/Baliza | 300 | Cies | 513 | Bollard/Baliza | 294 | Falls | 382 | Grid | 555 |
| Post/Sobremuro | 300 | Claire | 98 | Post/Sobremuro | 294 | Fedon | 353 | Gron | 372 |
| Suspended/Suspensión | 330 | Clara | 96 | Pole/Farola | 312 | Feroe | 616 | Grop | |
| Surface/Superficie | 344 | Clauss | 354 | Surface/Superficie | 346 | Filter | 374 | Bollard/Baliza | 297 |
| Board | 200 | Clear | 234 | Decofan | 601 | Flin | 178 | Pole/Farola | 316 |
| Boc | 177 | Cloe | 138 | Derby | 353 | Flow | 320 | Grow | 302 |
| Boken | 180 | Cobo | 362 | Disc | 561 | Foc | | Gru | 46 |
| Bonn | 352 | Coco | 216 | Diula | 207 | Spike/Estaca | 326 | Grund | 376 |
| Borda | 349 | Cocos | 537 | Doka | 210 | Projector/Proyector | 323 | Guadalupe | |

| | | | | | | | | | |
|----------------------|-----|--------------------|-----|----------------------|-----|----------------------|-----|----------------------|-----|
| Surface/Superficie | 148 | Izaro | 587 | Lago | 210 | Spot/Foco | 220 | Magos | 150 |
| Table/Sobremesa | 38 | Janet | 135 | Lako | 358 | Track/Carril | 244 | Magritte | 207 |
| Floor/Suelo | 38 | Jellyfish | | Lama | 533 | Lio | 381 | Mallorca | 581 |
| Guest | | Portable/Portátil | 34 | Lang | 98 | Liria | 207 | Malvinas | 535 |
| Floor/Suelo | 48 | Table/Sobremesa | 49 | Lantau XL | 521 | Lisboa | 620 | Mambo | |
| Surface/Superficie | 148 | Floor/Suelo | 49 | Lantau L | 553 | Lise | | Table/Sobremesa | 60 |
| Guiza | 364 | Joy | 142 | Lao | | Suspended/Suspensión | 100 | Floor/Suelo | 61 |
| Half | 339 | Juliet | 180 | Table/Sobremesa | 56 | Surface/Superficie | 202 | Suspended/Suspensión | 110 |
| Halita | 96 | Justfan XL | 517 | Floor/Suelo | 56 | Liso | 372 | Surface/Superficie | 159 |
| Han | 147 | Justfan M | 599 | Spot/Foco | 220 | List | 198 | Manhattan | 505 |
| Handy | 175 | Justfan S | 631 | Track/Carril | 244 | Lit | 322 | Margot | 102 |
| Hanna | 174 | Kala | 364 | Laos | 210 | Liz | 96 | Marina | |
| Haru | 135 | Kale | 181 | Lass | 211 | Loa | 197 | Suspended/Suspensión | 102 |
| Hikari | 350 | Kamen | 206 | Le Petit | 184 | Log | 361 | Surface/Superficie | 197 |
| Homs | 194 | Kane | 377 | Le Vita | | Logar | 298 | Marlin | |
| Honey | | Kao | 139 | Table/Sobremesa | 50 | Logos | 139 | Suspended/Suspensión | 96 |
| Suspended/Suspensión | 331 | Karl | 323 | Floor/Suelo | 51 | Loke | 178 | Surface/Superficie | 199 |
| Surface/Superficie | 345 | Kasp | 261 | Suspended/Suspensión | 86 | Lombok | 584 | Mask | 336 |
| Horus | 375 | Kauai | 507 | Surface/Superficie | 143 | Loop | | Mauren | 306 |
| Hoshi | | Kaula | 360 | Lead | 181 | Table/Sobremesa | 52 | Mediterráneo | 629 |
| Portable/Portátil | 35 | Keenan | 367 | Led -18 | 380 | Floor/Suelo | 52 | Mega | 137 |
| Table/Sobremesa | 40 | Keiki | 635 | Led-18 | 380 | Suspended/Suspensión | 107 | Meno | 542 |
| Hotel | | Kera | 194 | Lena | | Surface/Superficie | 155 | Mila | 301 |
| Table/Sobremesa | 78 | Kerala | | Table/Sobremesa | 46 | Loth | 367 | Milos | 541 |
| Floor/Suelo | 78 | Portable/Portátil | 262 | Surface/Superficie | 180 | Lotus | | Mine | |
| Suspended/Suspensión | 121 | Surface/Superficie | 342 | Leser | 180 | Bollard/Baliza | 290 | Table/Sobremesa | 43 |
| Surface/Superficie | 171 | Kew | 323 | Leyte | 536 | Surface/Superficie | 356 | Suspended/Suspensión | 104 |
| Hudson | 197 | Khios | 503 | Liana | 102 | Lou | 98 | Mini Carter | 374 |
| Hyde | 228 | Klamp | | Linda | | Luan | 239 | Mini Eterfan | 595 |
| Hydra | 539 | Bollard/Baliza | 309 | Table/Sobremesa | 72 | Lula | 44 | Mini Icaria | 615 |
| Ibiza | 580 | Surface/Superficie | 363 | Floor/Suelo | 72 | Luna | 206 | Mini Indus | 627 |
| Icaria | 579 | Klee | 140 | Suspended/Suspensión | 120 | Lupe | | Mini Lantau | 619 |
| Ice | 559 | Koi | 230 | Surface/Superficie | 196 | Table/Sobremesa | 73 | Mini Mallorca | 617 |
| Indo | 215 | Kombo | 84 | Ling | 361 | Floor/Suelo | 73 | Mini Racing | 374 |
| Indus | 534 | Komodo | 621 | Link | | Surface/Superficie | 166 | Mini Tube | 603 |
| Iris | 137 | Kubick | 350 | Table/Sobremesa | 55 | Lur | 350 | Mini Ufo | 626 |
| Islot | 547 | Lace | 361 | Floor/Suelo | 55 | Luzon | 567 | Miniproject | 321 |
| Ito | 47 | Lacre | 361 | Ceiling/Techo | 132 | Magma | 95 | Mistu | |

| | | | | | | | | | |
|----------------------|-----|----------------------|-----|----------------------|-----|----------------------|-----|----------------------|-----|
| Bollard/Baliza | 300 | Mute | 118 | Suspended/Suspensión | 102 | Pixie | 178 | Track/Carril | 244 |
| Pole/Farola | 314 | Nahir | 348 | Surface/Superficie | 198 | Plas | 241 | Rob | 177 |
| Post/Sobremuro | 300 | Nairobi | 365 | Nuu | 557 | Plat | 96 | Roda | 176 |
| Suspended/Suspensión | 330 | Nais | 230 | Oboe | 624 | Plaza | 316 | Rodas | 549 |
| Surface/Superficie | 344 | Nala | | Oki | 322 | Plim | | Ron | 167 |
| Mitic | | Post/Sobremuro | 301 | Oko | 322 | Bollard/Baliza | 295 | Room | 170 |
| Table/Sobremesa | 82 | Surface/Superficie | 351 | Olaf | 205 | Surface/Superficie | 343 | Rose | 97 |
| Floor/Suelo | 82 | Nanda | 298 | Olan | 362 | Plom | | Rush | |
| Surface/Superficie | 176 | Naos | 92 | Olot | 332 | Spike/Estaca | 326 | Post/Sobremuro | 264 |
| Moist | 234 | Nase | 370 | Onze | 296 | Projector/Proyector | 322 | Bollard/Baliza | 264 |
| Mol | 351 | Nash | 203 | Ora | | Plot | 245 | Pole/Farola | 268 |
| Molokai | 608 | Nassau | 607 | Suspended/Suspensión | 100 | Pluma | 93 | Saba | |
| Moma | | Nat | 375 | Surface/Superficie | 202 | Pol | 351 | Table/Sobremesa | 83 |
| Table/Sobremesa | 79 | Natron | 352 | Orleans | | Polaris | 569 | Floor/Suelo | 83 |
| Floor/Suelo | 79 | Natsu | 135 | Ceiling/Techo | 133 | Polea | 563 | Suspended/Suspensión | 123 |
| Surface/Superficie | 174 | Náutica | | Spot/Foco | 223 | Pomo | 351 | Surface/Superficie | 176 |
| Montreal | | Pole/Farola | 317 | Track/Carril | 245 | Poros | 551 | Sabana | 168 |
| Table/Sobremesa | 64 | Suspended/Suspensión | 330 | Orwell | 342 | Pote | 135 | Sabi | 100 |
| Floor/Suelo | 64 | Surface/Superficie | 347 | Oslo | 205 | Press | 183 | Sac | 196 |
| Surface/Superficie | 156 | Navi | 240 | Otto | 46 | Proa | 362 | Sahara | 176 |
| Mood | 153 | Naya | 304 | Oval | 359 | Project | 321 | Saigon | |
| Moon | | Negus | 352 | Ovo | 191 | Pure | 149 | Floor/Suelo | 250 |
| Bollard/Baliza | 299 | Neón | 231 | Palao | 633 | Quart | 357 | Portable/Portátil | 252 |
| Post/Sobremuro | 299 | Neu | 240 | Palk | 571 | Radón | 230 | Portable/Portátil | 285 |
| Suspended/Suspensión | 330 | Nias | 576 | Pals | 334 | Ram | 245 | Spike/Estaca | 254 |
| Surface/Superficie | 344 | Nidia | 45 | Pam | 99 | Ras | 199 | Suspended/Suspensión | 256 |
| Morea | 531 | Nido | 102 | Panay | 609 | Rel | 135 | Saigon-In | 114 |
| Mou | 98 | Niko | | Papua | 80 | Relax | 210 | Salt | 381 |
| Móvil | 236 | Table/Sobremesa | 42 | Path | 368 | Rem | | Samba | |
| Moy | 142 | Surface/Superficie | 152 | Pauline | 108 | Table/Sobremesa | 68 | Table/Sobremesa | 63 |
| Muffin | | Nilo | 214 | Pemba | 575 | Floor/Suelo | 68 | Floor/Suelo | 63 |
| Bollard/Baliza | 300 | Nisos | 519 | Pepper | 179 | Surface/Superficie | 165 | Suspended/Suspensión | 112 |
| Pole/Farola | 314 | Nit | 185 | Perla | 208 | Remake | 198 | Surface/Superficie | 161 |
| Post/Sobremuro | 300 | Noboru | 306 | Petra | 199 | Retro | | Sami | 180 |
| Suspended/Suspensión | 330 | Noon | 188 | Phill | 108 | Suspended/Suspensión | 94 | Samos | 545 |
| Surface/Superficie | 344 | Noray | 349 | Piccola | 325 | Surface/Superficie | 196 | Saona | 546 |
| Muga | 296 | Nord | 240 | Pill | 366 | Ring | | Saura | 311 |
| Must | 369 | Nudos | | Pivot | 351 | Spot/Foco | 222 | Savoy | |

| | | | | | | | | | |
|----------------------|-----|----------------------|-----|----------------------|-----|----------------------|-----|----------------------|-----|
| Table/Sobremesa | 66 | Snow | 205 | Sweet | | Tira | 174 | Table/Sobremesa | 71 |
| Floor/Suelo | 66 | Sobek | 326 | Table/Sobremesa | 75 | Toc | | Floor/Suelo | 71 |
| Suspended/Suspensión | 109 | Soleil | 311 | Floor/Suelo | 75 | Floor/Suelo | 258 | Suspended/Suspensión | 122 |
| Surface/Superficie | 157 | Son | 239 | Surface/Superficie | 173 | Portable/Portátil | 258 | Surface/Superficie | 172 |
| Screen | | Soun | 374 | Tabarca | 586 | Surface/Superficie | 345 | Vic | 323 |
| Bollard/Baliza | 272 | Spark | 373 | Tacana | 360 | Tod | 239 | View | 357 |
| Pole/Farola | 276 | Spy-1 | 307 | Tacos | 360 | Tola | 138 | Voila | 263 |
| Bollard/Baliza | 272 | Stan | | Taima | 365 | Toluca | 360 | Volga | 212 |
| Scuba | | Suspended/Suspensión | 100 | Take Away | 36 | Tom | 350 | Volta | |
| Suspended/Suspensión | 328 | Ceiling/Techo | 136 | Takua | 359 | Tom XI | 350 | Table/Sobremesa | 77 |
| Surface/Superficie | 341 | Surface/Superficie | 202 | Tamashi | 351 | Toni | 321 | Floor/Suelo | 77 |
| Sedna | 375 | Spot/Foco | 218 | Tami | 332 | Tonic | 529 | Surface/Superficie | 170 |
| Sera | 194 | Spot/Foco | 219 | Tane | 359 | Tono | 327 | Vuk | 139 |
| Sete | 301 | Recessed/Empotrable | 232 | Taro | 381 | Tonsay | 573 | Vulcano | 528 |
| Seth-28 | 324 | Track/Carril | 242 | Tasa | 332 | Toran | 323 | Wabi | 232 |
| Seth-60 | 324 | Stand-Up | 58 | Task | 260 | Tou | 201 | Wally | 347 |
| Seven | | Steps | 363 | Tecno-1 | 381 | Tram | | Well | 189 |
| Suspended/Suspensión | 123 | Sticker | | Tecno-6 | 381 | Bollard/Baliza | 291 | West | |
| Ceiling/Techo | 136 | Bollard/Baliza | 291 | Tecto | 134 | Pole/Farola | 312 | Wet | 236 |
| Shadow | 308 | Surface/Superficie | 355 | Ted | 239 | Surface/Superficie | 340 | Whizz | 359 |
| Shelby | | Stone | 221 | Tejo | 352 | Tras | 378 | Floor/Suelo | 57 |
| Bollard/Baliza | 293 | Stood | | Ten | | Tree | | Suspended/Suspensión | 89 |
| Post/Sobremuro | 293 | Table/Sobremesa | 54 | Table/Sobremesa | 40 | Table/Sobremesa | 74 | Surface/Superficie | 145 |
| Surface/Superficie | 340 | Floor/Suelo | 54 | Surface/Superficie | 195 | Floor/Suelo | 74 | Wilma | |
| Show | 322 | Suspended/Suspensión | 106 | Tender | 128 | Suspended/Suspensión | 120 | Bollard/Baliza | 299 |
| Side | | Surface/Superficie | 154 | Tera | 206 | Troop | 226 | Post/Sobremuro | 299 |
| Suspended/Suspensión | 93 | Store | 374 | Terma | 211 | Tube | 605 | Suspended/Suspensión | 330 |
| Ceiling/Techo | 131 | Stripe | 372 | Thana | | Twist | | Surface/Superficie | 345 |
| Signal | 240 | Studio | 179 | Table/Sobremesa | 82 | Post/Sobremuro | 292 | Winch | |
| Sioux | 568 | Suau | 187 | Floor/Suelo | 82 | Bollard/Baliza | 292 | Suspended/Suspensión | 103 |
| Slim | | Suma | 364 | Suspended/Suspensión | 123 | Surface/Superficie | 338 | Fan/Ventilador | 565 |
| Suspended/Suspensión | 88 | Sun | 350 | Surface/Superficie | 174 | Typhoon | 589 | Winche | 591 |
| Surface/Superficie | 146 | Sunset | 362 | Thon | 362 | Uve | 370 | Wood | 365 |
| Slot | 318 | Surat | 301 | Tila | 182 | Vanu | 577 | Yakarta | 611 |
| Smile | 190 | Suria-12 | 380 | Tilos | 523 | Vedra | 634 | Yen | 332 |
| Snap | | Suria-24 | 380 | Timon | 348 | Verno | 299 | Zon | 139 |
| Surface/Superficie | 199 | Suria-3 | 380 | Timor | 570 | Versus | 284 | | |
| Table/Sobremesa | 47 | Sven | 134 | Tinia | 365 | Vesper | | | |

The path has already begun, it is a conscious road and there is no turning back. Changing times, unprecedented disruption and sustainability. Step by step we innovate through our designs, products and solutions to contribute to a better world for all.